CAPYBARA

Hydrochoerus hydrochaeris · Wetlands and savanna of South America
Grazer · Wild-range diet

3-SECOND CHECK Do I see grass / hay — dominating the bowl?

THE RULE What they would naturally come across in their wild range, by percentage of natural diet. Nothing else.
Wet grasslands and riverbanks — grasses, sedges, aquatic plants, occasional fruit and bark.

≈90% BASE always visible in the bowl

≈10% TREATS hand-fed or scattered — never in the bowl

BASE
Grass hay
timothy, orchard, Bermuda

TREAT
Fresh grass
primary wild forage

TREAT
Aquatic plants
water hyacinth, water lettuce

TREAT
Reeds & sedges
emergent wetland plants

TREAT
Bark & twigs
occasional, dry season

Plus other plants and prey from their wild range — pesticide-free only.

NO STARCHY VEG No corn, peas, beans, or potato. No carrot- or zucchini-heavy bowls. Hay or grass must always be visible.

HOW WE FEED

- Base must be visible in the bowl.
- Treats are hand-fed or scattered, never in the bowl.
- Baseline before guest hours — do not feed to fullness before guests arrive.
- All items pesticide- and herbicide-free.

MATCH THE BOWL — DON'T INTERPRET.

If unsure: Pause → Ask → Escalate. No substitutions without approval.

What a living thing can sense becomes its reality. Environment shapes design.