SPIDER MONKEY

Ateles geoffroyi · Rainforest canopy — Mexico to Central America
Frugivore · Wild-range diet

3-SECOND CHECK Do I see fruit — dominating the bowl?

THE RULE What they would naturally come across in their wild range, by percentage of natural diet. Nothing else.
Tall rainforest canopy — ripe fruit dominates (≈90%); leaves, flowers, seeds supplement.

≈90% BASE always visible in the bowl

≈10% TREATS hand-fed or scattered — never in the bowl

BASE
Ripe rainforest fruit
figs, ramón, tamarind

TREAT
Wild figs
favored canopy fruit

TREAT
Canopy leaves
browse during fruit gaps

TREAT
Flowers
seasonal blooms

TREAT
Young shoots
tender new growth

Plus other plants and prey from their wild range — pesticide-free only.

NO VEG-DOMINANT BOWL No vegetable-dominant bowls, no pellet-dominant bowls. Whole or chunked fruit must dominate.

HOW WE FEED

- Base must be visible in the bowl.
- Treats are hand-fed or scattered, never in the bowl.
- Baseline before guest hours — do not feed to fullness before guests arrive.
- All items pesticide- and herbicide-free.

MATCH THE BOWL — DON'T INTERPRET.

If unsure: Pause → Ask → Escalate. No substitutions without approval.

What a living thing can sense becomes its reality. Environment shapes design.