Amit Kumar Sahu

ASP.Net

default.aspx

```
using MySqlConnector;
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
namespace Task10
{
  public partial class _Default : Page
 {
    MySqlConnection con;
    MySqlCommand cmd;
    string str;
    protected void Page_Load(object sender, EventArgs e)
    {
```

```
con = new MySqlConnection("Data Source=localhost;Database=university;User
ID=amit;Password='amith#@1");
      con.Open();
    }
    protected void Button1_Click(object sender, EventArgs e)
    {
      str = "insert into techfest values ("" + TextBox1.Text +
"','"+DropDownList1.SelectedValue+"')";
      cmd = new MySqlCommand(str, con);
      cmd.ExecuteNonQuery();
      Response.Redirect("SuccessPage.aspx",true);
    }
    protected void TextBox1_TextChanged(object sender, EventArgs e)
    {
    }
    protected void DropDownList1_SelectedIndexChanged(object sender, EventArgs e)
    {
    }
```

```
}
}
default.aspx.cs
<%@ Page Title="Home Page" Language="C#" MasterPageFile="~/Site.Master"</pre>
AutoEventWireup="true" CodeBehind="Default.aspx.cs" Inherits="Task10._Default" %>
<asp:Content ID="BodyContent" ContentPlaceHolderID="MainContent" runat="server">
  Register Number<asp:TextBox ID="TextBox1" runat="server" name="name"
OnTextChanged="TextBox1 TextChanged"></asp:TextBox>
  Event<asp:DropDownList ID="DropDownList1" runat="server"
OnSelectedIndexChanged="DropDownList1_SelectedIndexChanged">
    <asp:ListItem>CodeBuzz</asp:ListItem>
    <asp:ListItem>Techtalk</asp:ListItem>
    <asp:ListItem>Appdev</asp:ListItem>
  </asp:DropDownList>
  <asp:Button ID="Button1" runat="server" Text="Button" onclick="Button1 Click"
Height="35px" Width="161px"/>
</asp:Content>
```

OUTPUT:



