18mis7250

Amit Kumar Sahu

Session Handling using JSP

event.jsp

```
c%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@page import="java.sql.*,java.util.*"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>JSP Page</title>
    </head>
    <style>
    body{
    background-color:cyan;}
    </style>
    <body>
    <h2 align='center'>Welcome to Annual Fest Registration</h2>
        <form_action="session.jsp">
        <div align='center'>
            <br/><b>Registration Number : </b><input type="text" name="regno"><br>
            <b style="margin-left:52px">Event : </b><select type="text" name="event">
            <option value="Call for Code">Call for Code</option>
  <option value="Tech Retro">Tech Retro</option>
  <option value="Ideaoryx">Ideaoryx</option>
  <option value="Meraki">Meraki
           </select>
                    <input style="margin-left:-50px;height:30px;width:100px;"</pre>
type="submit" value="Register"><br/>
                    </div>
        </form>
</body>
</html>
```

```
Sessions.jsp
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
    pageEncoding="ISO-8859-1"%>
<%@page import="java.sql.DriverManager"%>
<%@page import="java.sql.ResultSet"%>
<%@page import="java.sql.Statement"%>
<%@page import="java.sql.Connection"%>
String regno=request.getParameter("regno");
String event_=request.getParameter("event");
try
Class.forName("com.mysql.jdbc.Driver");
Connection conn =
DriverManager.getConnection("jdbc:mysql://localhost:3306/university", "root", "");
Statement st=conn.createStatement();
int i=st.executeUpdate("insert into
event_reg(regno,event)values('"+regno+"','"+event_+"')");
out.println("Successfully Registered!");
catch(Exception e)
System.out.print(e);
e.printStackTrace();
}
%>
<%
String id = request.getParameter("userid");
String driver = "com.mysql.jdbc.Driver";
String connectionUrl = "jdbc:mysql://localhost:3306/";
String database = "university";
String userid = "root";
String password = "";
try {
Class.forName(driver);
} catch (ClassNotFoundException e) {
e.printStackTrace();
Connection connection = null;
Statement statement = null;
ResultSet resultSet = null;
<!DOCTYPE html>
<html>
<style>
    background-color:cyan;}
    </style>
<body>
<h1 align="center">Retrieving event data from database</h1><br><br>
```

```
<%
String reg = request.getParameter("regno");
String event= request.getParameter("event");
try{
connection = DriverManager.getConnection(connectionUrl+database, userid, password);
statement=connection.createStatement();
String sql ="select * from event_reg where regno='" + reg + "' limit 1";
resultSet = statement.executeQuery(sql);
while(resultSet.next()){
%>
   <div align="center">
         <b>Welcome:</b>
            <%=resultSet.getString("regno") %>
         <b>Event:</b>
            <%=resultSet.getString("event") %>
         </div>
        <%
            session.setAttribute("user", reg);
                                                    //set attribute in session
            session.setAttribute("event", event);
            String regno1=(String)session.getAttribute("reg");  //Getting Session
Attribute
            String event1=(String)session.getAttribute("event");
            <form action="logout.jsp">
            <input style="margin-left:-50px;height:30px;width:100px;" type="submit"</pre>
value="Logout">
            </form>
<%
}
connection.close();
} catch (Exception e) {
e.printStackTrace();
}
%>
    </body>
</html>
```

Logout.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<style>
    background-color:cyan;}
    </style>
<body>
<%
session.invalidate();
<h2 align="center">Logged out successfully!</h2>
</body>
</html>
```

OUTPUT:









