

LAB TASKS

TASK 1

```
#include<iostream>
using namespace std;
int main()
{
    int a=10;
    int b=45;
    int c=33;
    cout << "address of a is: "<< &a << endl;
    cout << "address of b is: "<< &b << endl;
    cout << "address of c is: "<< &c << endl;
    return 0;
}
```

```
address of a is: 0x6ffe1c
address of b is: 0x6ffe18
address of c is: 0x6ffe14
```

```
-----
Process exited after 0.159 seconds with return value 0
Press any key to continue . . .
```

TASK 2:::

```
#include<iostream>
using namespace std;
void swapnumbers(int *a,int *b,int *c,int *d)
{
    int temp;
    temp = *a;
    *a = *b;
    *b = temp;

    temp=*c;
    *c=*d;
    *d=temp;
}
int main()
{
    int a,b,c,d;
    cout << "enter four numbers: ";
    cin >> a >> b >> c >> d;
    cout << "after swapping;\n";
    cout << "a = " << b << endl;
    cout << "b = " << a << endl;
    cout << "c = " << d << endl;
    cout << "d = " << c << endl;
    return 0;
}
```

C:\Users\Taha's Lappy\OneDrive\Documents\Untitled2.exe

enter four numbers: 4

5

6

7

after swapping;

a = 5

b = 4

c = 7

d = 6

```
-----
Process exited after 2.692 seconds with return value 0
Press any key to continue . . .
```

Task 3

```
1 // CPP
2 #include<iostream>
3 using namespace std;
4 void inputarray(int *arr, int size)
5 {
6     cout << "enter " << size << "elements:\n";
7     for(int i = 0; i < size; i++)
8     {
9         cin >> *(arr+i);
10    }
11 }
12 int main()
13 {
14     int arr[5];
15     inputarray(arr, 5);
16     cout << "array elements are: ";
17     for(int i=0;i<5;i++)
18     {
19         cout << arr[i] << " ";
20     }
21     return 0;
22 }
```

C:\Users\Taha's Laptop\OneDrive\Documents\Untitled3.exe

enter Selements:

2

2

3

4

5

array elements are: 2 2 3 4 5

Process exited after 5.827 seconds with return value 0

Press any key to continue . . .

Task 4

d3.cpp

```
#include<iostream>
using namespace std;
void largest(int *a,int *b,int *c)
{
    if(*a>=*b && *a>=*c)
    {
        cout << "a is largest ";
    }
    else if(*b>=*a && *b>=*c)
    {
        cout << "b is largest ";
    }
    else
        cout << "c is largest ";
}
void smallest(int *a, int *b, int *c)
{
    if(*a<=*b && *a<=*c)
    {
        cout << "a is smallest";
    }
    else if (*b<=*a && *b<=*c)
    {
        cout << " b is smallest ";
    }
    else
        cout << " c is smallest ";
}
void average(int *a,int *b, int *c)
{
    float avg= (*a+*b+*c)/3.0;
    cout << "average " << avg << endl;
}
int main()
{
    int a,b,c,choice;
    cout << "enter three numbers:";
    cin >> a >> b >> c;
    do {
        cout << "\nMenu:\n";
        cout << "1. Largest\n";
        cout << "2. Smallest\n";
        cout << "3. Average\n";
        cout << "4. Exit\n";
```

C:\Users\Taha's Lappy\OneDrive\Documents\Untitled

enter three numbers:33

44

55

Menu:

1. Largest

2. Smallest

3. Average

4. Exit

Enter choice: 1

c is largest

Menu:

1. Largest

2. Smallest

3. Average

4. Exit

Enter choice: