Amoeba · SharpTalk

RESPONSE REPORT · STAGE 1

Response to the Go2Joy × SharpTalk Integration Checklist (Stage 1)

Document being answered	*Go2Joy × SharpTalk 연동 체크리스트 및 일정표 · Integration Checklist & Schedule* (Oct 12, 2026, @김익용), 11 pages
Prepared by	Amoeba (SharpTalk)
Date	October 13, 2026
Basis	Source branch `feature/go2joy-stage1-complete` (`fb10b1d0` , on origin, 167 commits / 792 files over `main` , **not merged into `main` , not deployed to staging or production**); report `docs/implementation/RPT-261013-Go2Joy-Integration-Final.md` (written on the local integration branch `test/go2joy-integration` , same code content)
Companion	Vietnamese edition: `RPT-261013-Go2Joy-Checklist-Response.vi.md` · Korean edition: `RPT-261013-Go2Joy-Checklist-Response.ko.md`

Contents

1 **Executive summary**
- 1.1 Conclusion
- 1.2 Key figures
- 1.3 Proposed schedule
- 1.4 Five things to know, stated plainly

2 **How to read this document**
- 2.1 Status symbols
- 2.2 Template for each R item

3 **Overview tables**
- 3.1 Requests to Go2Joy (R1–R16)
- 3.2 Phases and gates

4 **Capability map: what has been built**

5 **Detailed response to the requests to Go2Joy (R1–R16)**
- A. Accounts and access (R1–R3)
- B. Staging pre-launch (R4–R6)
- C. Technical documents and APIs (R7–R12)
- D. Team and operations (R13–R16)

6 **Response by phase and gate**
- Phase 0 — Kickoff and requests (Oct 12)
- Phase 1 — As-is analysis and agent scope (Oct 12–14)
- Phase 2 — Staging pre-launch (Oct 15–16)
- Phase 3 — Login linking and APIs (Oct 19–21)
- Phase 4 — Integration test and UAT (Oct 22–23)
- Phase 5 — Production rollout and staged expansion (from Oct 26 per the PDF; Amoeba proposes Nov 2, see section 8.2)

7 **Non-functional requirements check (REQ-260831)**

8 **Schedule: assessment and proposal**
- 8.1 Assessment
- 8.2 Proposal

9 **Risks and mitigations**

10 **Decisions to settle at kickoff**

11 **Value for users and long-term impact**
- 11.1 What each group of users gets
- 11.2 Why this has long-term impact
- 11.3 Proposed pilot indicators (thresholds to be agreed with Go2Joy)
- 11.4 Proposed expansion criteria

12 **Limits we state plainly**

13 **Next steps**
- 13.1 Go2Joy (largest impact on the schedule)
- 13.2 Amoeba

A **Deliverables index**

B **Glossary**

1 Executive summary

1.1 Conclusion

Amoeba's share of Stage 1 is **built almost completely at the source-code level and verified in Amoeba's local environment**: a signed identity bridge (SSO), role-based content access for Managers and Front-desk staff, a signed-out visitor gate, a per-hotel pilot flag, CS / Sales Admin routing by team and region, a partner-data lookup module, pilot metrics, PDPL compliance (draft), a deployment package for Go2Joy's own infrastructure, and a Vietnamese operations manual.

What **cannot be finished without Go2Joy's inputs**, in order of schedule impact:

1. The partner API specification and keys (R8, R9) — these decide Gate 3, "answers with live data".
2. Hotel Admin and Super Admin accounts (R1, R2) — these decide the role-based menu map and the isolation UAT.
3. Signing identify on Go2Joy's server and calling it again on hotel switch and sign-out (R7).
4. The legal owner of the PDPL notice (R16), the pilot hotel list (R14), and the hosting location (R6).

1.2 Key figures

Measure	Result
API tests (final merged build)	4,938 passing out of 4,950 (9 skipped; the 3 failures are known Windows-only baseline failures, identical on `main`)
Type check (`tsc`) for API, web, widget	0 errors in all three
Real API boot on a scratch database	Successful
Schema generated by the code vs. the fresh-install file	Match, 1,074 columns
New SQL migrations	19 files, applied **before** deploying code
CS / Sales Admin operations manual	Vietnamese (full) + English (summary), 27 real screenshots

1.3 Proposed schedule

Milestone	PDF	Proposal
Gate 2	Oct 16	Oct 16 (Amoeba deploys staging around Oct 15)
Gate 3	Oct 21	Oct 21, **redefined**: SSO + access control + API contract; live data moves into the pilot period
Gate 4 (UAT)	Oct 23	**Oct 28**
Pilot	Oct 26	**Nov 2** (to be confirmed with Go2Joy)

1.4 Five things to know, stated plainly

1. The visitor-gate threshold has **not been measured with real embeddings** (Voyage + Qdrant).

2. Partner-data lookup has so far run only on **sample data and a fake server**, because the real API is not available yet.
3. The installation package for Go2Joy's infrastructure has **never been built or run for real**.
4. The PDPL text and the translations have not been reviewed by counsel or native speakers.
5. Performance with real models and business metrics (re-booking) **cannot be measured yet**.

2 How to read this document

2.1 Status symbols

Symbol	Meaning
✅	Implemented in code and verified in Amoeba's local environment (automated tests, real API boot, HTTP smoke, browser; the level of verification is stated in each item). **Not yet run on Go2Joy's real systems.**
🟡	Partly built, or built against a contract Amoeba wrote itself because Go2Joy's input is not available yet
🔴	Not possible yet; blocked by an input we do not have
⚪	Go2Joy's task

"Done" does not mean "running on staging or production". All code sits in one branch awaiting a PR; 19 new SQL files must be applied before deployment (18 remain on staging, because `261001-guest-login-gate.sql` was applied on Oct 7; staging runs with `DB_SYNCHRONIZE=false`).

2.2 Template for each R item

Every request R1–R16 is answered in five fixed parts: **Assessment** (why it matters), **Status** (what was done and how it was verified), **Output** (specific files, screens, APIs), **Needed from Go2Joy** (the task and the due date), **Long-term value**.

3 Overview tables

3.1 Requests to Go2Joy (R1–R16)

#	Item	Due	Status	Go2Joy's task
R1	Hotel Admin accounts (Manager + Front desk)	Oct 13	🔴 waiting	Provide 2 accounts + sample data
R2	Super Admin or walkthrough	Oct 13	🔴 waiting	Provide an account or schedule a walkthrough
R3	Staging access	Oct 13	🔴 waiting	Staging URL, IP allowlist/VPN

#	Item	Due	Status	Go2Joy's task
R4	embed.js on the login page	Oct 14	✅ loader · 🟡 untested on the real page · ⚪ Go2Joy pending	Insert one line, name an owner
R5	CSP & CORS	Oct 14	✅ Amoeba side · ⚪ Go2Joy pending	Apply the configuration from the guide
R6	Staging hosting	Oct 14	🟡	Agree to temporary Amoeba staging
R7	Authentication spec	Oct 14	✅ contract built · ⚪ implementation pending	Sign on the server; call again on hotel switch
R8	Existing API list and spec	Oct 14	🔴 waiting · ✅ draft contract	Send the spec; review the draft contract
R9	API test keys	Oct 16	🔴 waiting · ✅ client ready	Provide keys and rate limits
R10	Front-end info / versions	Oct 14	✅ mechanism · 🟡 version axis pending	Decide the version axis
R11	Operational data samples	Oct 16	🟡	FAQs, CS types, latest guides
R12	New API development	Oct 16	✅ draft contract · 🔴 assignment pending	Agree who builds
R13	Points of contact	Oct 13	⚪ waiting	Name PM, technical, operations
R14	Pilot hotels	Oct 21	✅ pilot flag · ⚪ list pending	Wave-1 list
R15	Release / incident process	Oct 21	✅ framework · ⚪ decision points pending	Fill in approval, window, rollback criteria
R16	Personal data handling (PDPL)	Oct 21	🟡 draft	Counsel confirms basis and retention

3.2 Phases and gates

Phase	Dates	Gate	Amoeba side	Remaining condition
0. Kickoff	Oct 12	Gate 0	✅	Go2Joy confirms delivery dates
1. As-is and scope	Oct 12–14	Gate 1 (Oct 14)	🟡 scope draft + API contract ready	R1–R3, R7, R8, R10
2. Staging pre-launch	Oct 15–16	Gate 2 (Oct 16)	🟡 code ready; awaiting merge, SQL, deploy	R3–R5; deploy around Oct 15
3. Login linking and APIs	Oct 19–21	Gate 3 (Oct 21)	🟡 SSO + access control done; 🔴 live data	R8, R9

Phase	Dates	Gate	Amoeba side	Remaining condition
4. UAT	Oct 22–23 (PDF)	Gate 4 (PDF Oct 23; proposed Oct 28)	🟡 test tooling ready	Go2Joy UAT; R14–R16
5. Production and expansion	PDF from Oct 26; proposed Nov 2	Gate 5	🟡 package + runbook ready	Production hosting; pilot results

4 Capability map: what has been built

Capability	What users get	Status	Main document
Signed identity (SSO)	The assistant knows who, which hotel, which role; cannot be forged	✅	SDK guide (`docs/guide/임베드SDK설치가이드_Embed-SDK.ko.md`)
Isolation by person / hotel / role	A change of person or hotel starts a new session; the next person never sees the previous conversation	✅	`RPT-261013-s1b-identity-audit`
Knowledge access tiers (Public / Signed-in / Managers only)	Front-desk staff do not see Managers' money-related content	✅	`RPT-261013-w2a-access-tiers`
Signed-out visitor gate	Outsiders only receive public content and are pointed to sign-in / registration	✅ mechanism · 🟡 threshold unmeasured	`RPT-261013-w3a-gate-simulator`
UI-version stamping for knowledge	The assistant knows when guidance may not match the Hotel Admin version	✅	`RPT-261013-s2b-KB-UI-Version`
Partner data lookup (read-only)	Answers about rates, policies, bookings, settlement from the hotel's own data	🟡 sample data	OpenAPI contract, `RPT-261013-Partner-Data` , `RPT-261013-w2c-tool-loop`
CS / Sales Admin routing	Right team, right region, right person on duty; reminders when nobody takes it	✅	`RPT-261013-s3b-Routing-Extras` , manual
Per-hotel pilot flag	Expand group by group without redeploying	✅	`RPT-261013-s5d-pilot-flag`
Pilot metrics	See what the assistant achieves, where, and why it hands off	✅	`RPT-261013-w2b-analytics-pilot`
Resilience and observability	Outages do not leave users stuck; operations get metrics and alerts	✅ · 🟡 real providers not tried	`RPT-261013-Resilience-Observability`
PDPL and personal data	Transparent notice, DSAR, retention	🟡 draft	PDPL checklist, DPIA

Capability	What users get	Status	Main document
Deployment on Go2Joy infrastructure	Go2Joy installs, backs up, rolls back, operates	🟡 never run for real	Runbook
CS / Sales Admin manual and training	Operations team productive immediately, with exercises	✅	`go2joy-ops` manual

5 Detailed response to the requests to Go2Joy (R1–R16)

A. Accounts and access (R1–R3)

R1 Hotel Admin test accounts

One Manager (multi-hotel) + one Front-desk (single hotel), with test hotel / room / booking data. Due Oct 13.

- **Assessment.** The most important input for Phase 1. The two roles map directly to `manager` and `receptionist` in the identify v2 signature and decide content boundaries (settlement, bank-account change and staff permissions are Manager-only). Without real accounts, Amoeba can only infer the permission scope from public documents and simulation.
- **Status.** 🔴 no accounts yet (as far as Amoeba knows). Done so as not to be blocked: ✅ three roles modelled (`manager` , `receptionist` , and `internal` for Go2Joy staff) in the signature and in the knowledge access tiers; ✅ isolation tests with simulated multi-hotel data; 🟡 the baseline knowledge base was written from public Hotel Admin screens and has not been checked against real accounts.
- **Output.** Role and tier enums (`packages/types/src/common/enum.types.ts` , `audience.ts`); test suites `embed.service.rebind.spec.ts` , `embed.service.v2.spec.ts` .
- **Needed from Go2Joy.** Two accounts on staging; at least two hotels for the Manager account (to test hotel switching); the province of each hotel (to test regional routing).
- **Long-term value.** Correct role-based access makes hotel owners **trust** the assistant: front-desk staff do not see a manager's money content, and managers are not given generic answers. That trust decides whether they use it for the long term or try it once.

R2 Super Admin account or walkthrough

Read-only / limited; if not possible, a screen-share walkthrough plus the menu list. Due Oct 13.

- **Assessment.** Opens the group of tasks "Go2Joy staff supporting hotels" that the assistant can take over (auto-answer / lookup / action assist / hand off). Amoeba proposes the walkthrough if an account cannot be provided within one day (section 10).
- **Status.** 🔴 not available. ✅ Amoeba has already built the place to receive the classification: knowledge access tiers, CS/SA teams, the queue by team/region.
- **Output.** The Go2Joy console: Users & Labels, Agent handoff, the Live chat queue (manual `apps/web/public/manual/go2joy-ops.en.md` (English summary); the full Vietnamese edition `go2joy-ops.vi.md` covers it in chapters 1, 3, 5–6).
- **Needed from Go2Joy.** A read-only account or a walkthrough date.
- **Long-term value.** Every task staff do by hand that the assistant can take over lowers CS cost as volume grows — in line with Go2Joy's cost discipline and lean headcount.

R3 Staging access

Staging Hotel Admin URL; IP allowlist or VPN if restricted. Due Oct 13.

- **Assessment.** The condition for testing the widget on the real login page under Go2Joy's real CSP. Without it, only a mock page can be tested.
- **Status.** 🔴 not available. ✅ Amoeba tested the widget against a simulated host page (loader, show/hide, identity-expired event) in a real browser.
- **Output.** The bilingual CSP/CORS guide (R5).
- **Needed from Go2Joy.** The URL and how to reach it.
- **Long-term value.** Finding CSP/CORS conflicts early avoids a "widget does not show" incident on pilot day — the kind of failure that destroys user trust on day one.

B. Staging pre-launch (R4–R6)

R4 embed.js on the staging login page

One line; name a front-end owner. Due Oct 14.

- **Assessment.** Inserting is simple; the point that needs care is **the behaviour before login** (the login page is exactly where everyone is a "visitor") and in the widget switching state correctly after login.
- **Status.** ✅ the loader is ready: configurable identity-probe path and iframe title; reversible show/hide (for example hide for hotels outside the pilot and show again when the hotel switches); an event to the host when identity expires. 🟡 not tested on Go2Joy's real login page.
- **Output.** `apps/widget/public/embed.js`; the events and show/hide section of the SDK guide; 155 widget tests passing.
- **Needed from Go2Joy.** Insert the line; name an owner.
- **Long-term value.** One line of code and no change to the host UI: low integration cost, so extending to more Hotel Admin pages later needs no new project.

R5 CSP & CORS allowlist

Register the widget / API domains in `script-src`, `frame-src`, `connect-src` and CORS. Due Oct 14.

- **Assessment.** The risk of "widget does not load" comes mostly from here; correct CSP is mandatory.
- **Status.** ✅ Amoeba checked every claim against the code (loader, iframe, fonts, GA4) and wrote a guide naming each directive: `script-src` (the widget origin; the snippet shown in the console is inline, so a nonce or a separate file is needed), `frame-src` / `child-src`, `connect-src` (the widget origin and `'self'`), nothing needed for `img/style/font` on the host; CORS uses an exact-origin list (no wildcards). ✅ added a `frame-ancestors` setting driven by an environment variable for the widget's nginx; ✅ bundled the Pretendard font locally, enabled through `WIDGET_FONT_CSS_URL` (set in the Go2Joy profile; the system default still uses jsDelivr). `nginx -t` has not been run because no image has been built.
- **Output.** `docs/guide/GUIDE-261013-Go2Joy-HotelAdmin-CSP-CORS.md` (vi/en); variables `CORS_ORIGINS` (in `docs/guide/ENV-Config-Guide.md`, `apps/api/src/main.ts` and the env templates), `WIDGET_FRAME_ANCESTORS`, `WIDGET_FONT_CSS_URL` (in `CONFIG.md` and the env templates).
- **Needed from Go2Joy.** Apply the configuration from the guide; provide the Hotel Admin origins.
- **Long-term value.** Restricting "who may embed" protects Go2Joy's brand and data; a one-page guide helps the front-end team get it right the first time.

R6 Staging hosting for SharpTalk

On Go2Joy infrastructure, or consent to use Amoeba's staging with dummy data. Due Oct 14.

- **Assessment.** Amoeba proposes **using Amoeba's staging with dummy data for Phases 2–4** and reserving Go2Joy infrastructure for production (as the PDF's risk table says), so that building infrastructure does not block functional testing.
- **Status.** 🟡 Amoeba's staging already has the Go2Joy tenant and the baseline knowledge base (step K1 of `PLN-261001-Go2Joy-Guest-Login-Gate`); the new features are **not yet deployed to staging** (awaiting merge, the remaining 18 SQL files, deployment). Go2Joy infrastructure: the installation package is written but has not been run for real (section 6, Phase 5).
- **Output.** The SQL list in apply order (`RPT-261013-Go2Joy-Integration-Final.md`, section 3); the installation runbook.
- **Needed from Go2Joy.** Consent to temporary staging; later, a production host.
- **Long-term value.** Separating "functional testing" from "building infrastructure" keeps the pilot from slipping on hosting and shows early that Go2Joy can operate the system itself.

C. Technical documents and APIs (R7–R12)

R7 Authentication spec

Session/JWT/OAuth, token expiry and refresh, user ID, role and hotel fields. Due Oct 14.

- **Assessment.** Amoeba chose **not to depend on Hotel Admin's internal login mechanism**: Go2Joy's server only needs to create an HMAC signature over (user, hotel, role, time) and hand it to the widget. This does not require Go2Joy to reveal session/JWT internals, does not depend on the Hotel Admin version, and resists forgery because the secret stays on the server.
- **Status.** ✅ the identify v2 contract is implemented and heavily tested:
  - Signed string `userId|hotelSn|role|iat[|province]` (HMAC with a per-tenant secret); valid roles `manager`, `receptionist`, `internal`; hotel name and code travel along but are not signed (display only); the province is signed when sent.
  - ±10-minute time window; a wrong, missing, hotel-swapped or province-swapped signature is rejected identically.
  - **Session fork** when the person, hotel or role changes; **server-side sign-out**; **identity expires after 8 hours** (per-tenant override; `0` as an emergency off-switch) and the widget tells the host to re-sign without a page reload; **replay protection** for a signature used on two sessions; an option to reject identify v1 entirely.
  - A different person on the same browser must accept the privacy notice again.
- **Output.** `apps/api/src/domain/embed/*`, `session/identity.util.ts`; the SDK guide with a PHP signing sample; security suites (`embed.service.v2.spec.ts`, `embed.service.rebind.spec.ts` …): future `iat`, the ±600-second boundary, another tenant's signature, replay, key rotation; each fix is proven by turning the test red when the fix is removed (mutation testing).
- **Needed from Go2Joy.** Sign on the server; call `identify` after login and on **every hotel switch**; call `ShopTalk.logout()` on sign-out; listen for the `identity-expired` event to re-sign; confirm where the secret is stored.
- **Long-term value.** The foundation against cross-hotel data leaks — the biggest risk of a multi-hotel system. A clear signing mechanism also lets new channels (mobile app, other pages) be added without renegotiation.

R8 Existing API list and specs

Swagger/OpenAPI/Postman: hotels, rooms/products (hourly, overnight, daily), policies, bookings, promotions. Due Oct 14.

- **Assessment.** This decides Gate 3. Without a spec, Amoeba **cannot** test the assistant answering with live data. So Amoeba worked in reverse: it wrote a minimal API contract itself (in the spirit of Phase 1 "draft API requirements" and Phase 3 "design missing APIs") so that Go2Joy only has to compare it and answer "exists / does not exist".
- **Status.** 🔴 no spec received. ✅ draft contract v0 (OpenAPI 3.0, read-only) for four topics: policies (cancellation / refund / check-in-out), room rates (hourly / overnight / daily, amounts as integer VND), bookings, settlement. **Hard rule: no hotel-identifier parameter appears in any request** — the hotel is identified by the service credential plus a header that SharpTalk's server builds from the signed identity; the API must reject a mismatch. It also includes an error model, rate limits, pagination, idempotency, and personal-data minimisation.
- **Output.** `docs/guide/API-REQ-Go2Joy-Partner-Data.openapi.yaml` and the bilingual explanation `docs/guide/API-REQ-Go2Joy-Partner-Data.md`.
- **Needed from Go2Joy.** Compare the draft contract with existing APIs; say which exist and which are missing (R12); send the Swagger/Postman.
- **Long-term value.** A read-only contract with closed parameters that never accepts a hotel ID from the user's words guarantees, at the architecture level, that **even if the AI model is fooled or mistaken, it still cannot read another hotel's data** — which is what makes hotel owners comfortable letting the assistant touch money-related data.

R9 API test credentials

Staging API keys, rate limits, caller IP restrictions. Due Oct 16.

- **Assessment.** Needed for real integration tests; Go2Joy's rate limits decide how timeouts, retries and caching are configured.
- **Status.** 🔴 no keys yet. ✅ the real HTTP client is written against the draft contract and tested against a local fake server:
  - GET only; per-attempt timeout and total budget; one jittered retry on network error/5xx; circuit breaker;
  - SSRF protection (private addresses / plain HTTP rejected unless the operator allows them);
  - a response is dropped when the hotel the API returns differs from the hotel in the identity;
  - a 30–60-second cache with the hotel ID in the key; lookup logs hold no personal data.
  - Switches `PARTNER_DATA_ENABLED`, `PARTNER_API_MODE=mock|live`; **off** by default.
- **Output.** `apps/api/src/domain/partner-data/*`; credential settings in the console (provider `go2joy_partner_api`: base URL, API key, optional signing secret).
- **Needed from Go2Joy.** Staging keys, rate limits, caller IP list.
- **Long-term value.** Built-in fault tolerance: a slow or down partner API does not freeze the assistant but turns into "confirm later + hand off to a person", protecting the user experience during a partner incident.

R10 Hotel Admin front-end info

Current production version (within v0.4.1–v0.12.0), framework, localization. Due Oct 14.

- **Assessment.** Guidance is only right when it matches the UI version the user sees; the wrong version is a common reason staff "follow the assistant but cannot find the button" (requirement FR-010).
- **Status.** ✅ each knowledge document carries a UI-version label (`ui_version`); a tenant setting "Reference UI version" with a mismatch mode: add a note / hide the document / off; on a mismatch the answer gets **one fixed multilingual sentence** after moderation; documents without a version are flagged in the console; CSV import/export has a version column (an older file does not erase stamped versions). 🟡 **the version axis is not settled**: the policy file currently cites "v23.x" while the PDF uses "v0.4.1–v0.12.0"; the code compares **independently of the axis** (equal after trimming spaces, lower-casing and dropping a leading `v`).
- **Output.** `packages/types/src/common/kb-version.ts`; columns `kb_documents.ui_version`, `tenant_ai_config.kb_version_policy` (`sql/261016-kb-ui-version.sql`); the Knowledge and AI Settings screens.
- **Needed from Go2Joy.** Settle the version axis and the production version; provide a version per document group or let Amoeba stamp by release.
- **Long-term value.** When Hotel Admin ships a new version, the assistant **knows by itself** which documents may be outdated instead of silently giving wrong guidance — a mechanism that keeps answer quality over time and decides whether users still trust the assistant after six months.

R11 Operational data samples

Hotel FAQs, anonymized CS inquiry types and volumes, data structure of "Chat with guests" / "Messages from G2J", latest user guide. Due Oct 16.

- **Assessment.** Answer quality depends on the knowledge base; real data about questions and frequency is the only way to know what to write first.
- **Status.** 🟡 a baseline knowledge base exists and has been tried: 25 topics / 50 bilingual Vietnamese-English articles in 7 category groups (21 Hotel Admin policy topics written from the screens, plus 4 **public** topics for people who are not yet partners: login and common errors, password change, partner registration, contacting Go2Joy). The "feedback loop" already existed before this work: the system proposes **knowledge-gap tasks** from three sources — clusters of questions that get handed off, answers without a source, and how staff resolved things — for the owner to review. Importing Go2Joy's data is still waiting.
- **Output.** `reference/go2joy-ha-policies-kb-260916.csv` (bulk import through the console), `scripts/go2joy/build-ha-policies-kb.py`; the golden question set; `reference/go2joy-gate-calibration-set.csv` (30 **draft** questions for Go2Joy to review).
- **Needed from Go2Joy.** The data samples above.
- **Long-term value.** Every real question that is captured becomes new knowledge, turning the assistant into an asset that **grows in value over time** — unlike a static FAQ.

R12 Cooperation on new APIs

For APIs missing from R8: Amoeba designs → Go2Joy builds (or both agree what Amoeba builds). Due Oct 16 (agreement).

- **Assessment.** "Amoeba writes the contract, Go2Joy builds it on its side" is the fastest route, because Go2Joy knows its own data and permissions and Amoeba never needs to touch Go2Joy's database.
- **Status.** ✅ the draft contract (R8) is ready for Go2Joy's review — exactly the Phase 3 item "OpenAPI for missing APIs → G2J review". 🔴 no agreement yet on who builds. Priority order set: policies → rates → bookings → settlement (matching the PDF risk table: "minimum APIs first").
- **Output.** As for R8.
- **Needed from Go2Joy.** An agreement on who builds what.
- **Long-term value.** One read-only contract designed once serves both Stage 1 and Stage 2.

D. Team and operations (R13–R16)

R13 Points of contact

PM, technical owners (back end, front end, infra), operations owner, daily check-in channel. Due Oct 13.

- **Assessment.** Needed immediately, because many decisions (the version axis, Manager-only topics, pilot hotels, the scope of public content) must be made by Go2Joy people.
- **Status.** ○ waiting. ✅ Amoeba prepared the contact template in the runbook and the incident process (left blank, clearly marked).
- **Output.** `docs/guide/INCIDENT-RESPONSE.md` (contacts table), runbook section 10; operational alert channels (webhook/email) configured by environment variables.
- **Needed from Go2Joy.** Names and contact channels.
- **Long-term value.** A daily check-in channel cuts decision time from days to hours during a compressed two-week schedule.

R14 Pilot hotels

Wave-1 list (count to be agreed), contacts per hotel, expansion order criteria. Due Oct 21.

- **Assessment.** A small pilot list reduces the risk of a short UAT; a per-hotel flag is the mechanism for widening scope without redeploying.
- **Status.** ✅ a pilot flag keyed on the **signed hotel ID** (self-declared names and codes are not trusted): a per-tenant list; add one hotel / paste a list / import CSV (with a preview); a hotel outside the list is blocked **on the server before the model is called** (no conversation stored, no cost); the widget hides or shows a notice depending on configuration; visitors who are not signed in follow a separate switch; adding a hotel takes effect within about 60 seconds at most without re-login; every change is audit-logged.
- **Output.** `domain/pilot/*`; table `tenant_pilot_hotels` and column `tenants.pilot_access` (`sql/261016-tenant-pilot-hotels.sql`); the "Pilot scope by hotel" card in Widget settings; the Pilot card in Statistics (section 6, Phase 5).
- **Needed from Go2Joy.** The wave-1 hotel list (hotel IDs exactly as sent in the signature) and expansion criteria (proposed in section 11.4).
- **Long-term value.** Expanding group by group on real data instead of "switch everything on" gives each expansion evidence of quality and protects the experience of the first users — the group that creates word of mouth for the next wave.

R15 Release and incident process

Release approval, deployment window, rollback criteria, incident contacts. Due Oct 21.

- **Assessment.** The process must match how Go2Joy already releases Hotel Admin. Amoeba supplies the framework, Go2Joy fills in the decision points.
- **Status.** ✅ framework written — a 13-section runbook: roles, data leaving the environment, delivery of the install package and checksum verification, first install, TLS/CSP, a **release-approval checklist** (back up first; **apply SQL first, then deploy code**; smoke test by the "successfully started" log line, container age, and the status code of a new route: 401 = deployed, 404 = not deployed, 502 = down), rollback by image tag with SQL rollback guidance (refused when an irreversible migration lies between two versions), backup/restore drills, monitoring, incident handling (the 72-hour data-breach reporting clock), DSAR and retention, key custody (do not rotate `CRED_ENC_KEY` casually), Amoeba's support protocol. Verified with the script test harness (97/97) and a scratch MySQL; **never run as a real installation**.
- **Output.** `docs/guide/RUNBOOK-261013-Go2Joy-SelfHosted.md`, `docs/guide/INCIDENT-RESPONSE.md`, `scripts/*self-hosted*`.
- **Needed from Go2Joy.** The approval process, release window, rollback criteria, incident contacts.
- **Long-term value.** A clear release process turns the product from a "demo" into an "operated service" — hotels rely on the assistant daily only when it is stable and someone is accountable.

R16 Personal data handling

Scope of staff account and chat-log processing, retention period, PDPL consent wording if needed. Due Oct 21.

- **Assessment.** **Amoeba cannot decide this alone**: Go2Joy is the data controller; the legal basis (B2B contract performance vs. consent), the retention period and the cross-border transfer (Anthropic and Voyage in the United States) must be confirmed by Go2Joy's counsel. The codebase currently cites only Decree 13/2023; the newer Personal Data Protection Law needs to be confirmed.
- **Status.** 🟡 the technical framework is done, **the legal wording is a draft**:
  - A `vn_pdpl` notice profile (vi/en): controller, data types (messages, signed hotel/role information, device information), purposes, recipients (Anthropic and Voyage in the United States), cross-border transfer, a retention period **interpolated from the real configuration** (it cannot drift from reality), data-subject rights, DPO contact. The widget banner no longer says "CCPA" or "Google Analytics".
  - Consent evidence (grant / withdrawal / version) is stored in the audit log; consent is per person.
  - An operator-side DSAR tool (look up a visitor by email / phone / external ID; export; erase; audit-logged); identity is cleared when data is erased.
  - Extended retention (optional, off by default) for customers and audit logs.
  - Updated DPIA (9 AI uses instead of the old 5), processor register (added Notion, the AmoebaTalk hub, SMTP, jsDelivr, Go2Joy hosting; every data-processing agreement is still "TBD"), incident contacts (left blank, clearly marked).
- **Output.** `packages/types/src/common/privacy-notice-copy.ts`, the Privacy Notice screen, the DSAR tool in the console, `docs/guide/GUIDE-261013-Go2Joy-PDPL-Checklist.md` (the decisions Go2Joy and counsel must make), `docs/guide/AI-DPIA-GATE.md`, `docs/guide/PROCESSOR-REGISTER.md`.
- **Known gaps (recorded in the DPIA).** Two AI features for staff (`agent_translate`, `agent_briefing`) send conversation text to the AI provider without masking personal data; masking of bank account / tax numbers is not done; the notices of other profiles still carry template text about 365 days / the United States.
- **Needed from Go2Joy.** The retention period (the Go2Joy profile env sets `CONVERSATION_LOG_RETENTION_DAYS=180`, system default 365; the `vn_pdpl` notice interpolates this value — it is not a legal value), the legal basis, the controller's name, the DPO, the reviewer of the Vietnamese text.
- **Long-term value.** Clear, transparent compliance about where data goes is a condition for large enterprises and legally strict hotels to adopt the assistant for the long term; a sloppy notice is a legal risk for Go2Joy, not only for Amoeba.

6 Response by phase and gate

Owners as in the PDF: [A] Amoeba, [G] Go2Joy, [A+G] joint.

Phase 0 — Kickoff and requests (Oct 12)

Item	Owner	Status	Note
Send requests R1–R16	A	✅	Sent as the PDF itself; this document is the status response
Kickoff: scope, schedule, data ownership / hosting	A+G	🟡	Amoeba prepared a proposal for the six decisions (section 10)
Name contacts, open a daily channel (R13)	G	⚪	Waiting
Gate 0: requests acknowledged, delivery dates confirmed		⚪	Waiting for Go2Joy's reply

Phase 1 — As-is analysis and agent scope (Oct 12–14)

Item	Owner	Status	Note
Provide accounts and staging access (R1–R3)	G	⚪	Waiting
Hotel Admin menu and feature map by role	A	🔴	Needs R1. Substitute already done: the task catalogue from FR-1xx (`docs/analysis/REQ-260831-SharpTalk-Go2Joy-Requirements.md`) and the role model in the code. With an account, produced within one working day
Super Admin menu map and list of G2J staff tasks	A	🔴	Needs R2
Classify tasks: auto-answer / lookup / action assist / hand off	A	🟡	The framework is already system behaviour (see the note below); per-task classification waits for R1/R2
List gaps between Notion guides and actual screens	A	🟡	Done for the public part; comparison against real accounts waits for R1
Draft API requirements from the data the agent needs	A	✅	Draft contract v0 (R8)
Provide auth spec, API specs, front-end info (R7, R8, R10)	G	⚪	Waiting; Amoeba gave the identity contract for Go2Joy to confirm
Gate 1 (Oct 14): scope + draft API requirements agreed		🟡	Amoeba is ready; Go2Joy review needed

Note on task classification. **Auto-answer**: the knowledge base, short structured answers. **Lookup**: the partner-data module, read-only. **Action assist**: step-by-step guidance that **does not perform irreversible actions** (principle FR-005). **Hand off**: ask CS / Business, route by region, after-hours handling by email.

Phase 2 — Staging pre-launch (Oct 15–16)

Item	Owner	Status	Note
Staging hosting or consent to temporary Amoeba staging (R6)	G	○	Amoeba proposes the temporary option
Deploy staging with Vietnamese locale and Hotel Admin theme	A	🟡	Vietnamese is complete for widget and console; the theme (one brand colour + a header style) is configurable per tenant and needs Go2Joy's brand colour; deploying the new build awaits merge + SQL
Insert embed.js; allow CSP/CORS (R4, R5)	G	○	The guide is ready
Pre-login answers: account help, how-to FAQ, support handoff	A	✅ mechanism · 🟡 scope	See the detail below the table
Load the initial knowledge base	A	✅	25 topics / 50 articles (R11); importing to staging and setting the public groups are steps K2–K5 of `PLN-261001-Go2Joy-Guest-Login-Gate` (section S3), awaiting deployment
Check widget loading, answers, mobile view	A+G	🟡	The widget has a mobile layout; **not checked on the real Hotel Admin**
Gate 2 (Oct 16): SharpTalk works on the staging login page		🟡	Amoeba: merge + apply the remaining 18 SQL + deploy around Oct 15. Go2Joy: R3–R5

Pre-login answers — detail. Each assistant has the option "Only guide to sign in or register": a visitor who is not signed in only receives answers drawn from document groups marked public; any other question gets a short prompt with buttons to open the sign-in / registration pages; they can still continue as a visitor or ask for a person. The scope leak on follow-up questions has been fixed and protected by a compile-time error. 🟡 **The how-to FAQ is currently still locked** (only 4 account topics are public) because it is Go2Joy's decision (section 10, decision 5). **The gate threshold has not been measured with real embeddings**; the default stays at normal answering until it is calibrated.

Phase 3 — Login linking and APIs (Oct 19–21)

Item	Owner	Status	Note
Fit check of existing APIs	A	🔴	Blocked by R8
SSO design: HA session → signed token → identity bridge	A	✅	See R7. Beyond the PDF: a **signed province** (for CS/SA regional routing) and lifecycle management (expiry, sign-out, session fork)
OpenAPI for missing APIs → G2J review	A	✅	Draft v0 (R8, R12)

Item	Owner	Status	Note
Add embed.js and user-token handoff on post-login screens	G	○	The SDK guide has samples
SSO validation, role- and hotel-level permissions (RBAC)	A	✅ code · 🟡 no real accounts	Detail below the table
Wire product and policy lookup tools	A	🟡	Module complete, **sample data and a fake server only**; detail below the table
Deploy new APIs to staging, if any	G	○	Waiting
Gate 3 (Oct 21): answers product/policy questions with live data		🔴	**Cannot be met literally without R8/R9.** Proposed redefinition (section 8)

Access control (RBAC) — detail.

- **By role:** knowledge groups have three tiers — public, signed-in partners, Managers only — enforced at retrieval (including for visitors of an assistant in normal mode). Front-desk staff asking a Manager-only topic receive "please ask your Manager account" with a talk-to-a-person button, **the content is never revealed**, and no work is created for CS. Scenario buttons can have a `manager` audience, checked at press time. Reused answers are ranked by tier; a Manager's answer is never replayed to Front-desk staff.
- **By hotel:** a session forks when the hotel/role changes; one conversation corresponds to exactly one (person, hotel, role) and is stamped on the conversation for reporting; the previous hotel's history never enters the next hotel's prompt (verified by real HTTP tests and mutation tests).

Lookup tool — detail. Two modes: (a) **prefetch** (default) — the system detects the topic, fetches the data and builds the data block on the server; (b) **tool-calling** (optional, off by default) — the model chooses the lookups it needs but does not write the final answer. Every call passes the same role-permission check, money check and moderation. Money is computed by the server, never by the model; an answer whose figures do not match the data is downgraded to "confirm later + hand off".

Phase 4 — Integration test and UAT (Oct 22–23)

Item	Owner	Status	Note
Test role and hotel isolation, token expiry, re-login	A	✅	Detail below the table
Answer quality: accuracy, handoff rate, moderation	A	✅ tooling · 🟡 real numbers	Detail below the table
Performance and security: latency, token tampering, PII masking	A	🟡	Detail below the table
G2J operations team UAT and feedback	G	○	The manual and exercises are ready so that UAT has a script
Confirm pilot hotels, release process, data handling (R14–R16)	G	○	Waiting

Item	Owner	Status	Note
Operations manual and training material	A	✅	Detail below the table
Gate 4 (Oct 23): UAT sign-off and production release approval		🟡	Tools ready; the remaining conditions belong to Go2Joy and to measurements that need a real environment (section 8)

Isolation tests — detail. A different person / hotel / role → a new session; the same person and hotel → no fork; a bad signature writes nothing. Expiry after 8 hours → treated as a visitor and the widget tells the host to re-sign. The ±600-second window, a future or invalid `iat`, another tenant's signature, replay between two sessions, key rotation, altering the role / hotel ID. Knowledge tier isolation, reuse isolation, and partner-data isolation between hotels (decoy records of another hotel are never returned). Quality rule: every security fix is proven by **removing the fix and watching the test turn red**.

Quality evaluation — detail.

- *Handoff rate, self-resolved, refusal reasons, moderation:* the Pilot card in Statistics (Phase 5).
- *Accuracy:* the golden question set is graded on expected / forbidden content; two new fields, **audience** and **gate expectation**, also grade visitor / Manager gate behaviour.
- *Visitor gate:* the "Thử với tư cách…" ("Test as…") control in Knowledge tries four viewpoints (visitor not signed in, signed-in partner, front desk, manager) and shows the gate's decision, confidence against the threshold, the matched categories with their tiers, and the exact reply the visitor would read. The command `npm run gate:calibrate` chooses a threshold on a labelled question set (biased toward no leaks) and **prints a warning and exits with code 3 when only fake embeddings are available**.
- Real models and embeddings: not tested.

Performance and security — detail. **Security:** tampering / replay / expiry are tested (above); personal-data masking in logs and moderation records exists (Vietnamese phone numbers, emails, card numbers…). **Performance:** every turn records the time of each stage (classify, retrieve, generate, moderate) in its trace and in the `/metrics` histograms; **not yet measured with real models**. The system has **no streaming**, so the "first token ≤ 2 seconds" mark of NFR-001 cannot be measured — Amoeba proposes redefining it as "time to first feedback" or building streaming (which conflicts with the requirement to moderate before output).

Operations manual and training — detail. The **Go2Joy operations manual for CS and Sales Admin** (Vietnamese with an English summary): 13 chapters, 10 hands-on exercises, a one-page cheat sheet, a glossary, a 12-question quiz; 27 screenshots from the real console (sample data). Every quoted label was checked against the real UI (685 bold/italic segments looked up in the locale files). Two independent reviewers found problems, which were fixed or recorded; the product defects found (renaming roles, a silent Accept button on error, missing staff display name, rank translations, an alert saying "low confidence" when partner data was down, a contact card with IVY's number…) **have been fixed**.

Phase 5 — Production rollout and staged expansion (from Oct 26 per the PDF; Amoeba proposes Nov 2, see section 8.2)

Item	Owner	Status	Note
Production hosting (single-tenant on Go2Joy infrastructure)	G	⚪	Package and runbook exist (R6, R15)

Item	Owner	Status	Note
Production deploy with monitoring and alerts	A	✅ code · 🟡 never run for real	Detail below the table
Enable for pilot hotels via a per-hotel flag	G	✅ Amoeba side	Hotel Admin can still add a layer by not loading embed.js for non-pilot hotels
Two-week pilot, then metrics review (PDF Oct 26–Nov 6; proposed Nov 2–15)	A+G	✅ tooling	The Pilot card, detail below the table
Expansion plan: hotels per stage, conditions	A+G	🟡	Proposed in section 11.4
Gate 5: pilot review passed → staged expansion after the two-week pilot (PDF Nov 9; ≈ Nov 16 under the proposal)		○	Depends on pilot results

Monitoring and alerts — detail.

- `/metrics` in Prometheus format (token-protected): request counts, chat turns by outcome, model calls by provider and latency, vector-retrieval errors, moderation decisions, handoffs by reason, time per stage.
- Readiness checks: database, Redis, Qdrant, AI engine health.
- Operational alerts (webhook/email, de-duplicated): model provider failing repeatedly or circuit breaker open, vector backend down, database/Redis failure, data-purge failure, post-deploy quality gate failure. Recipients are set by environment variables, with **no built-in Amoeba recipient**.
- Error reporting (webhook, masked, rate-limited) and an optional adapter for Sentry when installed; the guide includes sample Prometheus alert rules (`docs/guide/GUIDE-261013-Observability-Alerting.md`).

Pilot card — detail. Grouped by hotel, role or day: conversations; **self-resolved** (no handoff and no staff message — unlike the old resolution rate, which counted conversations closed by staff); handoff rate by reason; average confidence and the no-source rate; moderation; satisfaction (CSAT); visitor-gate prompts; partner-data lookup statistics; P50/P95 timing; active hotels versus the pilot list and the **list of silent hotels**; **a CSV export of conversations with personal data masked** so that Go2Joy people can grade accuracy by hand. Measured on 200 thousand test conversations: a 14-day report takes about 0.5 seconds, a 5,000-row export about 0.3 seconds. The reasons `pilot_denied` and consent are not stored and so cannot be counted (the screen says so instead of showing 0).

7 Non-functional requirements check (REQ-260831)

Requirement	Content	Status	Honest note
NFR-001	Latency: first token ≤ 2 s, completion ≤ 6 s (P95)	🟡	Per-stage timing exists; not measured with real models; no streaming, so the "first token" mark cannot be measured
NFR-002	Source citation 100% for policy / rate / facility answers	🟡	Confidence thresholds, source recording and handoff when grounding is missing exist; the citation rate on real traffic is not measured

Requirement	Content	Status	Honest note
NFR-003	Language misdetection ≤ 1%	🟡	642-utterance corpus: 100% on the 625 utterances included in the gate, 97.4% on all 642 (including very short / hard ones); not measured on real traffic
NFR-004	99.5% monthly availability; degrade to "confirm later + hand off" on failure	🟡	Degradation is built and tested against fake providers (timeouts, circuit breaker, vector down still answers from keywords with capped confidence); availability itself depends on infrastructure
NFR-005	PDPD: personal-data masking, retention, cross-border transfer	🟡	Technical framework done; the legal wording is a draft (R16)
NFR-006	Multi-tenant scale: 5,500 tenants, overlay ≤ 300 ms	—	Out of scope for Stage 1 (single-tenant deployment for Go2Joy); not measured
NFR-007	Every answer records agent, evidence, tenant, role	✅	Conversations are stamped with hotel, role and agent; a closed vocabulary of refusal reasons for every refusal; an audit log for identify / logout / session fork
NFR-008	Vietnamese diacritics, including monospace fonts	🟡	Tested once with Chrome 154 / Windows / Consolas: pass; not tested on macOS/Linux
NFR-009	Guardrail regression as a release gate	🟡	Golden set, visitor-gate checks by audience, mutation tests; the post-deploy gate can run in the self-hosted deploy behind a flag, never run for real
NFR-010	Refusals carry reason codes and are auditable	✅	A closed list of reasons (visitor gate, Manager-only, moderation, low confidence, policy, identity expired, engine down, partner-data reasons…); only `pilot_denied` and `consent` currently exist as server logs

8 Schedule: assessment and proposal

8.1 Assessment

- **The real order of dependencies** (different from the order of dates): R8/R9 → Gate 3 → a pilot on live data; R1/R2/R3 → the role map and isolation tests with real accounts; R14–R16 → a legally and operationally valid pilot.
- **Amoeba's workload** is done at the code level; what remains is merge, applying SQL, deployment, testing on real systems, and calibration with real embeddings and models.
- **A two-day UAT** (Oct 22–23) is too short if it includes isolation tests, quality on live data and operational feedback; the PDF also names this as a risk.

8.2 Proposal

Milestone	PDF	Proposal	Condition
Gate 1	Oct 14	Oct 14	Go2Joy reviews the scope draft and API contract; settles the six kickoff decisions

Milestone	PDF	Proposal	Condition
Gate 2	Oct 16	Oct 16	Amoeba deploys staging around Oct 15; Go2Joy inserts embed.js / CSP (R3–R5)
Gate 3	Oct 21	Oct 21 under the new definition	SSO + role/hotel access control + API contract; live data moves into the pilot if R8/R9 are not available
Gate 4 (UAT)	Oct 23	**Oct 28**	Go2Joy UAT; visitor-gate threshold calibrated with real embeddings on staging; R14–R16 settled
Pilot	Oct 26	**Nov 2** (proposed, to be confirmed with Go2Joy)	Production hosting ready, or the pilot runs temporarily on Amoeba infrastructure with a limited hotel set
Expansion	Nov 9	After the two-week pilot review (≈ Nov 16)	Meets the criteria in section 11.4

9 Risks and mitigations

Risk (from the PDF)	What Amoeba has done	What remains
1. Late accounts / staging (R1–R6)	Development that does not depend on accounts (role simulation, sample data, mock host page, temporary Amoeba staging)	Go2Joy commits to dates; any delay moves the schedule 1:1
2. New APIs needed, limited G2J capacity	Minimum APIs in the order policies → rates → bookings → settlement; contract pre-written; the pilot opens on knowledge scope + signed context; live data added during the pilot	Decide who builds (kickoff 3)
3. No Super Admin account	Screen-share walkthrough + menu list; Amoeba builds the map within a day of the walkthrough	Go2Joy schedules the walkthrough
4. Late G2J hosting (R6)	Staging on Amoeba infrastructure with dummy data; production package ready (bundle, runbook, encrypted backup, rollback)	Never run for real; needs an installation rehearsal on Go2Joy's Linux host
5. Only two days for UAT	Continuous testing (4,938 tests, mutation tests, golden set, gate simulation, calibration tool); a small pilot via the hotel list; manual + exercises give UAT a script	Proposal to extend UAT (section 8)
6. Login-token security (cross-hotel data exposure)	Signatures, ±10-minute window, 8-hour expiry, replay protection, session fork per (person, hotel, role), server-side sign-out, an API contract that never takes a hotel ID from the user's words, knowledge tiers, reuse isolation; **hotel isolation is a Gate 4 condition, as the PDF requires**	Test with real accounts and hotels; Go2Joy must call identify again on hotel switch

10 Decisions to settle at kickoff

#	Decision	Amoeba's recommendation	Reason
1	Form of Super Admin access	**Screen-share walkthrough + menu list** if an account cannot be provided within one day	The goal is to learn staff tasks; no write access is needed
2	Staging location	**Temporary Amoeba staging with dummy data** for Phases 2–4; production must be on Go2Joy infrastructure	Infrastructure must not block functional testing
3	Who builds the new APIs	**Amoeba writes the contract (done), Go2Joy builds**; Amoeba only takes what is clearly agreed	Go2Joy understands its own data and permissions
4	Pilot size and expansion criteria	**10–20 hotels in wave 1**, mixing sizes and regions (North/South), including a hotel with a multi-branch Manager; criteria in section 11.4	Lets us test hotel switching and regional routing
5	Scope of answers before login	**For now only the 4 public account topics** (login, password, registration, contact); open the how-to FAQ group by group after the gate threshold is measured with real embeddings	Policy / settlement / rate content should only open when we are sure it does not leak to outsiders
6	Phase 5 dates	As in section 8.2	Reflects the real dependencies

Two decisions arose outside the PDF's list and need Go2Joy: the **UI version axis** (R10) and the **list of Manager-only topics** (settlement, bank-account change for receiving money, staff permissions…).

11 Value for users and long-term impact

11.1 What each group of users gets

Group	What they experience	Mechanism that guarantees it (already in the code)
Hotel Managers	Questions answered in the context of their own hotel; money and permission topics reach only them; after switching hotels the assistant does not "remember the old hotel by mistake"; later, real data for their hotel	Signed identity, group-level access tiers, session fork, a read-only data contract
Front-desk staff	Daily how-to questions answered briefly, step by step, with bold text and lists; asking a Manager topic is met with clear directions instead of a wrong answer; a shared front-desk PC is safe: the next person does not see the previous person's conversation	Short structured-answer rules, the "ask your Manager" reply, server-side sign-out, per-person consent
People who are not partners / not signed in	A place to ask how to sign in, change a password, register as a partner; they are pointed to the right page; no internal content is revealed	Visitor gate, 4 public topics, sign-in / registration buttons per language

Group	What they experience	Mechanism that guarantees it (already in the code)
Go2Joy CS and Sales Admin	See hotel / role / province and "signed" or not at a glance; only receive their own team's work for their own region; are alerted when nobody takes a conversation; a wrongly chosen team is fixable in one action; have a manual and exercises	Conversation header, "On duty" presence, label + region selection ladder, "unclaimed" sweep, re-route with a note, queue counters, the manual
Go2Joy management	See how much the assistant resolves, at which hotels, and why it hands off; have data to decide on expansion	The Pilot card, CSV export, silent-hotel list, golden set + gate simulation

11.2 Why this has long-term impact

1. **Trust decides long-term use.** One cross-hotel data leak or one wrong money instruction is enough for a hotel owner to abandon the assistant. Most of the effort therefore went into things users do not see but feel as "never wrong about anything serious": hard isolation on the server, closed API parameters, money computed by the system, a figure check before answering, and refusals with auditable reasons.
2. **Quality that lasts.** UI-version stamping with a mismatch warning; a feedback loop that turns unanswered questions into new knowledge; a golden set and a gate-calibration tool that detect degradation before users notice it.
3. **Users are never left stuck.** When the model or vector backend is down: a distinct notice in the user's language ("we will confirm and a person will help"), keyword answers when grounded, Retry / Talk-to-a-person buttons. After hours: ask for an email so we can reply instead of staying silent. Nobody takes it: the system widens the recipients itself.
4. **What is measured can be improved.** Numbers by hotel / role / day, a properly defined self-resolution rate, handoff reasons and silent hotels show which knowledge to write next, which groups are not using it, and which expansion wave is safe.
5. **Expansion without rework.** Signed identity, hotel isolation, access tiers, the read-only data contract, the per-hotel flag and measurement are exactly the prerequisites of Stage 2 (guests booking and front-desk staff per hotel): built once in Stage 1, reused in later stages.
6. **Low operating cost, a lean team can run it.** The system routes, reminds and alerts by itself, with a manual; it needs no dedicated staff — matching Go2Joy's strategic signals about a lean team and cost discipline.

11.3 Proposed pilot indicators (thresholds to be agreed with Go2Joy)

Group	Indicator	Available source	Note
Safety	Number of cross-hotel / cross-role content leaks	Isolation test suites, hand-graded CSV, refusal-reason traces	**Target 0**; a single leak is enough to stop expansion
Quality	Rate of correctly self-resolved conversations (hand-graded on a CSV sample)	Pilot card + CSV	Threshold agreed from UAT results
Quality	Handoff rate by reason	Pilot card	Watch the "low confidence" share fall as knowledge is added
Quality	No-source rate	Pilot card	A list of knowledge gaps

Group	Indicator	Available source	Note
Experience	CSAT, time to first feedback, completion P95	Pilot card, `/metrics`	Needs real models to measure
Adoption	Active hotels vs. the pilot list; silent hotels	Pilot card	Early detection of hotels "granted access but not using it"
Operations	Wait time before pickup, number of "unclaimed" events, team re-route rate	Queue counters	Tune the number of people on duty
Business	**Re-booking, bookings per month, CS cost**	**Not yet measurable**	Needs the bookings API (R8) and CS data; we propose adding it in the expansion phase, since these are the indicators Go2Joy's leadership tracks

11.4 Proposed expansion criteria

A wave may be expanded only when, in the preceding two weeks:

- (a) there has been no data leak;
- (b) the correct self-resolution rate has reached the agreed threshold;
- (c) silent hotels are below the agreed threshold;
- (d) there is no unresolved serious incident.

12 Limits we state plainly

1. **Real partner API:** no spec or keys yet; every lookup has been tested only against sample data and a fake server; tool-calling mode has been tested only against a fake Anthropic server; tool-selection quality in Vietnamese / Korean is unmeasured (a relative date such as "next Saturday" can be misread).
2. **Visitor-gate threshold:** not measured with real Voyage + Qdrant. Observed with fake embeddings: the gate does not close by topic (even a visitor asking Manager-only content is let through) — which is why the default stays at normal answering and `gate:calibrate` must be run on staging before enabling it. In addition, when Voyage runs but returns no in-scope vector hit, the confidence derived from the number of matching documents can be ≥ 0.62; the calibration tool warns about this case.
3. **Installation:** `docker build` has not been run, no trial install on Linux, `nginx -t` not run; backup/restore tested only against a scratch MySQL and a fake Qdrant.
4. **External services:** real Slack/SMTP and real Sentry not tested; not tested on the real Hotel Admin page; some widget paths (the contact card, the consent banner, the Retry / Talk-to-a-person buttons after a failed send) are covered only by unit / DOM tests.
5. **Translations and legal:** es/ko/ja/zh have only been checked for complete keys; the Vietnamese needs a native-speaker review; the PDPL text is a draft.
6. **Volume:** not tested with real traffic (200 thousand conversations were tried for the pilot report).
7. **Amoeba's open decisions before merging:** Sales Admin sees an Orders menu but the endpoint needs the operations label (returns 403); a Pretendard font bundle of about 3 MB has been added to the repo (OFL licence) and needs confirmation.

8. **Behaviour changes for running tenants on deploy:** an identity lifetime of 8 hours; session forking; per-person consent; staff answers for signed-hotel conversations are no longer stored in the answer-reuse store; the "unclaimed" sweep is on by default for tenants with routing configuration; a new alert-email subject prefix; the default IVY contact removed. Details: the consolidated RPT, section 4, and the PR description.

13 Next steps

13.1 Go2Joy (largest impact on the schedule)

1. Respond to the six kickoff decisions (section 10) and the two decisions that arose (version axis, Manager-only topics) — **now**.
2. Name the contacts and open the daily channel (R13) — **now**.
3. Provide Hotel Admin and Super Admin accounts or schedule a walkthrough (R1/R2); staging access (R3); insert embed.js and CSP/CORS (R4/R5).
4. Send the existing API spec and test keys (R8/R9); review the draft contract (R12).
5. Implement server-side identify signing; call it again on hotel switch and on sign-out (R7).
6. Settle the pilot hotel list, the release process and the PDPL text with counsel (R14–R16).

13.2 Amoeba

1. Merge the branch, apply the remaining 18 SQL files on staging in order (`261001-guest-login-gate.sql` was applied on Oct 7), deploy, run smoke tests and steps K2–K5 of `PLN-261001` (around Oct 15).
2. Run `gate:calibrate` on a staging with Voyage + Qdrant; choose the threshold; only then propose enabling the "guide to sign in" mode for Go2Joy.
3. Complete the role-based menu map as soon as R1/R2 arrive; adjust the task classification.
4. Rehearse installing the production package on a Linux host (together with Go2Joy), check `nginx -t`, real backup/restore.
5. Review the translations and the PDPL text with native speakers / counsel; decide the open points in section 12.7.
6. When R8/R9 arrive: switch the lookup module from sample data to the real client; compare prefetch with tool-calling using a real model before enabling it for pilot hotels.

A Deliverables index

Group	Files / location
Requirements and plan	`docs/analysis/REQ-261012-Go2Joy-Stage1-Gap-Closure.md`, `docs/plan/PLN-261012-Go2Joy-Stage1-Gap-Closure.md`
Implementation summary	`docs/implementation/RPT-261013-Go2Joy-Integration-Final.md` (requirements check, verification, migrations, behaviour changes, not verified); each stream also has its own `RPT-261013-*` and `TCR-261013-*`
Identity (SSO)	`docs/guide/임베드SDK설치가이드_Embed-SDK.ko.md` (contract, signing sample, events)
Partner API contract	`docs/guide/API-REQ-Go2Joy-Partner-Data.openapi.yaml`, `.md`; tool-calling mode: `docs/guide/GUIDE-261013-Partner-Data-Tools-Mode.md`
CSP/CORS	`docs/guide/GUIDE-261013-Go2Joy-HotelAdmin-CSP-CORS.md`
PDPL	`docs/guide/GUIDE-261013-Go2Joy-PDPL-Checklist.md`, `AI-DPIA-GATE.md`, `PROCESSOR-REGISTER.md`, `INCIDENT-RESPONSE.md`
Operations and infrastructure	`docs/guide/RUNBOOK-261013-Go2Joy-SelfHosted.md`, `docs/guide/GUIDE-261013-Observability-Alerting.md`, `docker/self-hosted/*`, `scripts/*self-hosted*`, `scripts/build-release-bundle.sh`
CS / Sales Admin manual	`apps/web/public/manual/go2joy-ops.vi.md` / `.html`, `go2joy-ops.en.md` / `.html`
Datasets	`reference/go2joy-ha-policies-kb-260916.csv`, `reference/go2joy-gate-calibration-set.csv` (30 draft questions)
Migrations	19 files under `sql/`, from `261001-guest-login-gate.sql` to `261019-golden-gate-columns.sql` (listed in apply order in the consolidated RPT, section 3, and in the PR description); the other 8 `2610*` files in that folder were already on `main`
Source code	Branch `feature/go2joy-stage1-complete` (`fb10b1d0`) on origin

B Glossary

Term	Meaning
Hotel Admin (HA)	The administration system for Go2Joy's partner hotels
Manager / Front desk	The two hotel-staff roles (`manager` , `receptionist`); `internal` is Go2Joy staff
CS / Sales Admin (SA)	The two Go2Joy teams receiving handed-off conversations: customer support / business
identify v2	The contract for sending a signed identity from Go2Joy's server to the widget
Visitor gate	The mechanism restricting people who are not signed in to public content
Knowledge access tier	Public / Signed-in partners / Managers only
Per-hotel pilot	A list of served hotels, checked on the server by the signed hotel ID
Golden set	A set of reference questions used to regression-test answer quality
DSAR	A data-subject request (export or erase personal data)
PDPL / PDPD	Vietnam's personal data protection law and decree
G2J	Go2Joy (abbreviation used in the PDF)