Documents for Go2Joy · 2026-10-24

SharpTalk for Go2Joy

`Work Request — tasks for Go2Joy`

Work request listing what Go2Joy needs to do, by owner (2026-10-24 · v1.3). HA developers: read the checklist at the top together with the HA integration spec v1.4. For printing or sending: PDF

Item	
To	Go2Joy PM · HA dev team (backend · FE) · Go2Joy dev (Partner API) · Infra · Operations (CS) · Legal
From	SharpTalk (Amoeba)
Date / version	2026-10-24 · **v1.3** (replaces v1.2, v1.1 and v1.0)
Based on	① HA integration guide **v1.3** + the changes in § 1 of this request → **guide v1.4** (released 10/24) ② Integration requests & checklist (G numbers, 2026-10-22) ③ Go2Joy Support Assistant API overview and the public Partner API docs (`dev.go2joy.vn/api` , checked 10/23) **The v1.0 PDF (10/20) is withdrawn.** Its userId format, region values and test vectors T1 · T2 no longer apply.
Reply	Per-task completion report, or the reply table in § 8 — daily check-in channel (WR-40)

✅ What HA (Go2Joy) must do — checklist `v1.3`

Spec v1.4 is final (approved 10/24); guide v1.4 and the test vectors are released. How to check each item, plus sample code, is in the checklist at the top of HA integration guide v1.4.

- **Backend (WR-01 · 02, Tue 10/27):** ☐ secret only in a server environment variable ☐ endpoint for signed-in sessions only ☐ values from the session and DB ☐ `userId = "ha:" + userSn` ☐ only 4 attributes `hotel_id · hotel_name · province_sn · role` ☐ `province_sn` = Go2Joy provinceSn ☐ role code + **send the code list** ☐ "all hotels" → `role` only ☐ NFC → collapse whitespace → trim → 120 chars ☐ drop empty values ☐ HMAC-SHA256 ☐ **test vectors T1 – T6 match, results sent back** ☐ never log the package
- **FE (WR-04, Wed 10/28):** ☐ remove browser assembly and `hash: "testing"` ☐ pass the server response to `identify` unchanged ☐ re-identify on sign-in,

reload, hotel change, language change ☐ `logout` on sign-out, session expiry, account switch, sign-out in another tab ☐ keep `locale` ☐ allow CSP and CORS ☐ one setting for the SharpTalk domain

- **UAT (WR-05, 10/29 – 30)**: ☐ pass the guide's § 8 checklist ☐ north and south test accounts
- **Production (WR-06)**: ☐ production secret ☐ production domain `sharptalk.go2joy.vn` ☐ production CSP, CORS, release schedule shared

Changes in v1.2 (10/24)

- SharpTalk releases of 10/23 – 10/24 (§ 2.1): consult categories (the customer picks Business Support or Customer Services in the widget; choice × hotel region decides the team), alarm center, personal alert settings and assignment check (simulator), conversations of the same customer or hotel merged, AI notice text with a terms link, retry on an empty AI answer
- go2joy staging routing set-up added (§ 2.3): 4 teams, 11 agents (8 have not accepted the invitation), 4 rules. **The South team has no active agent**, so southern hotels never reach it
- Task updates: WR-10 confirm rules · WR-11 accept invitations · WR-12 consult category definitions and Vietnamese names (replaces Sales keywords) · WR-13 assignee for skipped categories and unmatched enquiries · WR-15 **done** · WR-31 please confirm · WR-19a new
- HA UAT re-checked 10/24: D1 – D9 unchanged

---

0. Summary

- SharpTalk's phase-1 features (signature verification, hotel = business customer, conversation continuity, region routing, hotel profile and room types) are **deployed and working on staging**.
- Checking HA UAT on 10/23: **the widget is embedded but the identity is not signed** (`hash: "testing"`). HA followed the v1.0 PDF; the spec changes since v1.3 are not in yet (§ 2.2). Only staging temporarily accepts unsigned sign-ins; **production rejects them.**
- `v1.1` The identity package gets simpler. **HA no longer sends the region; SharpTalk derives it** from the Partner API Province Feed `region` . Province and role are sent as **language-independent codes** instead of display names. Less

work on the HA server, and the region table lives in one place, the Go2Joy Partner API.

- `v1.2` Go2Joy operations have already entered most of the routing set-up in the console (§ 2.3). What remains is **accepting invitations** (the South team above all) and **category names and the default assignee**.
- **Staging open on 10/31** needs: WR-01 · 02 · 04 · 05 · 10 – 14 · 40.
- **Production open** additionally needs WR-06 (HA production deploy) · WR-20 – 23 · WR-30 · 31. The earliest production open is **Tue 11/10**: 7 working days after the production server (WR-20) and the Partner API production certification (WR-23, about one week) must both be done.

---

1. Integration spec history `v1.1`

Parts of HA were built from the v1.0 PDF, so the differences between versions are in one table. **The v1.4 column is the final spec.** SharpTalk released guide v1.4 and the new test vectors on 10/24 (S-01 done).

Item	v1.0 (10/20 PDF)	v1.3	v1.4 (this request)
`userId`	Login ID (`go2joysupport`)	`"ha:" + userSn`	Same as v1.3
Signed attribute keys	5: `hotel_id` · `hotel_name` · `province` · `region` · `role`	5 (same)	**4**: `hotel_id` · `hotel_name` · `province_sn` · `role`
Province	`province` = province name (`Hồ Chí Minh`)	Same	`province_sn` = Go2Joy `provinceSn` (Province Feed `sn` , e.g. Hồ Chí Minh = `"1"`)
Region	Derived by HA, 3 values (north · central · south)	Derived by HA, 5 codes	**Not sent.** SharpTalk derives it from Province Feed `region` (1 – 5)
Role	Display name (`Lễ tân`)	Same	**HA role code** (independent of UI language); code list returned in WR-01
Normalisation	Collapse whitespace · trim · 120 chars	+ NFC	Fixed order: **NFC → collapse whitespace → trim → 120 chars** (`mb_substr`)

Item	v1.0 (10/20 PDF)	v1.3	v1.4 (this request)
"All hotels" selected	Not specified	Re-identify only	Drop the 3 hotel keys (`hotel_id` · `hotel_name` · `province_sn`), sign `role` only → fallback agent (WR-13)
Empty values	Empty attributes and email dropped	Same	Empty `name` · `email` · `phone` are dropped as fields too (empty or malformed email → 400)
Test vectors	T1 · T2 (old userId)	T1 – T5	**T1 – T6** (T6 = decomposed Unicode input). Earlier vectors are not used
Transition	For a while SharpTalk also verifies the v1.3 shape (`province` · `region` keys); routing prefers v1.4 values. This ends once HA is on v1.4 (S-02).		

1.1 v1.4 identity package

Field	Signed	Value	Source in HA (e.g.)	UAT example
`userId`	Yes	`"ha:" + userSn`	Staff number in the HA DB	`ha:<userSn>`
`attributes.hotel_id`	Yes	Selected hotel `hotelSn` (string)	`profile.hotelSn`	`"1721"`
`attributes.hotel_name`	Yes	Hotel name	`hotelViewList[].name`	`A In Hotel Del Luna`
`attributes.province_sn`	Yes	The hotel's `provinceSn` (string)	HA DB hotel → provinceSn	`"1"`
`attributes.role`	Yes	HA role code	Role key in the HA DB	Returned in WR-01
`name` · `email` · `phone`	No	Display only; drop the field when empty	`profile.fullName` etc.	`G2J SUPPORT`

```
Signing string (keys in alphabetical order, separated by \n)
ha:<userSn>
hotel_id=1721
hotel_name=A In Hotel Del Luna
province_sn=1
role=<HA role code>

hash = hex( HMAC-SHA256( key = SHARPTALK_EMBED_SECRET, message = signing string (UTF-8) ) )
```

How SharpTalk derives the region: Province Feed `region` `1` → `south`, `2` → `north`, `3` → `central`, `4` → `north_center`, `5` → `south_center`. The undocumented `10` (Manila) is settled after WR-27.

---

2. Status (2026-10-24) `v1.2`

2.1 Ready on the SharpTalk side (staging)

Feature	Status
Signed identify verification, HA terms recorded as widget consent (no consent banner), staff name in the first greeting	Done
Hotel = business customer, staff = contact, B2B / B2C split, conversation continuity per hotel account	Done
Consult categories: on "talk to an agent" or an AI handoff the widget asks what the enquiry is about (skippable); choice × hotel region → team × job label	Done (10/24) — rules and roster partly entered (§ 2.3)
Alarm center: header 🔔 with assignee, rule, category, hotel, region; acknowledge vs dismiss; personal settings (all / mine / off, sound, desktop notifications, mail)	Done (10/24)
Assignment check (simulator) and rule warnings: enter category, region, province → matching rule, assignees, reasons for skips; warnings for zero active agents and misused job labels	Done (10/24)
Several sessions of the same customer or hotel merged into one room; later sessions added automatically	Done (10/23)
AI notice line under the widget (per language) with a terms link; show / hide the header language and settings buttons	Done (10/23)
One retry and handoff on an empty AI answer, client IP spoofing blocked, transcript search	Done (10/23)
Replies and buttons in the selected language (vi / en), live-chat title "staff / hotel"	Done
Hotel info and room types from the Partner API → company profile and per-hotel products; province → region table refreshed automatically (80 provinces)	Done — running on the staging credential
Stopgap: province name → region (HA currently sends a province name as region)	Deployed 10/23
Names in plain text on console lists; masked toward external AI and logs	Done

2.2 HA UAT findings

Checked from the embed code on HA UAT (`go2joy-ha-uat.go2joy.io`, `window.sharptalkSignIn`) and SharpTalk staging logs. "Basis" is the document HA

followed. `v1.2` **Re-checked 10/24: no change** (`hash: "testing"` , login ID, 5 extra keys, a province name in `region`).

#	Item	HA today	Basis	v1.4	Effect
D1	Signature	Package built in the browser, `hash: "testing"`	— (server signing since v1.0)	**HA server** signs with HMAC-SHA256 and returns it to the FE	401 in production
D2	`userId`	Login ID	Built to v1.0	`"ha:" + userSn` (changed in v1.3)	Conversations break when a login ID changes; may collide with booking-customer IDs
D3	Attribute keys	5 + `hotel_code` · `hotel_group_id` · `user_id` · `user_sn` · `district`	—	Only the 4	Once signed, unknown keys cause 401
D4	Region	Province name in `region`	v1.0: 3 values, v1.3: 5 codes	Not sent (SharpTalk derives it)	SharpTalk stopgap in place
D5	Province / role values	Display names (`Hồ Chí Minh` , `Lễ tân`)	v1.0 · v1.3	`province_sn` · role code	Switching the HA language can change signed values and break routing and continuity
D6	Normalisation	Not applicable (built in the FE)	v1.0 PHP sample has no NFC	NFC required (`intl` extension)	401 when Vietnamese diacritics arrive decomposed
D7	`locale`	`localStorage.lang` → `vi` / `en` , `setLocale` on change	Same	Same	OK
D8	Sign-out	`sharptalkSignOut()` → `logout` (button)	Same	Also on session expiry and account switch	A previous staff identity can linger on shared PCs
D9	Hotel change	Re-identify not confirmed; no "all hotels" rule	—	Re-identify on every change; "all hotels" per § 1	Confirm in UAT (WR-04)

2.3 go2joy staging routing set-up (read 10/24) `v1.2`

Values Go2Joy operations entered in the console. Settings › Agent handoff › **Assignment check** shows the same result for a given category and region.

Item	Now
Consult categories (shown to customers)	`bs` Business Support · `cs` Customer Services — **no Vietnamese names** (Vietnamese screens show English)

Item	Now
Teams	North · North Center · South · South Center
11 agents	3 active (North 1, North Center 2) · **8 invited, not accepted** (North 2, North Center 2, South 3, South Center 1)
Job labels	`cs` · `sa` (also consult · accounting · operations)

Rule	Category	Hotel region	Target	Result now
BS_North_SA	bs	north · north_center	North team × sa	Assigned (1 active sa)
CS_North_CS	cs	north · north_center	North team × cs	Assigned (1 active cs)
CS_South	cs	south · south_center	South team × cs	**Skipped — 0 active**
BS_South_SA	bs	south · south_center	South team × sa	**Skipped — 0 active**

- **The North Center and South Center teams** are not the target of any rule; north-central hotels also go to the North team. There is no rule for the `central` region.
- A customer who **skips** the category, or an enquiry no rule matches, goes to the default assignee (or an "everyone — no rule matched" alert).
- Rule region conditions use the region SharpTalk derives, so the rules need no change after the move to v1.4.

---

3. Work items

P0-S 10/31 staging open · **P0** production open · **P1** production quality · **P2** phase 2 and later. Due dates are SharpTalk's proposal; if one does not work, write a feasible date in the reply table (§ 8).

3.1 HA dev team — backend

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
WR-01	**Signing endpoint** `v1.1`	An API called with the login session (e.g. `GET /api/v1/staff/sharptalkIdentity`) builds and signs the package on the server. ① `userId = "ha:" + userSn` ② 4 attributes:	Guide v1.4 test vectors **T1 – T6** match + **HA role code list** (code · vi/en label) sent back	P0-S	Tue 10/27	G10 · D1 – D6 · D9

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
		`hotel_id` · `hotel_name` · `province_sn` · `role` (role code). No `region` ③ "All hotels": drop the 3 hotel keys, sign `role` only ④ Normalise in this order: `Normalizer::normalize($v, Normalizer::FORM_C)` → collapse whitespace → trim → `mb_substr(…, 0, 120)`. Needs the PHP `intl` extension ⑤ Drop empty values, in attributes and in `name` · `email` · `phone` ⑥ `hash = hex(HMAC-SHA256(embed secret, signing string))` ⑦ Read values from the HA session and DB, never from the browser				
WR-02	**Signing key decision** `v1.1`	**Option A (recommended)**: the embed secret SharpTalk issues, kept only in an HA server environment variable. SharpTalk sends the staging secret over a secure channel the same day. **Option B**: reuse the Go2Joy client secret. SharpTalk must add input for a partner-supplied secret (S-04), and a leak would also expose Partner API access. If there is no decision by 10/26, staging opens with option A and the choice is made again before production (same spec and code; only the secret value changes). The secret never goes	Decision + staging secret in place	P0-S	Decide by Mon 10/26	G12

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
		into the FE, the browser, logs or documents.				
WR-03	Signature expiry (`ts`)	Whether to add a signing time to stop package reuse. A 5-minute expiry like the Partner API's means both sides change the spec together.	Yes / no	P1	11/06	G16

3.2 HA dev team — FE and deployment

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
WR-04	**Fix the embed** `v1.1`	① `sharptalkSignIn` passes the WR-01 response to `identify` **unchanged** (no assembling or editing in the browser) ② Call it when sign-in is confirmed · on page reload · **whenever the selected hotel changes (including "all hotels")** · when the HA language changes ③ Call `logout` on the sign-out button · on **automatic sign-out from session or token expiry** · just before signing in as another account · when another tab signs out (e.g. the `storage` event) ④ Remove `hash: "testing"` from the initial `SHARPTALK_WIDGET_CONFIG.user` ⑤ Allow the	Network shows `POST …/public/embed/identify` **200** (`consentState: "granted"`) and the page receives `ivy:event identified {ok: true}`	P0-S	Wed 10/28	G11 · D1 · D8 · D9

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
		SharpTalk domain in CSP (`script-src` · `frame-src` · `connect-src`) and CORS ⑥ Put the 3 SharpTalk domain uses (`embed.js` src · `widgetUrl` · `ivy:event` origin check) behind one environment setting (switched to production in WR-06)				
WR-05	Joint UAT	Run the § 6.1 checklist together with SharpTalk	Signed-off result table	P0-S	10/29 – 10/30	G13
WR-06	**HA production deploy** `v1.1 new`	① Deploy WR-01 · WR-04 to HA production ② Set the production embed secret in the production environment. It differs from staging; SharpTalk sends it over a secure channel (S-08) ③ Switch to the production SharpTalk domain: `https://sharptalk.go2joy.vn/widget/embed.js` · `widgetUrl` · origin check ④ Production CSP and CORS ⑤ Share the HA release schedule with SharpTalk in advance	identify 200 on production HA; a package signed with the staging secret gets 401 in production	P0	Before production UAT (WR-20 handover + 4 working days)	G11 · G1

3.3 Go2Joy operations (CS)

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
WR-10	**Confirm the**	Go2Joy has **5 regions** in the Partner API (1	Confirmation (or edit in the	P0-S	10/27	G20

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
	routing rules `v1.1` `v1.2` [Partial]	South · 2 North · 3 Central · 4 North Central · 5 South Center). Please check the 4 rules in § 2.3. ① Should the **North Center and South Center teams** receive enquiries? If yes, split the rules by region or add them as targets ② The team for the `central` region (Da Nang etc.); today no rule covers it, so it goes to the default assignee ③ To split by province instead, list the exception provinces ④ The Philippines (region `10`) is phase 2	console and tell us); no warnings in the assignment check			
WR-11	**Accept invitations, complete the roster** `v1.2` [Partial]	The 8 invited agents must sign in once (accept the invitation) before they can be assigned. **The South team has no active agent**, so southern hotels never reach it. Send name · email · team · job label (cs / sa) · rank for anyone missing	At least one active agent per team (no "0 active" warning in the assignment check)	P0-S	10/27	G21
WR-12	**Define the consult categories and name them** `v1.2` [Partial]	Instead of Sales keywords, **the customer picks in the widget**. Say when to pick Business Support and when Customer Services (1 – 2 lines each), and give the **Vietnamese display names**, shown as-is on the widget card. Decide whether to split further (e.g. settlement / contract)	Definitions and Vietnamese names (or enter them in the console's category manager)	P0-S	10/27	G22
WR-13	**Hours, absence order, default assignee** `v1.2`	Working hours per team (HCM time zone), order when nobody is available (proposal: backup agent → team queue → offline message). The **default**	Reply → SharpTalk enters the rules and shares a preview	P0-S	10/27	G23

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
		assignee for enquiries with no region (**"all hotels" selected**, no hotel selected, unmapped province), **customers who skip the category**, and enquiries no rule matches				
WR-14	**UAT test accounts**	One `Quản lý` (several hotels) + one `Lễ tân` (one hotel), covering hotels in at least two regions **including north and south**, and at least one hotel name with Vietnamese diacritics. `v1.2` [Partial] UAT runs only on the southern Lá Hotel Quận 10 account today	Accounts sent over a secure channel	P0-S	10/27	G13
WR-15	Reconnect the Notion knowledge source [Done]	`v1.2` The 3 sources (HA guide, FAQ, hotel registration guide) were reconnected on 10/22 and sync normally	—	P0	10/30	G30
WR-16	Knowledge conflict decisions	The 78 items classified on 10/15 (3 real corrections, 3 duplicate policy documents, 32 copied FAQs): which side to keep	Decision table	P1	11/06	G31
WR-17	Golden set review	Confirm the answers of the 44 `#Talk-4-Hotel` questions (the regression baseline for engine changes and tuning)	Review result	P1	11/06	G32
WR-18	Widget visibility and resume window	Current defaults: the widget shows the user's own conversations + "n earlier enquiries from this hotel"; the same agent is preferred for 24 hours (a chosen category takes the rules first)	Keep / change	P1	11/06	G14 · G15
WR-19	Zalo OA · ZNS templates	To send agent alerts over Zalo too	Approved OA and templates	P1	TBD	G24

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
WR-19a	Agent alert settings `v1.2`	Each agent sets, under 🔔 › Settings in the console: alert scope (all / mine only), sound, **allow desktop notifications**, mail. Browser notification permission is what makes an alert visible while the console tab is in the background	Set for every agent	P1	10/30	New

3.4 Infrastructure · Partner API go-live

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
WR-20	**Production server + SSH + DNS + TLS** `v1.1`	`sharptalk.go2joy.vn` (no DNS record as of 10/23), Vietnam region. Pilot 4 vCPU / 8 GB / 80 GB; production 8 vCPU / 16 GB / 200 GB or more. Daily backup storage. **Static public IP** (for the WR-23 allow-list) and **NTP time sync** (the Partner API `timestamp` expires after 5 minutes)	SSH access and static IP delivered, DNS resolves	P0	10/30	G1
WR-21	**Production AI API keys (Go2Joy account and billing)**	Answer LLM (Anthropic Claude recommended) and embeddings (Voyage). Monthly limit and the person who receives exhaustion alerts	Keys delivered over a secure channel	P0	10/30	G2
WR-22	Mail sender account	SMTP for agent alert mails	Account delivered	P1	10/30	G3
WR-23	**Partner API production certification, credential and IP allow-list** `v1.1`	The public go-live procedure is: certification request (about one week) → 3 test bookings (hourly · overnight · daily) → production clientId · secret → 3 more bookings for a final check. **SharpTalk uses no booking API**, so we ask for an exemption from the booking tests and an alternative check	Request filed → exemption answered → credential delivered, connection test passes	P0	File 10/26 · credential by 11/02	G18

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
		(a lookup-API connection test). Allow the SharpTalk production static IP on `https://partner.go2joy.vn` (about 500 requests/minute). This turns on hotel info, room and region-table refresh in production				

3.5 Go2Joy dev — Partner API questions

Where the public Partner API docs (checked 10/23) and staging measurements (10/21 – 10/23) differ. Replies only; Go2Joy decides whether anything needs fixing.

WR	Question	Docs / observed	Prio	Ref
WR-24	Partner staging vs HA UAT database	Hotel 4118: 21 rooms in Partner / 7 in HA, different prices and hours. Is production one database?	P1	G19 ①
WR-25	Room status codes	The docs define `status` as 1 Available · 2 Locked only, but we observe 1 · 4 · 5. Meaning of 4 and 5; the codes for "pending approval" and "draft"	P1	G19 ②
WR-26	Room count	Per the docs, `numOfRoom` 2147483647 means "cannot be determined", and every value we see is this. Is there a field for each hotel's total number of rooms?	P1	G19 ③ ⑥
WR-27	Region `10` `v1.1`	The documented enum is 1 – 5, but the Province Feed returns 17 Manila cities with `10` . Name and meaning, and the list of region values to expect. Directly affects SharpTalk's region derivation (§ 1.1)	P1	G19 ⑤
WR-28	Hourly lookup error	Room Type List with `bookingType=1` returns `code 0` (internal server error). The docs require `startTime` · `endTime` for hourly, so SharpTalk re-checks its own request first (S-09) and asks only if it still happens	P2	G19 ⑦
WR-29	Hotel Feed coverage and behaviour	The docs make `provinceSn` · `districtSn` required and `hotelSnList` optional. Does it include every HA hotel (4118 is missing)? Is returning everything, ignoring the filter, when no hotel matches intended?	P2	G18 · G34
—	Support Assistant API document errata	Hotel Info path `getHotelnfo` (the public docs say `/api/v2/hotel/getHotelInfo`); Room Type Feed v1 path shows a v2 response example	P2	G19 ⑧

3.6 Legal

WR	Task	Detail	Done when	Prio	Due (proposed)	Ref
WR-30	**Privacy / PDPL review**	Cross-border transfer notice (processors Anthropic · Voyage, processing regions), whether a transfer impact assessment is needed, masking scope, conversation retention (draft 180 days), breach notification procedure	Written reply	P0	10/30	G4
WR-31	**Confirm the terms URL, version and AI notice** `v1.2` [Please confirm]	For signed-in HA users the HA terms acceptance is recorded as widget consent and the consent banner is skipped. What SharpTalk set on staging: terms `https://go2joy.vn/vi-vn/policy?tab=terms-of-use` ; notice under the widget VI "Được tạo bởi AI, áp dụng **điều khoản dịch vụ**" / EN "Created by AI; apply **terms of service**" (the bold part links to the terms). Is it the right document, which **version**, and is the text approved?	Confirmation including the version	P0	10/30	G5

3.7 PM

WR	Task	Detail	Prio	Due (proposed)	Ref
WR-40	**Owners and channel**	Owners for PM, HA backend / FE, infra, Partner API, operations (CS lead), legal, and the daily check-in channel	P0-S	10/26	G6
WR-41	Phase-2 schedule	B2C before / after booking, booking-completed webhook, Go2Joy app / web embed, HA menu (iframe · SSO), reception-agent operations, point billing, Zalo conversations, service-contract terms	P2	November	G40 – G47 · G7
WR-42	Business name and address needed? `v1.1 new`	Left open in v1.0. SharpTalk can fetch the **hotel address** itself from Hotel Feed `address` , so HA does not need to send it (except hotels missing from the feed, WR-29). If the **registered business name** is needed in the console, adding a signed key is agreed as a phase-2 spec (v1.5). Do not send it before then (unknown keys cause 401)	P2	With WR-41	v1.0 § 8

4. SharpTalk work `v1.1`

#	Work	Starts when	Time / due	Prio
S-01	Release guide v1.4: § 1 spec, change history, PHP sample (with NFC), new test vectors T1 – T6 `v1.3` [Done] 10/24 — shared page · repo `GUIDE-261024-Go2Joy-HA-Identify-v1.4` · T1 – T6 cross-checked with PHP 8.3 + intl	—	Mon 10/26	P0-S
S-02	Accept v1.4: `province_sn` and role codes, derive the region from the Province Feed, accept v1.3 keys during the transition `v1.3` [Done] 10/24 on staging — 80 province numbers indexed; measured (number → province and region, the number wins over differing v1.3 values, unknown number → default assignee)	—	Tue 10/27 on staging	P0-S
S-03	Send the staging embed secret over a secure channel	WR-02 option A	Same day	P0-S
S-04	Input for a partner-supplied secret (small change)	WR-02 option B	Schedule after the decision	Conditional
S-05	`v1.2` Invite missing agents, complete the rules (North Center, South Center, central), Vietnamese category names, default assignee and hours (or review what Go2Joy entered) → share the assignment-check result	WR-10 – 13	Same day – half a day	P0-S
S-06	After verification, end the temporary unsigned mode. The province-name region stopgap stays during the transition	WR-01 · 04 · 05	Same day	P0-S
S-07	Install SharpTalk on the Go2Joy server (VN profile), move the go2joy tenant, knowledge, region table and rules, re-index, connect the Partner API. Sync stays within the production limit (about 500/minute)	WR-20 · 21 · 22 · 23	4 days	P0
S-08	Send the production embed secret over a secure channel (different from staging)	WR-20	Before WR-06	P0
S-09	Re-check the hourly lookup request (with `startTime` · `endTime`)	—	10/27	P2
S-10	**Zero-downtime secret rotation**: accept the old and new secret together during a rotation window, then retire the old one. Add the procedure to the guide	—	11/06	P1
S-11	Enter the terms version (URL and notice text already set on staging; moved with the production install)	WR-31	Same day	P0
S-12	Clean up knowledge conflicts (Notion re-sync confirmed)	WR-16	1 – 2 days	P1

5. Timeline and dependencies

```
Mon 10/26  WR-02 signing key decision · WR-40 owners · WR-23 Partner production cer
tification filed
           SharpTalk: S-01 guide v1.4 and test vectors
Tue 10/27  WR-01 signing endpoint + T1–T6 · role code list · WR-10–14 teams, roste
r, criteria, accounts
           SharpTalk: S-02 accept v1.4 · S-03 secret · S-05 accounts and rules
Wed 10/28  WR-04 FE embed fix → identify 200
10/29–30   WR-05 joint UAT · WR-19a agent alert settings · WR-20/21/22 production p
rerequisites
Sat 10/31  Staging open (HA UAT → SharpTalk staging, real agents answer)

Production open = the day all three are done
  ① WR-20 server handover + S-07 install 4 days + production UAT 3 days (needs WR-
30 · 31)
  ② WR-23 Partner production credential (certification about one week)
  ③ WR-06 HA production deploy (needs S-08 production secret)
  → If every proposed date holds, the earliest production open is Tue 11/10
```

- The 10/22 prerequisite deadline has passed, so **10/31 is a staging open, not a production open** (PLN-261015 decision).
- If WR-01 or WR-04 is late, staging can only open with the temporary unsigned mode. In that case we recommend not starting real agent service.
- WR-23 certification takes about a week and is on the critical path; it must be filed on 10/26 for 11/10 to hold.
- `v1.2` If WR-11 is late, southern hotels reach only the default assignee.

6. Done criteria

6.1 Staging open (WR-05 checklist)

Check	Expected
Open the widget while signed out	As today: guest, consent banner shown
Sign in to HA → open the widget	identify **200**, `identified {ok: true}`, no consent banner, staff name in the greeting, "verified" in the console live chat
Console › Customers › Business	One hotel (name · province · region, the region derived by SharpTalk), the signed-in staff and role as a contact, room types as that hotel's products

Check	Expected
Switch HA language vi ↔ en	Signed values stay the same, so the conversation continues; only reply and button language changes
Change the selected hotel	Business customer and conversation switch to the new hotel
Select "all hotels" → talk to an agent	identify 200, no hotel, routed to the WR-13 fallback agent
"Talk to an agent" from hotels in all 5 regions (north · north_center · central · south_center · south) → pick category bs and cs each `v1.2`	Assigned to team × label by the WR-10 rules; the alarm center shows assignee and rule; assignees alerted
Skip the category `v1.2`	Assigned to the WR-13 default assignee
Console Settings › Agent handoff › Assignment check `v1.2`	No rule warnings (no "0 active" left)
Hotel name with diacritics (including decomposed input)	200 (NFC confirmed)
Staff account with an empty email	The email field is dropped; 200
Widget after sign-out · session expiry · signing in as another account	Guest (or the new account); the previous staff member's name and conversations are not visible
Edit one **signed value** (`userId` or an attribute) without re-signing	401 E5048, `ok: false` , guest. `name` · `email` · `phone` are not signed, so editing them still gives 200, as designed

Once these pass, SharpTalk turns off the temporary unsigned mode on staging (S-06).

6.2 Production open

Check	Expected
Sign in to production HA → widget (`sharptalk.go2joy.vn`)	identify 200 (production secret); the key § 6.1 checks pass again
Send a package signed with the staging secret to production	401 (environments are separate)
Partner API production connection	Hotel info · rooms · region table refresh succeeds; no error 6 (signature) or 8 (IP)
Terms and notice	Consent records carry the HA terms URL and version from WR-31

7. Reference — Partner API essentials (public docs, 10/23)

Item	Docs	Used by SharpTalk for
Environments	Staging `staging-partner.go2joy.vn` (about 250/minute) · production `partner.go2joy.vn` (about 500/minute)	Sync rate limit
Auth	`Authorization` = hex(HMAC-SHA256(client secret, URL + "|" + JSON body)); body has `clientId` · `timestamp` (expires in 5 minutes); IP allow-list	WR-20 NTP · static IP
Language	`Localization` header `vi` / `en` (default en)	Lookups in the widget's language
Regions	Province Feed `region` : 1 South · 2 North · 3 Central · 4 North Central · 5 South Center	§ 1.1 derivation table
Hotel → province	Hotel Feed `provinceSn` · `address` ; Hotel Info has no province	Why HA sends `province_sn` (hotels missing from the feed)
Error codes	Body `code` 0 server error · 1 success · 2 failure; error 6 invalid signature · 8 unauthorized (IP) · 12 too many attempts	Production monitoring alerts

8. Reply table

Fill in and send to the daily check-in channel.

WR	Prio	Owner	Feasible date	Status (in progress / done / on hold)	Note
WR-01	P0-S				
WR-02	P0-S				Option A / B
WR-03	P1				
WR-04	P0-S				
WR-05	P0-S				
WR-06	P0				
WR-10	P0-S				
WR-11	P0-S				
WR-12	P0-S				
WR-13	P0-S				
WR-14	P0-S				
WR-15	P0			Done	
WR-16	P1				

WR	Prio	Owner	Feasible date	Status (in progress / done / on hold)	Note
WR-17	P1				
WR-18	P1				Keep / change
WR-19	P1				
WR-19a	P1				
WR-20	P0				
WR-21	P0				
WR-22	P1				
WR-23	P0				Booking-test exemption?
WR-24 – 29	P1 / P2				
WR-30	P0				
WR-31	P0				
WR-40	P0-S				
WR-41	P2				
WR-42	P2				Needed / not needed