Documents for Go2Joy · 2026-10-27

SharpTalk for Go2Joy

`Work Request — tasks for Go2Joy`

Work request listing what Go2Joy needs to do, by owner (2026-10-27 · v1.4). HA developers: read the checklist at the top together with the HA integration spec v1.4. For printing or sending: PDF

Item	
To	Go2Joy PM · HA dev team (backend · FE) · Go2Joy dev (Partner API) · Infra · Operations (CS) · Legal
From	SharpTalk (Amoeba)
Date / version	2026-10-27 · **v1.4** (replaces v1.3 of 10/24)
Based on	① HA sign-in integration spec v1.4 (doc revision 10/27, wire format unchanged) ② Integration requests & checklist (G numbers, 2026-10-22) ③ Go2Joy Support Assistant API document and public Partner API docs (checked 10/23, re-checked 10/27: no change) ④ Internal review of WR v1.3 + spec v1.4 (10/26) and staging / HA UAT checks (10/26 – 10/27)
Reply	Per-task completion report, or the reply table in § 8 — daily check-in channel (WR-40)

✅ What HA (Go2Joy) must do — checklist

Spec v1.4 is final (approved 10/24). How to check each item, plus sample code, is in the checklist at the top of the HA integration spec v1.4.

- **Backend (WR-01 · 02, due Tue 10/27):** ☐ secret only in a server environment variable ☐ endpoint for signed-in sessions only ☐ values from the session and DB ☐ `userId = "ha:" + userSn` ☐ only 4 attributes `hotel_id · hotel_name · province_sn · role` ☐ `province_sn` = Go2Joy provinceSn ☐ role code + **send the code list** ☐ "all hotels" → `role` only ☐ NFC → collapse whitespace → trim → 120 chars ☐ drop empty values and an email that is not a valid address ☐ HMAC-SHA256 ☐ **test vectors T1 – T6 match, results sent back** ☐ never log the package

- **FE (WR-04, due Wed 10/28)**: ☐ remove browser assembly and `hash: "testing"` ☐ pass the server response to `identify` unchanged ☐ re-identify on sign-in, reload, **hotel change**, language change ☐ `logout` on sign-out, session expiry, account switch, sign-out in another tab ☑ keep `locale` (done 10/27) ☑ CSP and CORS on UAT (done 10/27) ☐ one setting for the SharpTalk domain
- **UAT (WR-05, 10/29 – 30)**: ☐ pass the spec's **§ 8 checklist (the only UAT list)** ☐ north and south test accounts
- **Production (WR-06)**: ☐ production secret ☐ production domain `sharptalk.go2joy.vn` ☐ production CSP, CORS, release schedule shared

---

Changes in v1.4 (10/27)

- **Do not trust `ok: true` alone (WR-04, S-06).** While staging accepts unsigned sign-ins for UAT, a wrong signature also returns 200, `consentState: "granted"` and `identified {ok: true}`. Proof of a correct signature is `"authenticated": true` in the identify response and "verified" (not "Unverified") in the console. SharpTalk turns the temporary mode off **as soon as a verified identify is seen on HA UAT, before the joint UAT**, so the 401 checks can pass.
- **No province is in region 3 (Central).** Đà Nẵng, Quảng Nam, Bình Định, Khánh Hòa, Gia Lai are region 5 (South Center) and Thừa Thiên Huế is region 4 (North Central) in the Province Feed. WR-10 and the UAT now use the 4 regions that exist.
- **One UAT checklist**: spec § 8. § 6.1 here points to it.
- **The AI provider receives the staff display name** (with hotel name, province, region and role), so it can greet and answer in context. Email, phone and the user id are not sent. Corrected for WR-30.
- **Why the South team still has no active agent (WR-11)**: invited agents who sign in with the temporary password stay "invited" and are not assigned; only setting a password through the invitation link makes them "active". Several Go2Joy agents (South team included) already work in the console this way. SharpTalk fixes this (S-13); until then, use the invitation link.
- Staging figures updated (§ 2.3): 12 accounts, 3 active, and **all 3 active accounts are Amoeba / test accounts** — no enquiry has been assigned to a Go2Joy agent yet. 11 of 12 accounts are master.

- New SharpTalk work: S-13 (invited → active on first sign-in), S-14 (hyphenated province name stored as a wrong region, e.g. Bà Rịa - Vũng Tàu), S-15 (duplicate sign-in rows in the work log), S-11 now includes the privacy policy URL, S-07 now registers the HA production origin.
- Deadlines of 10/26 have passed: WR-02, WR-23 (filing) and WR-40 are overdue. New WR-40a: confirm the dates (10/31 is a Saturday).
- HA UAT re-checked 10/26 – 10/27: D1 – D6 unchanged; D7 (locale) and CSP / CORS done; D8 partial; D9 (hotel change) not called.

---

0. Summary

- SharpTalk's phase-1 features (signature verification, hotel = business customer, conversation continuity, consult category × region routing, alerts, hotel profile and room types) are **deployed and working on staging**. Spec v1.4 support is on staging since 10/24.
- **HA UAT is still unsigned** (re-checked 10/27): the package is built in the browser with `hash: "testing"`, the login ID as `userId`, 5 unknown keys, and a province name as `region`.
- **No enquiry has reached a Go2Joy agent yet.** The South team has no active agent (WR-11 · S-13), there is no default assignee (WR-13), and the only active accounts belong to Amoeba. Southern and central hotels, skipped categories and "all hotels" enquiries alert everyone.
- **Staging open on 10/31 (Saturday — please confirm, WR-40a)** needs: WR-01 · 02 · 04 · 05 · 10 – 14 · 40.
- **Production open** additionally needs WR-06 · WR-20 – 23 · WR-30 · 31. Earliest **11/10 – 11/11**, counted from the Partner API production credential (WR-23, about one week after filing) plus installation (4 working days) and production UAT (3 working days).

---

1. Integration spec history

Parts of HA were built from the v1.0 PDF, so the differences between versions are in one table. **The v1.4 column is the final spec.** SharpTalk released spec v1.4 and its test vectors on 10/24 (S-01) and accepts v1.4 on staging (S-02).

Item	v1.0 (10/20 PDF, withdrawn)	v1.3	v1.4
`userId`	Login ID (`go2joysupport`)	`"ha:" + userSn`	Same as v1.3
Signed attribute keys	5: `hotel_id` · `hotel_name` · `province` · `region` · `role`	5 (same)	**4**: `hotel_id` · `hotel_name` · `province_sn` · `role`
Province	`province` = province name (`Hồ Chí Minh`)	Same	`province_sn` = Go2Joy `provinceSn` (Province Feed `sn` , e.g. Hồ Chí Minh = `"1"`)
Region	Derived by HA, 3 values	Derived by HA, 5 codes	**Not sent.** SharpTalk derives it from Province Feed `region`
Role	Display name (`Lễ tân`)	Same	**HA role code** (independent of UI language); code list returned in WR-01
Normalisation	trim · 120 chars	+ NFC	Fixed order: **NFC → collapse whitespace → trim → 120 chars (`mb_substr`)**
"All hotels" selected	Not specified	Re-identify only	Drop the 3 hotel keys, sign `role` only → default assignee (WR-13)
Empty values	Empty attributes and email dropped	Same	Empty `name` · `email` · `phone` are dropped as fields too (empty or malformed email → 400, the whole sign-in fails)
Test vectors	T1 · T2 (old userId)	T1 – T5	**T1 – T6** (T6 = decomposed Unicode input). Earlier vectors are not used

Transition: for a while SharpTalk also accepts the v1.3 keys (`province` · `region`); routing prefers v1.4 values. This ends in a separate release after HA passes UAT on v1.4; the date is announced in advance.

How SharpTalk derives the region: Province Feed `region` `1` → `south` , `2` → `north` , `4` → `north_center` , `5` → `south_center` . `3` → `central` exists in the documentation but **no province uses it today**. The undocumented `10` (17 Manila cities) is stored as `region_10` until WR-27 is answered.

---

2. Status (2026-10-27)

2.1 Ready on the SharpTalk side (staging)

Feature	Status
Signed identify verification (v1.4 and v1.3), HA terms recorded as widget consent (no consent banner), staff name in the first greeting	Done
Hotel = business customer, staff = contact, B2B / B2C split, conversation continuity per hotel account	Done
Consult categories: on "talk to an agent" or an AI handoff the widget asks what the enquiry is about (skippable); choice × hotel region → team × job label	Done (10/24)
Alarm center: assignee, rule, category, hotel, region; acknowledge vs dismiss; personal settings	Done (10/24)
Assignment check (simulator) and rule warnings	Done (10/24)
Several sessions of the same customer or hotel merged into one room	Done (10/23)
AI notice line under the widget with a terms link; header button visibility	Done (10/23)
Satisfaction request and automatic close after an answer; "agent is late" notice and callback request	Done (10/27)
Replies and buttons in the selected language (vi / en), live-chat title "staff / hotel", transcript search	Done
Partner API: hotel info and room types → company profile and per-hotel products; province index (80 provinces, number → name and region) refreshed daily	Done — staging credential
Stopgap for current HA data: province name sent as `region` → region from the index	Done (10/23) — **hyphenated names fail** (S-14)
Names in plain text on console lists and masked in logs. **The AI provider receives the staff display name, hotel name, province, region and role** (to greet and answer in context); email, phone and the user id are not sent	Done

2.2 HA UAT findings (10/23, re-checked 10/26 and 10/27)

Read from the embed code on the HA UAT page (`window.sharptalkSignIn`) and SharpTalk staging logs.

#	Item	HA today	v1.4	Status
D1	Signature	Package built in the browser, `hash: "testing"`	HA server signs with HMAC-SHA256	Not started
D2	`userId`	Login ID (`go2joysupport`)	`"ha:" + userSn`	Not started
D3	Attribute keys	5 + `hotel_code` · `hotel_group_id` · `user_id` · `user_sn` · `district`	Only the 4	Not started
D4	Region	Province name in `region`	Not sent	Not started (SharpTalk stopgap)

#	Item	HA today	v1.4	Status
D5	Province / role values	Display names (`Hồ Chí Minh` , `Lễ tân`)	`province_sn` · role code	Not started
D6	Normalisation	Not applicable (built in the FE)	NFC → whitespace → trim → 120	Not started
D7	`locale`	`localStorage.lang` → `vi` / `en` , `setLocale` on change	Same	**Done**
D8	Sign-out	`logout` on the sign-out button and on token expiry	+ account switch, other tab (`storage` event)	Partial
D9	Hotel change	`identify` is called once at start-up	Re-identify on every change, including "all hotels"	Not done
—	CSP / CORS	No restriction on UAT, the widget loads	Allow the SharpTalk domain	**Done on UAT** (production is WR-06)

2.3 go2joy staging routing set-up (read 10/27)

Values Go2Joy operations entered in the console. Settings › Agent handoff › **Assignment check** shows the same result for a given category and region.

Item	Now
Consult categories (shown to customers)	`bs` Business Support · `cs` Customer Services — **no Vietnamese names** (Vietnamese screens show English)
Teams	North · North Center · South · South Center
12 accounts	**3 active — all Amoeba / test accounts** (North 1, North Center 2) · **9 invited** (North 3, North Center 1, South 4, South Center 1), including all 6 @go2joy.vn accounts
Ranks	11 of 12 accounts are master (full tenant rights)
Job labels	`cs` · `sa` (also consult · accounting · operations). The one active North agent holds both `sa` and `cs`
Default assignee	**None**

Rule	Category	Hotel region	Target	Result now
BS_North_SA	bs	north · north_center	North team × sa	Assigned (1 active — an Amoeba account)
CS_North_CS	cs	north · north_center	North team × cs	Assigned (same person)
CS_South	cs	south · south_center	South team × cs	**Skipped — 0 active**
BS_South_SA	bs	south · south_center	South team × sa	**Skipped — 0 active**

- **The North Center and South Center teams** are not the target of any rule; north-central hotels also go to the North team.
- **No province is in region 3 (Central).** Central-coast hotels (Đà Nẵng, Quảng Nam, Bình Định, Khánh Hòa, Gia Lai …) follow the South rules (region 5); Thừa Thiên Huế follows the North rules (region 4).
- A customer who **skips** the category, an enquiry no rule matches, Manila (`region_10`) and "all hotels" go to the default assignee — and with none set, to an "everyone — no rule matched" alert.
- Real enquiries #906 and #907 (MAI VILLA HÀ NỘI, 10/26) were assigned to the Amoeba account on the North team.
- 4 of 7 hotel profiles have no province or region yet (1721, 4495, 726, 4162). Unsigned sign-ins do not update company profiles; a signed v1.4 sign-in fills them. Routing is not affected (it uses the session's region).
- Rule region conditions use the region SharpTalk derives, so the rules need no change after the move to v1.4.

---

3. Work items

P0-S 10/31 staging open · **P0** production open · **P1** production quality · **P2** phase 2 and later. Due dates are SharpTalk's proposal; if one does not work, write a feasible date in the reply table (§ 8). **Overdue** = the proposed date has passed.

3.1 HA dev team — backend

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
WR-01	**Signing endpoint**	An API called with the login session (e.g. `GET /api/v1/staff/sharptalkIdentity`) builds and signs the package on the server. ① `userId = "ha:" + userSn` ② 4 attributes:	Spec v1.4 test vectors **T1 – T6** match + **HA role code list** (code · vi/en label) sent back	P0-S	Tue 10/27	Not started	G10 · D1 – D6

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		`hotel_id` · `hotel_name` · `province_sn` · `role` (role code). No `region` ③ "All hotels": drop the 3 hotel keys, sign `role` only ④ Normalise in this order: NFC → collapse whitespace → trim → `mb_substr(…, 0, 120)` (PHP `intl`) ⑤ Drop empty values, in attributes and in `name` · `email` · `phone`. Also drop an email that is not a valid address — a malformed email, a `userId` over 120 chars, a name over 200 or a phone over 40 returns 400 and the whole sign-in fails ⑥ `hash = hex(HMAC-SHA256(embed secret, signing string))` ⑦ Read values from the HA session and DB, never from the browser					

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
WR-02	**Signing key decision**	**Option A (recommended)**: the embed secret SharpTalk issues, kept only in an HA server environment variable; SharpTalk sends the staging secret over a secure channel the same day (S-03). **Option B**: reuse the Go2Joy client secret; SharpTalk must add input for a partner-supplied secret (S-04), and a leak would also expose Partner API access. **No decision yet: staging proceeds with option A**; the choice can be revisited before production (same spec and code, only the secret value changes).	Decision + staging secret in place	P0-S	Mon 10/26	**Overdue**	G12
WR-03	Signature expiry (`ts`)	Whether to add a signing time to stop package reuse. A 5-minute expiry like the Partner API's means both sides change	Yes / no	P1	11/06	Open	G16

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		the spec together					

3.2 HA dev team — FE and deployment

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
WR-04	**Fix the embed**	① Pass the WR-01 response to `identify` **unchanged** (no assembling or editing in the browser); remove `hash: "testing"` ② Call it when sign-in is confirmed · on page reload · **whenever the selected hotel changes (including "all hotels")** — today it is called once at start-up · when the HA language changes ③ Call `logout` on the sign-out button and token expiry (done) · just before signing in as another account · when another tab signs out (`storage`	identify **200 with** `"authenticated": true` , and the console shows the session as "verified" (not "Unverified"). `ok: true` alone is not proof while staging still accepts unsigned sign-ins	P0-S	Wed 10/28	Partial (④ ⑤)	G11 · D1 · D8 · D9

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		event) — missing ④ `locale` (done 10/27) ⑤ CSP and CORS (done on UAT 10/27) ⑥ Put the 3 SharpTalk domain uses (`embed.js` src · `widgetUrl` · `ivy:event` origin check) behind one environment setting					
WR-05	Joint UAT	Run the **spec §8 checklist** (the only UAT list) together with SharpTalk, **after S-06**	Signed-off result table	P0-S	10/29 – 10/30	Open	G13
WR-06	**HA production deploy**	① Deploy WR-01 · WR-04 to HA production ② Production embed secret (different from staging; S-08) ③ Production SharpTalk domain: `https://sharptalk.go2joy.vn/widget/embed.js` · `widgetUrl` · origin	identify 200 with `"authenticated": true` on production HA; a package signed with the staging secret gets 401	P0	Before production UAT	Open	G11 · G1

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		check ④ Production CSP and CORS ⑤ Share the HA release schedule in advance					

3.3 Go2Joy operations (CS)

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
WR-10	**Confirm the routing rules**	Check the 4 rules in § 2.3. ① Should the **North Center and South Center teams** receive enquiries? If yes, split the rules by region or add them as targets ② Central-coast provinces (Đà Nẵng, Quảng Nam, Bình Định, Khánh Hòa, Gia Lai …) are region 5 "South Center" in the Province Feed and Thừa Thiên Huế is region 4 "North Central"; no province is in region 3. With the current rules they go to the South / North teams — confirm this is intended, or list exception provinces ③ The one	Written confirmation (or edit in the console and tell us); no warnings in the assignment check	P0-S	10/27	Partial	G20

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		active North agent holds both `sa` and `cs` — confirm ④ The Philippines (`region_10`) is phase 2					
WR-11	**Activate agents, complete the roster, set ranks**	**Each invited agent sets a password through the invitation link** (signing in with the temporary password keeps the account "invited" and unassigned — SharpTalk fixes this in S-13; after that, signing in once is enough). At least one active Go2Joy agent per team, South and South Center above all. Send each person's rank: 11 of 12 accounts are master (full rights). Send name · email · team · job label (cs / sa) for anyone missing	Every team has an active **@go2joy.vn** agent; no "0 active" warning; ranks set	P0-S	10/27	Partial	G21
WR-12	**Define the consult categories and name them**	When to pick Business Support and when Customer Services (1 – 2 lines each), and the **Vietnamese display**	Vietnamese names show in the Vietnamese widget	P0-S	10/27	Partial	G22

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		names (shown as-is on the widget card). Whether to split further (e.g. settlement / contract)					
WR-13	**Hours, absence order, default assignee**	Working hours per team (HCM time zone), order when nobody is available (proposal: backup agent → team queue → offline message). The **default assignee** — today none, so these alert everyone: skipped category, southern / central hotels while South has 0 active, Manila, "all hotels"	Assignment check "category skipped" → default assignee	P0-S	10/27	Open	G23
WR-14	**UAT test accounts**	One `Quản lý` (several hotels, used to test hotel change — D9) + one `Lễ tân` (one hotel), covering **north and south** hotels and at least one hotel name with Vietnamese diacritics	Accounts sent over a secure channel	P0-S	10/27	Partial (one southern account)	G13
WR-15	Reconnect the Notion	The 3 sources were reconnected	—	P0	—	**Done**	G30

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
	knowledge source	on 10/22 and sync normally					
WR-16	Knowledge conflict decisions	The 78 items classified on 10/15: which side to keep	Decision table	P1	11/06	Open	G31
WR-17	Golden set review	Confirm the answers of the 44 `#Talk-4-Hotel` questions	Review result	P1	11/06	Open	G32
WR-18	Widget visibility and resume window	Current defaults: the widget shows the user's own conversations + "n earlier enquiries from this hotel"; the AI sees the hotel's previous conversation; the same agent is preferred for 24 hours (a chosen category takes the rules first)	Keep / change	P1	11/06	Confirm	G14 · G15
WR-19	Zalo OA · ZNS templates	To send agent alerts over Zalo too	Approved OA and templates	P1	TBD	Open	G24
WR-19a	Agent alert settings	Each agent sets, under 🔔 › Settings: alert scope, sound, **allow desktop notifications**, mail	Set for every agent	P1	10/30	Open	—

3.4 Infrastructure · Partner API go-live

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
WR-20	**Production server + SSH + DNS + TLS**	`sharptalk.go2joy.vn` (no DNS record as of 10/27), Vietnam region. Pilot 4 vCPU / 8 GB / 80 GB; production 8 vCPU / 16 GB / 200 GB or more. Daily backup storage. **Static public IP** (WR-23 allow-list) and **NTP time sync** (the Partner API `timestamp` expires after 5 minutes)	SSH access and static IP delivered, DNS resolves	P0	10/30	Open	G1
WR-21	**Production AI API keys (Go2Joy account and billing)**	Answer LLM (Anthropic Claude recommended) and embeddings (Voyage). Monthly limit and who receives exhaustion alerts	Keys delivered over a secure channel	P0	10/30	Open	G2
WR-22	Mail sender account	SMTP for agent alert mails	Account delivered	P1	10/30	Open	G3
WR-23	**Partner API production certification, credential and IP allow-list**	Go-live procedure in the document: certification request (about one week) → 3 test bookings → production clientId · secret → 3 more bookings. **SharpTalk**	Request filed → exemption answered → credential delivered, connection test passes	P0	File 10/26 · credential by 11/02	**Filing overdue**	G18

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		uses no booking API, so we ask for an exemption and a lookup-API connection test instead. Allow the SharpTalk production static IP on `https://partner.go2joy.vn` (about 500 requests/minute)					

3.5 Go2Joy dev — Partner API questions

Where the Support Assistant API document (unchanged 10/23 – 10/27) and staging measurements differ. Replies only; Go2Joy decides whether anything needs fixing.

WR	Question	Docs / observed	Prio	Ref
WR-24	Partner staging vs HA UAT database	Hotel 4118: 21 rooms in Partner / 7 in HA, different prices and hours. Is production one database?	P1	G19 ①
WR-25	Room status codes	The docs define `status` 1 Available · 2 Locked, but we observe 1 · 4 · 5	P1	G19 ②
WR-26	Room count	`numOfRoom` is always 2147483647 ("cannot be determined"). Is there a field for a hotel's total number of rooms?	P1	G19 ③ ⑥
WR-27	Region `10` and region `3`	The documented enum is 1 – 5, but the feed returns 17 Manila cities with `10`, and no province with `3`. Name and meaning of `10`; will any province get `3`?	P1	G19 ⑤
WR-28	Hourly lookup error	Room Type List with `bookingType=1` returns `code 0`. SharpTalk re-checks its own request with `startTime` · `endTime` first (S-09)	P2	G19 ⑦
WR-29	Hotel Feed coverage and behaviour	Does it include every HA hotel (4118 is missing)? Is returning everything when no hotel matches intended?	P2	G18 · G34
—	Document errata	Hotel Info path `getHotelnfo` (should be `getHotelInfo`); Room Type Feed v1 path shows a v2 response example; does the go-live booking test apply to a lookup-only partner?	P2	G19 ⑧

3.6 Legal

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
WR-30	**Privacy / PDPL review**	Cross-border transfer notice (processors Anthropic · Voyage, processing regions), whether a transfer impact assessment is needed, masking scope, conversation retention (draft 180 days), breach notification procedure. **Review on the basis that the AI provider receives the staff display name, hotel name, province, region and role** (§ 2.1)	Written reply	P0	10/30	Open	G4
WR-31	**Terms URL and version, AI notice, privacy policy URL**	Set on staging: terms `https://go2joy.vn/vi-vn/policy?tab=terms-of-use` ; notice VI "Được tạo bởi AI, áp dụng **điều khoản dịch vụ**" / EN "Created by AI; apply **terms of service**". Missing: the **terms version** and a **privacy policy URL** (the consent notice has no	Confirmation with version + privacy policy URL	P0	10/30	Confirm	G5

WR	Task	Detail	Done when	Prio	Due (proposed)	Status	Ref
		policy link today)					

3.7 PM

WR	Task	Detail	Prio	Due (proposed)	Status	Ref
WR-40	**Owners and channel**	Owners for PM, HA backend / FE, infra, Partner API, operations (CS lead), legal, and the daily check-in channel	P0-S	10/26	**Overdue**	G6
WR-40a	**Confirm the dates**	10/31 is a Saturday — confirm a Saturday staging open. Production earliest 11/10 – 11/11 (§ 5)	P0-S	10/28	Open	—
WR-41	Phase-2 schedule	B2C before / after booking, booking-completed webhook, app / web embed, HA menu (iframe · SSO), reception agents, point billing, Zalo conversations, contract terms	P2	November	Open	G40 – G47 · G7
WR-42	Business name and address needed?	SharpTalk can read the **hotel address** from Hotel Feed (except hotels missing from it, WR-29). A **registered business name** would be a signed key in a phase-2 spec (v1.5); do not send it before then	P2	With WR-41	Open	—

4. SharpTalk work

#	Work	Starts when	Due	Status	Prio
S-01	Spec v1.4: change history, PHP sample (with NFC), test vectors T1 – T6 (cross-checked with PHP 8.3 + intl). Doc revision 10/27	—	10/26	**Done** 10/24 · revised 10/27	P0-S
S-02	Accept v1.4: `province_sn` → name and region from the province index (80), role codes, v1.3 keys in parallel	—	10/27	**Done** 10/24 on staging	P0-S
S-03	Send the staging embed secret over a secure channel	WR-02 (option A by default)	Same day	Waiting for an HA backend	P0-S

#	Work	Starts when	Due	Status	Prio
				owner (WR-40)	
S-04	Input for a partner-supplied secret	WR-02 option B	After the decision	Conditional	—
S-05	Enter rules, Vietnamese category names, default assignee and hours from Go2Joy's reply; remove the Amoeba / test accounts from go2joy routing once Go2Joy agents are active; share the assignment-check result	WR-10 – 13	Same day	Waiting	P0-S
S-06	**End the temporary unsigned mode** on staging and set host terms trust back to "signed"	**A verified identify seen on HA UAT** (WR-01 · WR-04) — **before** WR-05	≤ 10/28	Waiting	P0-S
S-07	Install SharpTalk on the Go2Joy server (VN profile), move the go2joy tenant, knowledge, province index, rules, categories and notice text, re-index, connect the Partner API (within ~500/minute), and **register the HA production origin in the tenant's allowed embed origins**	WR-20 · 21 · 22 · 23	4 working days	Waiting	P0
S-08	Send the production embed secret (different from staging)	WR-20	Before WR-06	Waiting	P0
S-09	Re-check the hourly lookup request (`startTime` · `endTime`) before asking WR-28	—	10/27	Open	P2
S-10	Zero-downtime secret rotation (old and new accepted during a window) + procedure in the spec	—	11/06	Open	P1
S-11	Enter the terms version and the privacy policy URL	WR-31	Same day	Waiting	P0
S-12	Clean up knowledge conflicts	WR-16	1 – 2 days	Waiting	P1
S-13	**Invited → active on first sign-in** (an invited agent who signs in with the temporary password becomes assignable)	—	10/28	Open	P0-S
S-14	**Hyphenated province names in the stopgap** (Bà Rịa - Vũng Tàu was stored as region `bà_rịa_vũng_tàu` , so hotel 4162 matched no rule); keep a wrong region from being stored as signed	—	10/28	Open	P0-S
S-15	Duplicate sign-in rows in the work log when two identify calls for the same session arrive together	—	11/06	Open	P1

#	Work	Starts when	Due	Status	Prio
S-16	Spec v1.4 / WR in ko · en · vi + PDF on /manual/go2joy	—	10/27	**Done** (this version)	P0-S

---

5. Timeline and dependencies

```
Mon 10/26  (overdue) WR-02 key decision · WR-40 owners · WR-23 filing
Tue 10/27  WR-01 signing endpoint + T1–T6 + role code list · WR-10–14 rules, activa
tion, categories, default assignee, accounts
           SharpTalk: S-16 docs v1.4 · S-09
Wed 10/28  WR-04 FE fix → identify 200 with "authenticated": true, console "verifie
d"
           SharpTalk: S-06 right after that · S-13 · S-14
10/29-30   WR-05 joint UAT on spec §8 (after S-06) · WR-19a alert settings · WR-20/
21/22
Sat 10/31  Staging open (to confirm, WR-40a)

Production open = the day all three are done
  ① WR-23 filed → credential about one week later
  ② then S-07 install (4 working days, needs WR-20 · 21 · 22) → production UAT (3
working days, needs WR-30 · 31)
  ③ WR-06 HA production deploy (needs S-08)
  → earliest 11/10 – 11/11, later by every day WR-23 filing slips
```

- If WR-01 or WR-04 is late, staging can only open with the temporary unsigned mode. We recommend not starting real agent service in that case.
- If WR-11 and WR-13 are late, southern and central hotels keep alerting everyone.

---

6. Done criteria

6.1 Staging open

The joint UAT uses one list: spec v1.4 § 8. It runs after S-06, so the 401 rows can pass.

6.2 Production open

Check	Expected
Sign in to production HA → widget (`sharptalk.go2joy.vn`)	identify 200 with `"authenticated": true` (production secret); the key spec § 8 rows pass again
Send a package signed with the staging secret to production	401 (environments are separate)
HA production origin	Registered in the tenant's allowed embed origins; the widget works with origin enforcement on
Partner API production connection	Hotel info · rooms · province index refresh succeeds; no error 6 (signature) or 8 (IP)
Terms and notice	Consent records carry the terms URL and version; the consent notice links the privacy policy

7. Reference — Partner API essentials (public docs, checked 10/27)

Item	Docs	Used by SharpTalk for
Environments	Staging `staging-partner.go2joy.vn` (about 250/minute) · production `partner.go2joy.vn` (about 500/minute)	Sync rate limit
Auth	`Authorization` = hex(HMAC-SHA256(client secret, URL + "|" + JSON body sorted by key)); body has `clientId` · `timestamp` (expires in 5 minutes); IP allow-list	WR-20 NTP · static IP
Language	`Localization` header `vi` / `en` (default en)	Lookups in the widget's language
Regions	Province Feed `region` : 1 South · 2 North · 3 Central · 4 North Central · 5 South Center (+ `10` undocumented). No province uses 3 today	§ 1 derivation
Feeds	Province (80) · District (per province) · Hotel (address, province, district, rating, images — HA hotels partly missing) · Room Type (bed, size, facilities, views, images)	Province index, hotel profile, room products
Hotel APIs	Hotel Info (hours, cancellation, no province) · Hotel List and Room Type List (live price, flash sale, lock status; rooms left always "unknown")	Hotel profile; live availability is a later step
Error codes	Body `code` 0 server error · 1 success · 2 failure; error 4 parameter · 6 signature · 8 unauthorized (IP / client) · 10 permission · 11 not found · 12 too many attempts	Production monitoring

8. Reply table

Fill in and send to the daily check-in channel.

WR	Prio	Owner	Feasible date	Status (in progress / done / on hold)	Note
WR-01	P0-S				
WR-02	P0-S				Option A / B (A if no reply)
WR-03	P1				
WR-04	P0-S				
WR-05	P0-S				
WR-06	P0				
WR-10	P0-S				
WR-11	P0-S				
WR-12	P0-S				
WR-13	P0-S				
WR-14	P0-S				
WR-15	P0			Done	
WR-16	P1				
WR-17	P1				
WR-18	P1				Keep / change
WR-19	P1				
WR-19a	P1				
WR-20	P0				
WR-21	P0				
WR-22	P1				
WR-23	P0				Booking-test exemption?
WR-24 – 29	P1 / P2				
WR-30	P0				
WR-31	P0				
WR-40	P0-S				

WR	Prio	Owner	Feasible date	Status (in progress / done / on hold)	Note
WR-40a	P0-S				Saturday 10/31?
WR-41	P2				
WR-42	P2				Needed / not needed