AMOGH HERLE
PES1UG24CS653
5K

SOFTWARE ENGINEERING LAB-2



CREATION OF ALL THE FUNCTIONAL REQUIREMENTS AS EPICS.



ADDING USER STORIES TO BACKLOG SECTION



ADDING STORIES TO SPRINT



Sprint board displaying TO-DO,In progress and DONE tasks.



Moved all the items to DONE.

Burn Down Chart



Burn-UP chart

1. Did estimations reflect actual effort? Mostly close, but underestimated backend-heavy stories (FR-001 ingestion, FR-002 idle detection) — parsing/validation logic and edge cases took longer than story points suggested. Simpler CRUD-style stories (FR-004 threshold config) matched estimates well.

2. Was backlog well-prioritized? Yes, mostly. High-priority items (ingestion, idle detection, alerts) rightly came first since rest of system depends on them. In hindsight, FR-003 (alerts) should've sat behind FR-001/FR-002 fully stabilizing, since alert logic consumes their output.

3. How did simulated sprint align with plan? Close but not exact — a couple stories spilled into next sprint due to underestimated complexity (mainly around CSV validation edge cases and threshold-breach timing logic). Core high-priority stories still got done within sprint.

4. What insights did burndown chart give about team capacity? Chart showed steady early progress then a flattening mid-sprint, pointing to capacity overestimation for complex stories. Real capacity for backend-heavy work is lower than initial velocity assumed — future sprints should pad estimates for data-parsing/integration tasks specifically.