veight	cylinders	displacement	horsepower	acceleration	org mpg	pred mpg	MAPE (Mean Abso	olute Pecentage Error)
2125	4	90	75	14.5	28	30.69	9.61%	
2890	4	140	88	17.3	22.3	25.74	15.43%	
4456	8	350	160	13.5	12	13.54	12.83%	
2125	4	105	63	14.7	38	35.14	7.53%	
2145	4	97	67	18	33.8	34.04	0.71%	
3210	6	232	90	17.2	19.4	19.6	1.03%	
1968	4	89	60	18.8	38.1	34.54	9.34%	
3250	4	146	67	21.8	30	28.06	6.47%	
3102	6	198	95	16.5	20	19.4	3.00%	
2279	4	97	88	19	20	27.24	36.20%	
1834	4	97	60	19	27	31.82	17.85%	
4380	8	350	180	12.1	16.5	12.86	22.06%	
2740	4	151	88	16	24.5	26.47	8.04%	
4997	8	400	150	14	11	13.55	23.18%	
4360	8	350	155	14.9	16.9	13.66	19.17%	
2210	4	107	75	14.4	33.7	34.7	2.97%	
2795	4	121	115	15.7	21.6	22.61	4.68%	
4077	8	318	150	14	14	14.42	3.00%	
2265	4	98	90	15.5	26	27.19	4.58%	
2670	4	151	90	16	28.4	27.27	3.98%	
3169	8	302	129	12	13	18.33	41.00%	
3632	6	258	110	18	16	17.24	7.75%	
2408	4	140	90	19.5	20	24.3	21.50%	
2945	6	181	110	16.4	25	19.85	20.60%	
2144	4	98	76	14.7	41.5	30.68	26.07%	
4209	8	350	165	12	14	13.9	0.71%	
2620	4	156	92	14.4	25.8	27.35	6.01%	
2720	4	140	88	15.4	25.1	27	7.57%	
2914	6	232	100	16	20	19.09	4.55%	
3672	8	304	150	11.5	17	14.7	13.53%	
2807	6	156	122	13.5	20	24.47	22.35%	
2635	4	120	74	18.3	31.6		10.38%	
2511	4	121	76	18	22	27.72	26.00%	
1963		79	67	15.5	26		25.15%	

3039	6	231	110	15	21	20.54	2.19%	
2711	4	134	90	15.5	29.8	26.67	10.50%	
1773	4	71	65	19	31	34.02	9.74%	
4464	8	400	150	12	13	14.51	11.62%	
4190	8	318	150	13	16	14.44	9.75%	
4354	8	454	220	9	14	13.96	0.29%	
3693	8	350	165	11.5	15	14.54	3.07%	
1850	4	91	67	13.8	44.6	32.38	27.40%	
2542	4	120	75	17.5	31.3	27.64	11.69%	
4141	8	302	140	14	16	14.82	7.38%	
1940	4	97	78	14.5	29	31.41	8.31%	
4335	8	351	149	14.5	16	14.36	10.25%	
2525	4	135	84	16	29	26.68	8.00%	
4699	8	350	150	14.5	13	14.44	11.08%	
3880	8	305	145	12.5	17.5	14.85	15.14%	
2789	6	232	100	15	18	20.11	11.72%	
2246	4	116	75	14	26	30.58	17.62%	
3563	8	383	170	10	15	15.43	2.87%	
4376	8	307	200	15	10	11.6	16.00%	
2408	4	140	72	19	22	24.35	10.68%	
2188	4	97	78	15.8	34.3	28.41	17.17%	
3160	6	145	76	19.6	30.7	21.9	28.66%	
3060	6	200	88	17.1	20.2	20.93	3.61%	
3353	6	250	105	14.5	22	17.93	18.50%	
1795	4	91	53	17.5	33	33.11	0.33%	
2226	4	122	86	16.5	21	24.4	16.19%	
2833	6	198	95	15.5	22	19.38	11.91%	
2108	4	90	75	15.5	24	31.28	30.33%	
1990	4	89	71	14.9	31.5	32.41	2.89%	
4341	8	429	198	10	15	14.44	3.73%	
2189	4	96	69	18	26	33.04	27.08%	
3897	6	250	105	18.5	16	16.52	3.25%	
4312	8	440	215	8.5	14	14.56	4.00%	
2640	4	112	88	18.6	27	28.29	4.78%	

2672	4	110	87	17.5	25	28.18	12.72%	
2110	4	85	65	19.2	40.8	39.71	2.67%	
1800	4	91	60	16.4	36.1	34.85	3.46%	
2155	4	98	68	16.5	30	31.04	3.47%	
3725	8	302	129	13.4	17.6	17.68	0.45%	
4140	8	318	145	13.7	15.5	14.8	4.52%	
2904	6	198	95	16	23	19.23	16.39%	
4129	8	351	153	13	14	14.39	2.79%	
1955	4	91	70	20.5	26	31.4	20.77%	
3425	8	305	145	13.2	19.2	16.83	12.34%	
2045	4	98	68	18.5	31.5	34.08	8.19%	
						MAPE:	11.52%	
						Accuracy:	88.48%	