


Q=4



(PAC) Problem

Given Data (inputs)

- Quantity (q), Price (P)
- Discount % (d), Tax (t)

Required Outputs

- Sub total (s)
- Discounted amount (a)
- final Bill

Processing / formulas

- $S = q * P$
- $a = S - (S * d) / 100$
- final Bill = $a + (a * t) / 100$

Conditions

- All input must > 0
- For Give an error if input fails

Algorithms

Step 1: Start

Step 2: Input q, p, d, t

Step 3: If $q < 0$ or $p < 0$ or $d < 0$ or $t < 0$ display error

Step 4 $S = q * p$

Step 5 Calculate $a = S - (S * d) / 100$

Step 6 Calculate Final Bill = $a + (a * t) / 100$

Step 7 Display S, a & Final-Bill

Step 8 End

Pseudocode ::

Begin

Input q, p, d, t

If $q < 0$ or $p < 0$ or $d < 0$ or $t < 0$ then

Display Error : Invalid Input Data

Else

Set $s = q \times p$

Set $a = s - (s * d) / 100$

Set final-Bills = $a + (a * t) / 100$

Display $s, a, \text{final-Bill}$

End If

IPO

Input

q, p, dt

Processing Steps

1 Read q, p, dt
t

2 If value < 0
Print error

3 Calculated Subtotal
 $S = q * p$, Discard

$$a = S - (S * d) / 100$$

4 Calculate Item by Total

5 Print Break Down n Details

Outputs

• Sqr,
Final Bill