

REPORT PDF DESIGN SYSTEM

A consistent, credible structure for every assessment PDF

One document model, one component kit, and one set of tokens that any assessment — POSH, DPDP, Auto-Dealer, or anything we ship next — renders into. It replaces three hand-drawn, divergent generators with a single HTML + print-CSS template.

VERSION 1.0 DATE June 2026 FORMAT A4 / Letter portrait

FOR Implementation via Claude Code

CONTENTS

- | | |
|---|---|
| 01 Why this exists | 06 Component kit |
| 02 Design principles | 07 Per-assessment theming |
| 03 Rendering pipeline | 08 Methodology page |
| 04 Foundations — logo, color, type, space | 09 Print & PDF spec |
| 05 Page architecture | 10 Template & checklist |

01 • WHY THIS EXISTS

Three reports, three personalities

Each assessment currently builds its PDF by drawing to coordinates with jsPDF. The result is three documents that share a name and nothing else — different covers, different badges, different section orders, and a hard ASCII limitation that turns ₹

into “Rs.”. The fix is structural: one model that every assessment fills in.

POSH

Blue cover hero, % score, HIGH/MEDIUM/LOW action cards, “Compliant Areas” list.

DPDP

No real cover, text badges [PASS] / [GAP], a penalty column, a deadline banner.

AUTO-DEALER

Numbered plain sections (1. ENTITY...), [Y] / [N] rows, phase scores.

TODAY

- One generator per assessment, ~27 KB each
- Coordinates & magic numbers; fragile to edits
- ASCII-only — no ₹, no native scripts
- Inconsistent badges, covers, ordering

WITH THIS SYSTEM

- One HTML template, data-driven per assessment
- Tokens & components; layout is declarative
- Full Unicode — ₹, Hindi, all 22 scripts
- Identical structure; only content & accent differ

Five rules that make it credible

01 Structure before decoration

Every report answers the same questions in the same order. A reader who has seen one knows where to find the score, the gaps, and the deadline in the next.

02 Status colour is sacred

Emerald, ochre and red carry meaning — compliant, attention, critical. They never get repurposed for decoration, and the per-assessment accent never borrows them.

03

Quiet authority

Restrained navy, generous white space, a serif for headings. No gradients, no shadows in print, no emoji. The document should feel like it came from counsel, not a dashboard.

04

Every claim is sourced

Findings carry a legal reference, a deadline, and a penalty. Set in mono, they read as evidence and survive scrutiny.

05

Print is the source of truth

It is laid out for paper first — clean page breaks, repeating header and footer, embedded fonts — then made comfortable on screen. What you read is what prints.

03 • RENDERING PIPELINE

Render HTML, print to PDF

The single biggest change: stop drawing PDFs and start printing them. Build the report as an HTML page styled with print-CSS, then let headless Chromium turn it into a PDF. Playwright is already a dependency — no new runtime is needed.

DATA

Scores, gaps &
applicability JSON



TEMPLATE

React/HTML +
print-CSS tokens



CHROMIUM

page.pdf()
via Playwright



PDF

Pixel-perfect,
Unicode-safe

Same UI & PDF

The on-screen results page and the PDF share one template. Fix it once.

Real typography

Web fonts, ₹, Devanagari, ligatures — all embed cleanly.

Maintainable

Components & CSS instead of `doc.text(x, y)` math.

Migration note. Keep jsPDF only as a fallback during rollout. Everything in this document is authored for the HTML pipeline; the tokens are plain CSS custom properties so a future server-side renderer (e.g. react-pdf) could reuse the same values.

04 • FOUNDATIONS

Logo, colour, type & space

The vocabulary every page is built from. All values ship as CSS custom properties (section 10) so they are the single source of truth.

4A — WORDMARK LOCKUP



Compliance**Check**




Compliance**Check**

Mark is a 9px-radius square holding a check glyph. Wordmark sets “Compliance” in Light 300 and “Check” in **SemiBold 600**, IBM Plex Sans, tracking -0.01em . Minimum mark height 24px on screen, 7mm in print. Reverse to white on the navy cover bar.

4B — COLOUR

Two families. **Brand navy** sets the tone; **status** colours carry meaning and never change between assessments.

BRAND & INK



Ink 900
#101D33



Ink 700 · primary
#1C3055



Ink 500
#3B5688



Accent · links
#2C5BD6

STATUS — UNIVERSAL



Critical
#8A1C12



High
#B42318



Medium
#A86A1B



Success
#1B7A55



Low / info
#5A6B8C


SURFACES & LINES



Paper
#FFFFFF



Fill
#F6F8FA



Border
#E2E6EC



Body text
#1A2230

4C — TYPOGRAPHY

The IBM Plex superfamily — **Serif** for display gravitas, **Sans** for everything readable, **Mono** for IDs, references and data labels. One family, three voices, no slop.

Display 40

Plex Serif 600 • cover & section titles

Heading 26

Plex Serif 600 • H2

Subhead 19

Plex Sans 600 • H3

Body 14.5 / 1.65 — the workhorse for findings, recommendations and prose. Comfortable at reading distance, dense enough for a paid report.

Plex Sans 400

REF • POSH Act 2013, S.4(2) • ID 4830d680

Plex Mono 400 • refs / IDs / data

Scale (px): 40 / 26 / 19 / 15 / 14.5 body / 12 caption / 10.5 micro. Line-height 1.65 for body, 1.18 for headings. Numerals use tabular figures (`font-variant-numeric: tabular-nums`) so scores and tables align.

4D — SPACING & GRID

A 4-point scale. Page is a single column inside 0.75in side margins with a 0.7in header/footer band.



4 8 12 16 24 32 48 64

The canonical section order

Every report follows this spine. Sections marked `optional` appear only when the assessment has that data — e.g. Applicability for multi-regime assessments like Auto-Dealer. Order never changes.

01

Cover

Wordmark, assessment title, “Prepared for” entity block, hero score, confidential note.

02

Executive summary

Overall score, risk level, category breakdown table, key findings.

03

How to read this report • `methodology`

Scoring bands, severity definitions, what the colours mean. Builds trust before the findings.

04

Applicability overview • `optional`

Which obligations apply and why. Multi-regime assessments only.

05

Action items / gap analysis

Grouped Critical → High → Medium → Low. One card per item with steps, deadline, penalty, reference.

06

Compliant areas

What already meets the requirement, grouped by category. Reassures and balances the gaps.

07

Next steps & resources

Recommended timeline table, government portals, applicable legislation, key deadlines.

08

Disclaimer & metadata

Legal disclaimer block, report ID, generated date, re-assessment prompt.

A running header (wordmark + assessment name) and footer (legal line + assessment ID + date) repeat on every page from 2 onward — see section 06.

Every piece, rendered to spec

These are the live components — what follows is exactly how they should look in the PDF. Build them once; assessments only supply data.

COVER PAGE




Navy bar with reverse wordmark + per-assessment accent rule · serif title · entity card · hero score in status colour · confidential + ID footer.

RUNNING HEADER & FOOTER



Implemented as the table-frame thead/tfoot so Chromium repeats it on every printed page. Assessment ID + date live in the footer, on every page, per spec.

SCORE HERO & RISK BADGE



Gauge ring fills to the score in its status colour. Risk badge and penalty pull from the same band. Note the real ₹ glyph — impossible in the old pipeline.

CATEGORY BREAKDOWN TABLE

CATEGORY	SCORE	%	PENALTY
Consent Management		51	₹50Cr
Security Safeguards		71	₹250Cr
Data Principal Rights		100	₹200Cr
Breach Response		62	₹200Cr

Navy header, mono column labels, inline score bars in status colour, zebra rows, tabular numerals. Works for POSH categories, DPDP categories, or Auto-Dealer phases interchangeably.

PRIORITY ACTION ITEM CARD

HIGH

CONSENT MANAGEMENT

Granular and Purpose-Specific Consent

“Replace bundled consent checkboxes with separate consent for each purpose.”

STEPS TO ADDRESS

1. Replace bundled checkboxes with per-purpose consent
2. Pre-ticked boxes are invalid — default to unchecked
3. Implement consent versioning and a preference centre

DEADLINE

13 May 2027

PENALTY

Up to ₹50 Cr

REFERENCE

DPDP Act 2023 S.6(1),6(3)

Left border = severity colour. Mono severity tag + category kicker. The footer trio (deadline / penalty / reference) is fixed so the eye always lands in the same place. The whole card is `break-inside:avoid`.

SEVERITY & STATUS TAGS

CRITICAL**HIGH****MEDIUM****LOW**✓ **COMPLIANT****GAP****N/A**

Solid fills for priority (loud), soft tinted fills for status (calm). Replaces the inconsistent [PASS] / [Y] / coloured-rect mix across the three current reports.

COMPLIANT AREA ROW

- ✓ Encryption at rest implemented
- ✓ Role-based access controls
- ✓ DSAR process operational

APPLICABILITY ROW

- Y** EPF — ≥20 employees
- Y** POSH Act — ≥10 employees
- N** CSR — turnover below threshold

Tight list rows, hairline dividers, status-coloured markers. Non-applicable rows mute to grey so the eye skips them.

DEADLINE BANNER & RESOURCE LINKS



Compliance deadline — 13 May 2027

DPDP Act 2023 substantive obligations take effect on this date.

MeitY Data Protection

Official DPDP documentation

meity.gov.in

Data Protection Board

Complaints & enforcement

dpb.gov.in

The banner uses the relevant status tint (amber here for an approaching deadline; red for overdue). Resource links pair a bold title + muted descriptor with a mono URL.

DISCLAIMER BLOCK

DISCLAIMER

This report is generated from self-assessment responses for informational purposes only and does not constitute legal advice. The DPDP Act 2023 and its Rules are subject to amendment. We strongly recommend consulting a qualified professional for specific guidance. ComplianceCheck assumes no liability for actions taken based on this report.

Neutral fill, never red — it is a legal notice, not a warning. Sits on the final page above report metadata.

07 • PER-ASSESSMENT THEMING

One skeleton, a single accent each

Assessments differ only by a `--cc-theme` hue used for the cover rule, section kickers and category headers. Everything else — layout, type, status colours — is shared. Set one attribute on the page root and the report retints.

POSH

teal • #0E7C86

DPDP

indigo • #3A4DC4

Auto-Dealer

bronze • #A65A2A

Food Business

green · #4E7A1E

Labour Code

violet · #6B3FA0

Default / future

navy · #1C3055

Accents share roughly equal lightness and chroma so no report looks louder than another. A new assessment ships by adding one row to the theme map — the rest of the system already knows what to do.

08 · METHODOLOGY PAGE

Show the working

A standard “How to read this report” page sits after the executive summary. It explains the score, the bands and the severities — so a finance head or a regulator trusts the numbers.

SCORE BANDS

80–100

Low risk

Strong — minor improvements only

50–79

Moderate

Material gaps — act within 30–60 days

0–49

High risk

Significant exposure — immediate action

HOW THE SCORE IS BUILT

Each applicable question carries a weight (1–10). A category score is points earned over points available within that category; the overall score is the same ratio across all applicable questions. Non-applicable obligations are excluded entirely, never counted as failures.

SEVERITY MEANS

- **Critical** — criminal or licence exposure; fix now
- **High** — significant penalty; immediate
- **Medium** — address within 30–60 days
- **Low** — as resources permit

09 · PRINT & PDF SPEC

Rules for clean pages

PROPERTY	VALUE
Page size	A4 (210×297mm) · Letter fallback
Margins	18mm sides · 18mm head / footer band
Header / footer	thead / tfoot – auto-repeat per page
Cards / tables / figures	break-inside: avoid
Headings	break-after: avoid · orphans/widows 3
Colour	print-color-adjust: exact
Fonts	Plex subset, embedded · ₹ + Devanagari

Generate with Playwright: `page.pdf({ format: 'A4', printBackground: true, preferCSSPageSize: true })`. The `@page` margin stays at zero; the table-frame supplies the real margins so the header/footer can sit inside them.

10 · TEMPLATE & CHECKLIST

Drop-in tokens & skeleton

Copy these verbatim. The token block is the single source of truth; the skeleton wires the print frame, running header/footer and the canonical sections.

TOKENS — `tokens.css`

```

:root{
  /* brand — refined navy */
  --cc-ink-900:#101D33; --cc-ink-700:#1C3055; --cc-ink-500:#3B5688;
  --cc-accent:#2C5BD6; /* links, active */
  /* status — universal, never themed */
  --cc-critical:#8A1C12; --cc-high:#B42318;
  --cc-medium:#A86A1B; --cc-success:#1B7A55; --cc-low:#5A6B8C;
  --cc-critical-bg:#F7E9E6; --cc-high-bg:#FBEAE7; --cc-medium-bg:#FBF1DF;
  --cc-success-bg:#E7F4EE; --cc-low-bg:#EEF1F6;
  /* neutrals */
  --cc-paper:#FFFFFF; --cc-text:#1A2230; --cc-muted:#5C6675;
  --cc-faint:#8A93A3; --cc-border:#E2E6EC; --cc-fill:#F6F8FA;
  /* type */
  --cc-serif:'IBM Plex Serif',Georgia,serif;
  --cc-sans:'IBM Plex Sans',system-ui,sans-serif;
  --cc-mono:'IBM Plex Mono',ui-monospace,monospace;
  /* 4pt spacing */
  --cc-1:4px; --cc-2:8px; --cc-3:12px; --cc-4:16px;
  --cc-6:24px; --cc-8:32px; --cc-12:48px; --cc-16:64px;
  --cc-radius:10px; --cc-theme:var(--cc-ink-700);
}
/* per-assessment accent — set data-assessment on the page root */
[data-assessment="posh"] { --cc-theme:#0E7C86; }
[data-assessment="dpdp"] { --cc-theme:#3A4DC4; }
[data-assessment="auto-dealer"]{ --cc-theme:#A65A2A; }
[data-assessment="food"] { --cc-theme:#4E7A1E; }
[data-assessment="labour"] { --cc-theme:#6B3FA0; }

```

SKELETON — report.html

```

<!-- page root carries the theme: data-assessment="dpdp" -->
<!-- repeating frame: thead/tfoot print on every page -->
<table class="report-frame">
  <thead><tr><td>
    <div class="run-head">ComplianceCheck · DPDP Gap Assessment</div>
  </td></tr></thead>
  <tfoot><tr><td>
    <div class="run-foot">compliancecheck.in · ID · </div>
  </td></tr></tfoot>
  <tbody><tr><td>
    <section class="cover">...</section>
    <section class="exec-summary">...</section>
    <section class="methodology">...</section>
    <section class="applicability optional">...</section>
    <section class="action-items"> <!-- critical→high→med→low -->
      <article class="item item--high">...</article>
    </section>
    <section class="compliant-areas">...</section>
    <section class="next-steps">...</section>
    <section class="disclaimer">...</section>
  </td></tr></tbody>
</table>

@page { size:A4; margin:0; }
.report-frame{ width:100%; border-collapse:collapse; }
@media print{ thead{ display:table-header-group; } tfoot{ display:table-footer-group; } }

```

IMPLEMENTATION CHECKLIST

- ☐ Add `tokens.css` and load the IBM Plex Serif / Sans / Mono subset
- ☐ Build the shared `report.html` frame + the 11 components in section 06
- ☐ Map each assessment's data to the canonical sections (05)
- ☐ Render to PDF with Playwright `page.pdf()`; retire the jsPDF generators
- ☐ Verify ₹ + Hindi render and page breaks fall cleanly
- ☐ Add a new assessment by adding one `--cc-theme` row — nothing else

