WPT TEST

Time--45 min, 40 question

NAME *

Amol Gavit

EMAIL *

amolgavit158121@gmail.com

CENTRE *

◉ KHARGHAR

◯ JUHU

✓ The correct sequence of HTML tags for starting a webpage is -   1/1

○ Head, Title, HTML, body

○ HTML, Body, Title, Head

● HTML, Head, Title, Body   ✓

○ HTML,TITLE,BODY

✓ Which of the following tag is used to insert a line-break in HTML?   1/1

●
      ✓

○ <a>

○ <pre>

○ <b>

✓ Which character is used to represent the closing of a tag in HTML? 1/1

○ \

○ !

◉ / ✓

○ .

✓ How to add a background color in HTML? 1/1

○ <marquee bg color: "red">

○ <marquee bg-color = "red">

◉ <marquee bgcolor = "red"> ✓

○ <marquee color = "red">

✓ Which of the following attribute is used to provide a unique name to an element? 1/1

○ class

● id ✓

○ type

○ None of the above

✗ Which of the following HTML tag is used to display the text with scrolling effect? 0/1

○ <marquee>

● <scroll> ✗

○ <div>

○ None of the above

Correct answer

● <marquee>

✓ Which of the following is the correct way to send mail in HTML? 1/1

⦿ <a href = "mailto: xy@y">   ✓

◯ <a href = "xy@y">

◯ <mail xy@y</mail>

◯ None of the above

✓ Which of the following HTML attribute is used to define inline styles? 1/1

⦿ style   ✓

◯ type

◯ class

◯ None of the above

✓ A program in HTML can be rendered and read by -   1/1

⦿ Web browser   ✓

◯ Server

◯ Interpreter

◯ None of the above

✓ Which of the following are the attributes of the tag?   1/1

◯ method

◯ action

⦿ Both (a) & (b)   ✓

◯ None of the above

✓ Which of the following is the correct syntax to make the background-color 1/1
of all paragraph elements to yellow?

◉ p {background-color : yellow;}   ✓

○ p {background-color : #yellow;}

○ all {background-color : yellow;}

○ all p {background-color : #yellow;}

✓ Which of the following property is used as the shorthand property for the 1/1
padding properties?

○ padding-left

○ padding-right

◉ padding   ✓

○ All of the above

✓ The CSS property used to specify the transparency of an element is -   1/1

◉ opacity   ✓

○ filter

○ visibility

○ overlay

✓ The CSS property used to specify whether the text is written in the horizontal or vertical direction?   1/1

◉ writing-mode   ✓

○ text-indent

○ word-break

○ None of the above

✕ The CSS property used to draw a line around the elements outside the border? 0/1

○ border ✕

○ outline

○ padding

○ line

Correct answer

◉ outline

✓ Which of the following class in Bootstrap is used to provide a responsive fixed width container? 1/1

○ container-fixed

○ container-fluid

◉ container ✓

○ All of the above

✓ How many columns are allowed in a bootstrap grid system? 1/1

○ 2

● 12 ✓

○ 3

○ 5

✗ Which of the following class in bootstrap is used to create a big box for calling extra attention? 0/1

● .box ✗

○ .container

○ .container-fluid

○ .jumbotron

Correct answer

● .jumbotron

✗ The correct syntax of creating a standard navigation bar is -   0/1

○ <nav class="navigationbar navbar">

● <nav class="navbar navbar-default">   ✗

○ <nav class="nav navbar">

○ <nav class="navbar default">

Correct answer

● <nav class="nav navbar">

✓ Which of the following is the correct syntax of creating a standard   1/1
navigation tab?

○ <ul class="navigation nav-tabs">

○ <ul class="nav tab">

● <ul class="nav nav-tabs">   ✓

○ <ul class="navigation tabs">

✕ Which of the following class is used to create a black navigation bar? 0/1

◯ .navbar-default

◯ .navbar-inverse

◯ .navbar-black

◉ .navbar-dark ✕

Correct answer

◉ .navbar-inverse

✓ The plugin used to create a cycle through elements as a slideshow is - 1/1

◯ slideshow

◯ scrollspy

◉ carousel ✓

◯ None of the above

✓ Which of the following class in Bootstrap is used to create a basic list group? 1/1

○ .grouped-list

○ .select-list

◉ .list-group ✓

○ Option 4

✕ Which of the following class in Bootstrap is used to add a zebra-stripe to a 0/1 table?

○ .tab-striped

○ .zebra-strip

○ .table-stripped

◉ .table-striped ✕

Correct answer

◉ .table-stripped

✓ Which of the following class in Bootstrap is used to create a large button? 1/1

○ .btn-xl

○ .btn-lrg

○ .btn-large

⦿ .btn-lg ✓

✓ Which of the following plugin in Bootstrap is used to create a modal window? 1/1

○ popup

○ alert

⦿ modal ✓

○ window

✓ The class in Bootstrap which is used to specify the collapsible elements is 1/1
-

○ .collapse ✓

○ .carousel

○ .pager

○ None of the above

✓ The class used for creating the small size wells is - 1/1

○ .well-small

○ .well-short

○ .well-lg

● .well-sm ✓

✓ Which of the following is the correct syntax to insert search icon?   1/1

○

○

●   ✓

○

✓ Which of the following is correct method to add a success button?   1/1

● <button class = "btn btn-success"> success </button>   ✓

○ <button class = "btn button-success"> success </button>

○ <button class = "button btn-success"> success </button>

○ <button class = "button btn-primary"> success </button>

✓ Is it true that the Bootstrap grid system works across multiple devices? **1/1**

(●) True ✓

(○) False

(○) Can't say

(○) May be

✗ The class "xs" in Bootstrap is used for - **0/1**

(○) tablets

(○) phones

(●) desktop ✗

(○) All of the above

Correct answer

(●) phones

✕ Which of the following class in Bootstrap is used to create an animated progress bar? 0/1

⬜ .active

🔘 .progress-success ✕

⬜ .progress-active

⬜ None of the above

Correct answer

🔘 .active

✗ The element _____ simply groups items within an enclosed dd tag, though it may associate them with a caption defined by a dt tag. 0/1

- ○ object
- ○ figure
- ○ embed
- ⦿ collect ✗

Correct answer

- ⦿ object

✓ The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side. 1/1

- ○ metadata
- ○ css
- ⦿ canvas ✓
- ○ art

✓ . Consider the following markup and answer the question that follow. `<source src="html_5.mp4" type="video/mp4"><source src="html_5.ogv" type="video/ogg">`What is the need to add multiple file formats for the same file? 1/1

○ To provide fallback support

○ To address the media support problem

◉ To provide fallback support & address the media support problem ✓

○ To provide foul back support

✗ In HTML Audio/Video DOM, _____ sets or returns whether the audio/video should be loaded when the page loads. 0/1

○ preload

◉ autoplay ✗

○ buffered

○ controller

Correct answer

◉ preload

✕ Which of the following is not a HTML5 tag?   0/1

○ <video>

○ <source>

● <track>   ✕

○ <slider>

Correct answer

● <slider>

✕ Which of the following HTML Video – Media Type is not supported in IE?   0/1

○ WebM

○ MP4

○ Ogg

● MP4 FLAC   ✕

Correct answer

● Ogg

✕ In HTML Audio/Video DOM, _____ returns a TimeRanges object representing the buffered parts of the audio/video. 0/1

○ preload

● networkState ✕

○ buffered

○ controller

Correct answer

● buffered

Google Forms