

~/Downloads/backend_trial_unit_test
npm run test

✓ at 10:35:29 pm

```
> portfolio-backend@1.0.0 test
> mocha test/**/*.js --timeout 10000
```

Server started at http://localhost:6000

Profile Service Unit Tests

Get Profile functionality success

✓ ## api/v1/profiles

should successfully get the profile of user

Get Profile Error GET /api/v1/profiles

✓ ## api/v1/profiles

should return error when user is not logged in or Authorization h

node

npm

Profile Service Unit Tests

Get Profile functionality success

✓ ## api/v1/profiles

should successfully get the profile of user

Get Profile Error GET /api/v1/profiles

✓ ## api/v1/profiles

should return error when user is not logged in or Authorization h

eader is not provided

✓ ## api/v1/profiles

should return error when token is not valid

Profile Service Unit Tests

Create Profile functionality success

✓ ## api/v1/profiles

should successfully create the profile of user (107ms)

```
## Create Profile functionality success
```

```
✓ ## api/v1/profiles
```

```
    should successfully create the profile of user (107ms)
```

```
Profile Service Unit Tests
```

```
## Create Profile functionality success
```

```
✓ ## api/v1/profiles
```

```
    should successfully update the profile if it is already present
```

```
Profile Service Unit Tests
```

```
## Create Profile functionality Error
```

```
✓ ## api/v1/profiles
```

```
    should throw error if firstName is not provided
```

```
✓ ## api/v1/profiles
```

```
    should throw error if firstName is empty
```

```
✓ ## api/v1/profiles
```

Create Profile functionality Error

- ✓ ## api/v1/profiles
should throw error if firstName is not provided
- ✓ ## api/v1/profiles
should throw error if firstName is empty
- ✓ ## api/v1/profiles
should throw error if lastName is not provided
- ✓ ## api/v1/profiles
should throw error if lastName is empty
- ✓ ## api/v1/profiles
should throw error if location is not provided
- ✓ ## api/v1/profiles
should throw error if location is empty
- ✓ ## api/v1/profiles
should throw error if contactNo is not provided
- ✓ ## api/v1/profiles

node

npm


```
        should throw error if contactNo is not provided
✓ ## api/v1/profiles
        should throw error if contactNo is empty
✓ ## api/v1/profiles
        should throw error if contactNo provided is not valid phone numbe
r
✓ ## api/v1/profiles
        should throw error if aboutMe is not provided
✓ ## api/v1/profiles
        should throw error if aboutMe is empty
```

Profile Service Unit Tests

```
✓ ## api/v1/profiles
        should throw error if we try to create profile with accessToken i
s not valid
✓ ## api/v1/profiles
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL JUPYTER

node

npm

```
        should throw error if aboutMe is not provided
    ✓ ## api/v1/profiles
        should throw error if aboutMe is empty
```

Profile Service Unit Tests

```
    ✓ ## api/v1/profiles
        should throw error if we try to create profile with accessToken i
s not valid
    ✓ ## api/v1/profiles
        should throw error if we try to get profile with accessToken is n
ot valid
```

18 passing (14s)