



Revisiting
Linear
Regression



Sq. Ft	Neighbourhood	Bedrooms	Price (‘000)
2000	Gachibowli	3	180
1750	Jubilee Hills	3	210
1100	Kukatpally	2	55
900	Gachibowli	2	72
1245	KPHB	3	60
...
...

Model's Goal

Sq. Ft	Neighbourhood	Bedrooms	Price (‘000)
1250	Gachibowli	3	???





$$y = w_1x_1 + w_2x_2 + w_3x_3 + b$$

Not this simple!!!


There are usually lots of ifs and buts...

How do we apply different weights (rates) based on Neighbourhood?






How do we capture complex logic?




First Set of Weights

Learn some logic in data




First Set of Weights




Second Set of Weights

Learn ANOTHER
logic in data

First set of Weights




Second set of Weights




Learn more and
more

Third set of Weights





Fourth set of Weights




What to do with all the Prices?

User another set
of Weights





What do Price# 1, 2, 3 and 4
represent?



What are these hidden features?

What are these hidden
features?

We, humans, do
not really
understand them

It's like 'Lego' Block




Individual Lego block (hidden feature) can not
tell the final outcome


It's like 'Lego'




But model understands how to combine these
hidden features to give a better outcome




What is this structure?




Neural Network






What is Deep Learning

Deep Neural Network



Multiple Hidden
Layers

Deep Neural Network







Adding non-linearity to Decision making

Activation function


Neuron output



Controlling Neuron firing




Sigmoid Function




$$\text{sigmoid}(y) = \frac{1}{1 + e^{-y}}$$

$$y = \sum wx + b$$

Number of weights



Number of weights



Number of weights

