

Human Foods Dogs Can (and Can't) Eat

A fast-reference cheat sheet covering 30 common foods. Pin it to the fridge for quick answers before you share a bite.

SAFE IN MODERATION

- ✓ **Blueberries**
Antioxidants, low calorie — great training treat.
- ✓ **Carrots**
Fiber, vitamin A, and a crunchy dental benefit.
- ✓ **Apples (no seeds/core)**
Fiber and vitamin C in moderation.
- ✓ **Plain pumpkin**
Cooked or canned, no spices — good for digestion.
- ✓ **Peanut butter**
Protein and fat — check the label for xylitol.
- ✓ **Green beans**
Low calorie, high fiber, good weight-management snack.
- ✓ **Sweet potato**
Cooked only — fiber and vitamins.
- ✓ **Watermelon**
No seeds or rind — mostly water, great in summer.
- ✓ **Bananas**
Potassium and fiber, but sugary — small amounts.
- ✓ **Plain cooked chicken**
No bones, skin, or seasoning.
- ✓ **Plain rice**
Cooked, unseasoned — bland-diet staple.
- ✓ **Scrambled eggs**
Cooked plain — solid protein source.
- ✓ **Cucumber**
Hydrating and very low calorie.
- ✓ **Strawberries**
Vitamin C and fiber, naturally sweet.
- ✓ **Cantaloupe**
Vitamins and hydration — sugary, so go easy.

UNSAFE — AVOID

- ✗ **Chocolate**
Contains theobromine — toxic in any amount.
- ✗ **Grapes & raisins**
Can cause sudden kidney failure.
- ✗ **Onions & garlic**
All forms damage red blood cells.
- ✗ **Xylitol**
Found in gum, PB, baked goods — causes fast, severe drops in blood sugar.
- ✗ **Macadamia nuts**
Can cause weakness, tremors, and vomiting.
- ✗ **Alcohol**
Toxic to dogs even in small amounts.
- ✗ **Avocado**
Contains persin — can cause GI upset.
- ✗ **Cooked bones**
Splinter easily — choking and injury risk.
- ✗ **Caffeine**
Coffee, tea, energy drinks — affects heart and nerves.
- ✗ **Raw yeast dough**
Expands in the stomach and produces alcohol.
- ✗ **Salty snacks**
Chips, pretzels — risk of sodium ion poisoning.
- ✗ **Nutmeg**
Contains myristicin, which is toxic in quantity.
- ✗ **Milk & dairy**
Most dogs are lactose intolerant — causes GI upset.
- ✗ **Corn on the cob**
The cob itself is a choking/obstruction hazard.
- ✗ **Fried or fatty foods**
Can trigger pancreatitis.