

perceval → base 20.08.2026, 11:54

A017

Perceptual Evaluation of Adversarial Images

Notice: Please only participate in this survey through a desktop device (computer, laptop).

Introduction to Adversarial Attacks

In image processing, adversarial attacks are intentional modifications made to an image with the goal of deceiving a machine learning model. These changes are often imperceptible or barely noticeable to human observers but can cause a model to misclassify or interpret the image incorrectly. An **adversarial sample** is the result of applying such modifications to a benign (original) image. There are many types of adversarial noise and you will get to know them during this survey.

This annotation task aims to evaluate how perceptible these adversarial modifications are to observers. Your input will help us train a system to assess the visual similarity between original images and their adversarially perturbed counterparts.

Annotation Task Overview

You will be presented with pairs of images:

1. The **original image**.
2. The **adversarial sample**.

Your task is to evaluate the perceptibility of the adversarial modifications and assign a score based on how obvious or subtle the differences are.

Click on **'Next'** to get to know the adversarial patterns and see some examples.

A030

Instructions for Annotating Adversarial Samples

A022

The Annotation Process:

Scoring Scale

- **0:** The attack is **imperceptible**. You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.
- **0.25:** The attack is **barely perceptible**. Differences are very faint and require close scrutiny to detect.
- **0.5:** The attack is **noticeable**. You can see the differences if you compare the images normally.
- **0.75:** The attack is **clearly visible**. Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.
- **1:** The attack is **very obvious**. The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

Steps for Annotation

1. **View the Image Pair:** Observe the original and adversarial sample side by side.
2. **Focus on Differences:** Look for any changes, such as distortions, texture changes, or unusual patterns in the adversarial sample.
3. **Assign a Score:** Use the scoring scale above to rate the perceptibility of the differences.
4. **Submit Your Score:** Select the appropriate category (0, 0.25, 0.5, 0.75 or 1).

Tips for Consistency

- Take your time to examine the images carefully but avoid overthinking. Trust your initial impressions.
- If you’re unsure, choose the closest category that aligns with your perception.
- Refer back to the scoring scale descriptions if needed.

A029

Examples

Example 1:

- **Original Image:** A picture of a bug.
- **Adversarial Sample:** The same picture with visible noise in the background.
  Score: 0.5 (noticeable differences).

Reference Image



Adversarial Sample



Example 2:

- **Original Image:** A picture of a traffic light.
- **Adversarial Sample:** The same photograph with unnatural square-like color distortions in the sky.
  Score: 0.75 (clearly visible differences).

Reference Image

Adversarial Sample





Example 3:

- **Original Image:** A picture of a bridge at sunset.
- **Adversarial Sample:** No detectable differences.
  Score: 0 (imperceptible differences).

Reference Image



Adversarial Sample



Example 4:


- **Original Image:** A picture of a cradle.

- **Adversarial Sample:** The image is distorted to the point where the original content is hard to detect.
  Score: 1 (heavily distorted).

Reference Image




Adversarial Sample



Thank you for contributing to our research! Your annotations will help advance our understanding of human perception and adversarial robustness in machine learning systems.

A030

Instructions for Annotating Adversarial Samples




A021

Uniform Noise

This noise pattern looks like **uniform noise spread across the canvas**.

A077

Click Here To See Some Examples



Page 04

PGDL2

A045

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A060')) . ';
    var input = document.getElementById("A045_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A031

1. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A129

Reference Image | Adversarial Sample



A115

2. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

Page 06

VMIFGSM

A046

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A061')) . ';
    var input = document.getElementById("A046_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A084

3. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

Page 07

VMIFGSM2

A130

Reference Image

Adversarial Sample

A116

4. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A047

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A062')) . ';
    var input = document.getElementById("A047_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A041

5. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A131

Reference Image | Adversarial Sample



A125

6. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples




A075

Checkerboard Noise

This noise pattern looks like **checkerboard-like color noise spread across the canvas**.

A076

Click Here To See Some Examples



A048

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A063')) . ';
    var input = document.getElementById("A048_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A039

7. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A132

Reference Image | Adversarial Sample



A123

8. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples




A023

Occasional Speckles of Color

This noise pattern looks like **occasional speckles of color randomly on the canvas**.

A078

Click Here To See Some Examples



A049

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A064')) . ';
    var input = document.getElementById("A049_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A033

9. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A133

Reference Image | Adversarial Sample



A117

10. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples




A024

Edge Noise

This noise pattern looks like **Its wrapped around the edges of the image content**.

A079

Click Here To See Some Examples



A050

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A065')) . ';
    var input = document.getElementById("A050_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A034

11. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A134

Reference Image | Adversarial Sample



A118

12. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples



A027

Squares and Lines

This noise pattern looks like **lines and squares spread across the canvas**.

A080

Click Here To See Some Examples



Page 20

SQUARE

A051

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A066')) . ';
    var input = document.getElementById("A051_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A037

13. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A135

Reference Image | Adversarial Sample



A121

14. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples



A028

Circular Noise

This noise pattern looks like **smooth circular shapes spread across the canvas**.

A081

Click Here To See Some Examples



A052

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A067')) . ';
    var input = document.getElementById("A052_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A038

15. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A136

Reference Image | Adversarial Sample



A122

16. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples



A025

Wavy Noise

This noise pattern looks like **wavy forms of noise spread across the canvas**.

A082

Click Here To See Some Examples



A059

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A068')) . ';
    var input = document.getElementById("A059_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A042

17. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A137

Reference Image | Adversarial Sample



A126

18. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A056

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A072')) . ';
    var input = document.getElementById("A056_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A043

19. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A138

Reference Image | Adversarial Sample



A127

20. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A057

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A073')) . ';
    var input = document.getElementById("A057_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A044

21. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A139

Reference Image | Adversarial Sample



A128

22. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A055

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A071')) . ';
    var input = document.getElementById("A055_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A040

23. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A140

Reference Image | Adversarial Sample



A124

24. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A030

Instructions for Annotating Adversarial Samples



A026

Object Noise

This noise pattern looks like **traces of object shapes** which can be found in various sizes on the canvas.

A083

Click Here To See Some Examples



A053

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A069')) . ';
    var input = document.getElementById("A053_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A035

25. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A141

Reference Image | Adversarial Sample



A119

26. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A054

PHP code

```
html('
  <script type="text/javascript">
    var code = ' . json_encode(value('A070')) . ';
    var input = document.getElementById("A054_01");
    input.value = code;
  </script>
');
```

Reference Image	Adversarial Sample

A036

27. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.


0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

A142

Reference Image | Adversarial Sample



A120

28. Please evaluate how noisy the adversarial image looks.

Choose the appropriate value from the options below.

0: The attack is imperceptible.	0.25: The attack is barely perceptible.	0.5: The attack is noticeable.	0.75: The attack is clearly visible.	1: The attack is very obvious.
○	○	○	○	○

A074

Click Here For Help

0: You cannot detect any differences between the original and the adversarial sample; they appear identical to the human eye.

0.25: Differences are very faint and require close scrutiny to detect.

0.5: You can see the differences if you compare the images normally.

0.75: Differences are noticeable on a quick glance, but they are less severe than those in the "1" category.

1: The adversarial sample is heavily distorted. Differences between the original and the adversarial sample are clear and easily noticeable without effort.

Last Page

Thank you for completing this questionnaire!

We would like to thank you very much for helping us.

Your answers were transmitted, you may close the browser window or tab now.

M.Sc. Amon Juma Soares de Souza – 2025