```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Sully's Gallery</title>
  k rel="stylesheet" href="{{ url for('static', filename='css/style.css') }}">
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-white min-h-screen">
<div class="container mx-auto px-4 py-12 text-center">
  <h1 class="text-4xl md:text-5xl font-bold text-indigo-800 mb-6">sully's</h1>
  <!-- Folder Icon -->
  <div class="flex justify-center mb-12">
    <div id="folderBtn" class="folder-icon cursor-pointer">
       <svg width="120" height="100" viewBox="0 0 120 100" fill="none"</pre>
xmlns="http://www.w3.org/2000/svg">
         <path d="M110 25H60L45 10H10C4.47715 10 0 14.4771 0 20V90C0 95.5228</p>
4.47715 100 10 100H110C115.523 100 120 95.5228 120 90V35C120 29.4772 115.523 25 110
25Z" fill="#4F46E5"/>
         <path d="M110 25H60L45 10H10C4.47715 10 0 14.4771 0 20V30H120V35C120</p>
29.4772 115.523 25 110 25Z" fill="#6366F1"/>
       </svg>
       Click to view photos
    </div>
  </div>
  <!-- Gallery -->
  <div id="gallery" class="gallery">
    {% for photo in photos %}
       <img src="{{ url for('static', filename='images/' + photo) }}" alt="{{ photo }}"
class="photo">
    {% endfor %}
  </div>
</div>
```

```
<script>
document.addEventListener('DOMContentLoaded', function() {
  const folderBtn = document.getElementById('folderBtn');
  const gallery = document.getElementById('gallery');

  folderBtn.addEventListener('click', function() {
    gallery.classList.toggle('active');
    if (gallery.classList.contains('active')) {
        this.querySelector('svg').style.transform = 'rotate(5deg)';
        setTimeout(() => { this.querySelector('svg').style.transform = 'rotate(0)'; }, 300);
    }
  });
});
</script>
</body>
</html>
```