

DOCTOR _____ ACCT# _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

PHONE _____ EMAIL _____

PATIENT NAME _____

DATE SHIPPED _____ DATE NEEDED* **REQUIRED**
**Date needed should be at least 1 day before appointment date.*
☐ APPROVAL TO CHARGE EXPRESS SHIPPING TO RETURN ON DATE NEEDED

DIGITAL SCAN TAKEN WITH:
☐ iTero® ☐ Carestream ☐ CEREC

☐ TRIOS® ☐ Medit ☐ Other _____

FUNCTIONALS

- ☐ Bionator
☐ Corrector
☐ Twin Block - Clark
☐ Twin Block - McNamara

APPLIANCE DESIGN

	U	L
Open the Bite	☐	☐
Close the Bite	☐	☐
Maintain the Bite	☐	☐

ACTIVE DESIGNS

	U	L
Sagittal	☐	☐
Sagittal to Advance Anterior 2-2	☐	☐
3-Way Sagittal	☐	☐
Schwarz - Transverse	☐	☐
Nord Expander	☐	
Phase II Appliance	☐	
Fan Expander	☐	
Acco - Cetlin	☐	

EXPANSION OPTIONS

- ☐ No Screws Required
☐ Midline Screw Only
☐ 2 Midline Screws
☐ 2 Sagittal Screws
☐ Fan Expansion Screw
☐ Other Screw Design (specify) _____


ACCESSORIES
WIRE/CLASPS

	U	L
Hawley Labial Bow	☐	☐
Adams Clasps	☐	☐
Ball Clasps	☐	☐
Arrow Clasps	☐	☐
C-Clasps	☐	☐

ACCESSORIES

Carve Brackets off Models	☐	☐
Labial Pads	☐	☐
HG Tubes .045	☐	

OFFICE USE: 1 2 3 4 + **PD:** SA DR
MODELS: U L BOTH BANDS CROWNS BROKEN
IMPRESSIONS: U L BOTH
DISINFECT: _____ **QA IN:** _____ **FINAL INSP:** _____


ACRYLIC DESIGN OPTIONS

	U	L
Trim Posterior for Maximum Eruption	☐	☐
Trim as Diagrammed	☐	☐
Occlusal Coverage	☐	☐
Anterior Bite Plane	☐	☐
Acrylic to Bow	☐	☐

ACRYLIC COLORS

Acrylic Color - U _____ ☐
 Acrylic Color - L _____ ☐

SPECIAL INSTRUCTIONS

DOCTOR SIGNATURE *sl* _____

License # **REQUIRED** _____ Expiration **mm/yy** _____

(800) 522-4636
 www.specialtyappliances.com