E2 DAMA-DMBOK applied to talent data

Generated from the same content files as the app. Each module lists its roadmap months. Solutions are in the appendix.

Contents

Track E: Data protection and governance 2
E2 DAMA-DMBOK applied to talent data 3
E2-L1 The DAMA wheel, eleven knowledge areas around governance 3
E2-L2 A maturity baseline you can defend 7
E2-L3 Governance at the hub, decision rights, policies and escalation 11
Track E best-practice checklist 15
Appendix: solutions and answer keys 16

Track E: Data protection and governance

The law and the frameworks that govern people data, for the engineer who builds the platform.

E2 DAMA-DMBOK applied to talent data

Roadmap: EY Talent Data Strategy role; Current work. The eleven knowledge areas, governance at the hub, and an evidence-based maturity baseline across talent domains.

E2-L1 The DAMA wheel, eleven knowledge areas around governance

Concept

The **DAMA-DMBOK** (Data Management Body of Knowledge, second edition, revised in 2024) gives data teams a shared map. It splits data management into **eleven knowledge areas**, drawn as a wheel.

Data governance sits at the hub. It decides and oversees how the other ten are run. DMBOK2 defines it as the exercise of authority and control, planning, monitoring and enforcement, over the management of data assets.

The ten spokes, with a talent example for each:

Knowledge area	Talent example
Data architecture	Bronze, silver and gold layers for HR data
Data modelling and design	The person, position and organisation entities
Data storage and operations	Lakehouse tables, backups, retention jobs
Data security	Masking salary and health fields
Data integration and interoperability	Feeds from the HR system and the learning platform
Document and content management	Contracts, review forms, scanned certificates
Reference and master data	One golden record per person, job codes, grades
Data warehousing and business intelligence	Headcount and attrition reports
Metadata management	Glossary entries, lineage, owners
Data quality	Rules for missing managers or duplicate employee IDs

Two pairs get confused. **Reference data** is a controlled list of codes, such as grades or country codes. **Master data** is the agreed record of a core entity, such as the person. **Metadata** describes data: definitions, owners, lineage. **Master data** is the data itself.

The wheel is a checklist, not an org chart. A talent platform touches all eleven areas. When something breaks, name the area first, then the owner. A duplicate employee is a master data problem, not a reporting bug.

Why it matters

A firm's headcount report disagreed with payroll by 312 people. The BI team spent six weeks tuning report filters. The cause was in master data: contractors re-hired through an agency got a second employee ID, and nothing matched them to their first record. Naming the knowledge area on day one would have sent the problem to the master data owner.

Worked example: weak code

```
# Issue log, talent platform
- issue: headcount differs from payroll by 312
  owner: BI team
  fix: adjust the report filter
```

1. **Line 3.** The report shows the symptom. The cause sits in another knowledge area.
2. **Line 4.** Fixing the symptom hides the duplicate records from every other consumer.

Worked example: strong code

```
# Issue log, talent platform
- issue: headcount differs from payroll by 312
  knowledge_area: reference and master data
  root_cause: re-hired contractors get a second employee ID
  owner: people master data owner
  fix: match rule on national insurance number and date of birth, then
   merge
```

1. **Line 3.** Name the area first. It points at the right owner.
2. **Line 5.** Governance names an owner for each area and domain.

Name the knowledge area before you name the fix. Governance at the hub assigns an owner to each area, so problems reach the person who can solve them.

Recap card

- **DAMA wheel** Data governance at the hub, ten knowledge areas around it. DMBOK2, revised in 2024.
- **DMBOK2 definition of data governance** The exercise of authority and control (planning, monitoring and enforcement) over the management of data assets.
- **Reference data, master data, metadata** Reference: lists of codes. Master: the agreed record of a core entity. Metadata: data about data.
- **First move on any data problem** Name the knowledge area, then its owner, then the fix.

Practice

Exercise 1. Multiple choice (level 1)

Which knowledge area sits at the hub of the DAMA wheel?

- a) Data architecture
- b) Data governance
- c) Data quality
- d) Metadata management

Exercise 2. Multiple choice (level 2)

Re-hired contractors get a second employee ID, so headcount is overstated. Which knowledge area owns the root cause?

- a) Data warehousing and business intelligence
- b) Reference and master data
- c) Document and content management
- d) Data storage and operations

Why?

- r1) Master data keeps one agreed record per core entity, such as a person.
- r2) Reference data controls the format of employee IDs.

Exercise 3. Fill the gap (level 2)

Complete the two definitions that are easy to confuse.

```
_____(1) data: a controlled list of codes, such as grades or country codes
_____(2): data about data, such as definitions, owners and lineage
```

Exercise 4. Architecture design (level 3)

Send each talent data problem to its knowledge area.

Options: Data security, Data quality, Data warehousing and business intelligence.

1. Analysts can read salaries they should not see
2. Two teams define 'active employee' differently
3. 12% of records have no manager

Exercise 5. Architecture design (level 4)

You start a new governance role on a talent platform. Choose how to use the DAMA wheel in your first month.

Options: Map all eleven areas to the six talent domains, then pick where to start, Start with the area you know best and add others later.

1. Scope
2. Owners
3. How the wheel is used

Sources

- DAMA-DMBOK2 has eleven knowledge areas with data governance at the centre of the wheel: data architecture, data modelling and design, data storage and operations, data security, data integration and interoperability, document and content management, reference and master data, data warehousing and business intelligence, metadata management and data quality. A 2024 revision kept the framework and areas. (search-only: Secondary summaries (Dawiso glossary, OvalEdge, a reproduced DMBOK2 table of contents), seen through search results, November 2026. www.dama.org was not reachable from the build environment, and the book was not checked.)
- DMBOK2 section 3.1 (p. 67) defines data governance as the exercise of authority and control (planning, monitoring, and enforcement) over the management of data assets. The older DAMA Dictionary adds 'shared decision making'. (search-only: Government of Canada GCcollab wiki 'Data Governance' citing DMBOK2, and Perficient (2012) citing the DAMA Dictionary, seen through search results, November 2026.)

E2-L2 A maturity baseline you can defend

Concept

A **maturity baseline** records how well each knowledge area is run today, so you can set targets and show progress. DMBOK2 describes a data management maturity assessment. Sources differ on the exact level names, so agree one scale with your stakeholders and write it down. A common version runs from 0 to 5:

- **0** no capability
- **1** initial: ad hoc, depends on individuals
- **2** repeatable: some process, applied unevenly
- **3** defined: a documented standard, followed across teams
- **4** managed: measured, with targets and reviews
- **5** optimised: improved continuously from the measures

Each level builds on the last, so none can be skipped.

Score a **grid**, not a single number: knowledge areas down the side, talent domains across the top. A talent platform has six domains: workforce and organisation, recruitment, learning, performance, mobility and skills. Data quality can be at 3 for workforce data and at 1 for skills.

Three rules make a baseline you can defend.

1. **Evidence for every score.** A score without a document, a metric or a log is an opinion. "Level 3: quality rules documented in DQ-STD-02 and run nightly" survives a challenge.
2. **Report the weakest area, not the mean.** An average of 3 can hide a 0 in data security. One weak area can sink a domain.
3. **Integers only.** A level is a stage you have reached. A score of 2.5 says you have not agreed which stage you are at.

The baseline is a snapshot. Rescore at fixed intervals with the same scale, so changes mean progress, not a new yardstick.

Why it matters

A firm reported its talent data maturity as 3.1 out of 5 to its board and won budget for an AI pilot. The pilot stalled in week two: nobody owned access to performance data, which scored 0 for data security in the performance domain. The average had hidden it. A grid reporting the weakest area per domain would have put security ahead of the pilot.

Worked example: weak code

```
1 # Maturity baseline, talent data
2 overall: 3.1
3 data_security: 2.5
4 evidence: workshop with the HR leadership team
```

1. **Line 2.** One mean for the whole platform hides the weakest area.
2. **Line 3.** A fractional level means the stage was never agreed.
3. **Line 4.** Opinions, not artefacts. Nothing an auditor can check.

Worked example: strong code

```
1 # Maturity baseline, talent data, scale DMMA-0-5 v1
2 performance:
3   data_security: {score: 0, evidence: "no access model; analysts read raw reviews"}
4   data_quality: {score: 2, evidence: "rules in DQ-PERF-01, run by hand monthly"}
5   weakest: {area: data_security, score: 0}
6 workforce:
7   data_security: {score: 3, evidence: "role model SEC-STD-01, quarterly access review log"}
8   weakest: {area: metadata, score: 1}
```

1. **Line 1.** The scale is named and versioned, so rescoring uses the same yardstick.
2. **Line 3.** Every score cites evidence.
3. **Line 5.** Each domain reports its weakest area, not its average.

Score a grid of knowledge areas by talent domain, in whole levels, with evidence for each score, and report the weakest area per domain.

Recap card

- **A common 0 to 5 maturity scale** 0 none, 1 initial, 2 repeatable, 3 defined, 4 managed, 5 optimised. Agree and version the names with stakeholders.
- **The baseline grid** Knowledge areas by talent domain: workforce, recruitment, learning, performance, mobility, skills.
- **Summarise a domain by** Its weakest area and score. A mean hides gaps.
- **A defensible score** A whole level with cited evidence: a document, a metric or a log.

Practice

Exercise 1. Multiple choice (level 1)

Data quality rules for the learning domain are documented in a standard and followed by every team, but nobody measures them yet. Which level fits, on the 0 to 5 scale in this lesson?

- a) 1 initial
- b) 3 defined
- c) 4 managed
- d) 5 optimised

Exercise 2. Multiple choice (level 2)

The performance domain scores 4, 4, 3, 4 and 0 across five knowledge areas. What should the baseline report for the domain?

- a) 3, the mean
- b) 4, the most common score
- c) 0, with the area that scored it
- d) Nothing until every area reaches 3

Why?

- r1) One weak area can sink a domain, and a mean hides it.
- r2) The lowest score is always data security.

Exercise 3. Put in order (level 2)

Put the steps of building a maturity baseline in order.

- Agree and version the scale with stakeholders
- Score each cell in whole levels, citing evidence
- Lay out the grid: knowledge areas by talent domain
- Report the weakest area per domain
- Rescore at a fixed interval on the same scale

Exercise 4. Write the function (level 3)

Write `weakest_by_domain(scores: dict[str, dict[str, int]]) -> dict[str, tuple[str, int]]`. `scores` maps each talent domain to a dict of knowledge area to score. Return, for each domain, the weakest area and its score. When two areas tie, pick the one that comes first alphabetically.

Raise `ValueError` if any score is not a whole number from 0 to 5, or if a domain has no scores. A `bool` does not count as a whole number.

What you need to know.

`isinstance(value, int)` checks a type. In Python, `True` is also an `int`, so check for `bool` first:

```
isinstance(3, int)       # True
isinstance(2.5, int)     # False
isinstance(True, bool)   # True, and isinstance(True, int) is True too
```

`min` takes a `key` function. A tuple key compares item by item: `min([("b", 1), ("a", 1)], key=lambda p: (p[1], p[0]))` returns `("a", 1)`.

Your code must pass these checks:

- Return the lowest-scoring area and its score for each domain.
- When areas tie, pick the one that comes first alphabetically.
- Raise ValueError for a score outside 0 to 5, a fraction, a bool, or a domain with no scores.

Shape of the answer. The reference solution defines these names. Write the bodies yourself.

```
# Module constant.
MIN_LEVEL = ...

# Module constant.
MAX_LEVEL = ...

# The weakest knowledge area and its score for each talent domain.
def weakest_by_domain(
    scores: dict[str, dict[str, int]],
) -> dict[str, tuple[str, int]]: ...
```

Starter code:

```
def weakest_by_domain(scores):
    return {domain: min(areas.items()) for domain, areas in
    scores.items()}
```

Exercise 5. Architecture design (level 4)

Plan how you present the first talent data maturity baseline to HR leadership.

Options: A grid of areas by domain, with the weakest area per domain highlighted, One overall maturity score out of 5.

1. Headline
2. Evidence
3. What the baseline leads to

Sources

- DMBOK2 describes a data management maturity assessment; a common scale runs 0 no capability, 1 initial or ad hoc, 2 repeatable, 3 defined, 4 managed, 5 optimised; levels cannot be skipped. (unverified: Practitioner and consultancy sources (datacrossroads.nl, DAMA chapter presentations on SlideShare), seen through search results, November 2026. Sources disagree on names and numbering, and DMBOK2 itself was not checked.)
- The six talent domains (workforce and organisation, recruitment, learning, performance, mobility, skills) come from the role brief, not from DAMA. (verified: content/roles/ey-talent.yaml, the job description in the brief.)

E2-L3 Governance at the hub, decision rights, policies and escalation

Concept

Governance and management are different jobs. **Data governance** decides and oversees: who may decide what, which rules apply, and whether they are followed. **Data management** does the work: builds the pipelines, runs the quality checks, grants the access. DMBOK2 frames governance as setting decision rights over data. A platform team that both writes the rules and marks its own work has no oversight.

Start with **decision rights**. For each kind of decision, name who decides:

- what a term means, such as "active employee" or "regretted leaver"
- who may see a field, such as salary or a performance rating
- what quality threshold a dataset must meet before it is published
- whether a new use of data goes ahead

Then write the rules at three levels:

- A **policy** says what must be true, and why. "Access to performance data follows the principle of least privilege."
- A **standard** makes it measurable. "Ratings are masked for every role except HR business partners and the employee's own line chain."
- A **procedure** says how. "Request access through the form. The data owner approves within five working days."

Policies change rarely and need senior sign-off. Standards change when the platform does. Procedures change often.

Finally, an **escalation path**. Most issues end with a data steward. Those that cross domains, or set precedent, go to the data owner, then to a governance council. Each decision is written down in a decision log (lesson B18-L3), so the next person finds the reason, not only the rule.

GOV-02 in your EY role plan turns these rights into a RACI.

Why it matters

Two directors argued for a quarter over whether contractors counted in "headcount". The data team changed the dashboard each time one of them complained. Nobody had the right to decide, so the definition flipped four times and trust in every people report fell. A named decision owner and one log entry settled it in a week.

Worked example: weak code

```
1 # Governance, talent platform
2 rules: the data platform team decides and enforces everything
3 access_rule: be careful with sensitive data
4 disputes: raise in the weekly team meeting
```

1. **Line 2.** The same team writes the rules and marks its own work. No oversight.
2. **Line 3.** Not measurable. Nobody can test it.
3. **Line 4.** No owner, no record, so the same dispute comes back.

Worked example: strong code

```
1 # Governance, talent platform
2 decision_rights:
3   definitions: {decides: data owner per domain, advises: data steward}
4   access_to_performance_data: {decides: performance data owner}
5 policy: POL-07 least privilege for performance data
6 standard: STD-07 ratings masked except HR business partners and line chain
7 procedure: PRC-07 request form, owner approves within 5 working days
8 escalation: [data steward, data owner, governance council]
9 decisions: logged in DEC-LOG with the reason and the date
```

1. **Line 3.** One named decider per kind of decision.
2. **Line 6.** The standard makes the policy testable.
3. **Line 8.** A fixed path, so disputes end with a decision.

Separate deciding from doing. Name a decider for each kind of decision, write rules as policy, standard and procedure, and log each decision with its reason.

Recap card

- **Governance against management** Governance decides and oversees. Management does the work.
- **Decision rights to name first** Definitions, access to sensitive fields, quality thresholds, and new uses of data.
- **Policy, standard, procedure** Policy: what and why. Standard: measurable. Procedure: how. Each changes at its own pace.
- **Escalation path** Data steward, data owner, governance council. Log every decision with its reason.

Practice

Exercise 1. Multiple choice (level 1)

Which of these is a data governance activity rather than a data management one?

- a) Running the nightly quality checks
- b) Deciding who may approve access to salary data
- c) Building the silver layer for learning records
- d) Granting a role in a workspace

Exercise 2. Multiple choice (level 2)

Which statement is a standard, not a policy or a procedure?

- a) Access to performance data follows least privilege.
- b) Ratings are masked for every role except HR business partners and the line chain.
- c) Request access through the form, and the owner approves within five working days.
- d) Be careful with sensitive data.

Why?

- r1) A standard makes a policy measurable, so you can test whether it holds.
- r2) A standard says who signs it off.

Exercise 3. Fill the gap (level 2)

Complete the three levels of rules.

```
_____(1): what must be true, and why. Changes rarely, senior sign-off.
_____(2): makes it measurable. Changes when the platform does.
```

```
3 _____(3): how to do it. Changes often.
```

Exercise 4. Put in order (level 3)

A dispute over what "regretted leaver" means affects two domains. Put the escalation steps in order.

- The data owners of both domains try to agree
- Update the glossary entry and tell the report owners
- Record the decision and its reason in the decision log
- The data steward gathers the definitions in use and their impact
- Without agreement, the governance council decides

Exercise 5. Architecture design (level 4)

Set up governance for the talent platform's first domain, performance data.

Options: The performance data owner, a named HR leader, advised by a steward, The data platform team, because it builds the tables.

1. Who decides what a performance rating means
2. The access rule
3. Disputes

Sources

- DMBOK2 frames data governance as authority and control over data management, establishing decision rights over data. (search-only: GCcollab wiki 'Data Governance' citing DMBOK2 section 3.1, and summaries of DMBOK2 chapter 3, seen through search results, November 2026.)
- Policy, standard and procedure as three levels of rules, and the steward, owner, council escalation path, are common governance practice, not quotations from DMBOK2. (unverified: General practice. Not attributed to a specific DMBOK2 passage.)

Track E best-practice checklist

☐ Treat every talent attribute as personal data. Flag special category data, including what a model infers.

☐ Every use of personal data has a lawful basis. Every use of special category data also has an Article 9 condition.

☐ Employers rarely rely on consent. Record a legitimate interests assessment when you use legitimate interests.

☐ Keep an appropriate policy document for the employment and substantial public interest conditions.

☐ Screen every new use of people data for a DPIA. Large-scale special category data always needs one.

☐ Govern with a frame everyone shares. Map each knowledge area to the talent domains, with an owner.

☐ Score maturity with evidence, per knowledge area and domain. Never average a gap away.

☐ The legal team and the data protection officer decide on compliance. These lessons teach you to ask the right questions.

Appendix: solutions and answer keys

Attempt each exercise before you read its solution. Track D answer keys are here too.

E2-L1 The DAMA wheel, eleven knowledge areas around governance

E2-L1 exercise 1

Hints. (1) One area decides and oversees how the others run. (2) It holds authority and control over data assets. (3) Data governance.

Answer. b) Data governance

Data governance sits at the hub and directs the ten other knowledge areas.

Common wrong answers.

- `a`: Architecture is one of the ten spokes.
- `c`: Data quality is a spoke. Governance decides the quality rules and who owns them.
- `d`: Metadata management is a spoke.

E2-L1 exercise 2

Hints. (1) Where is the problem: the report or the records? (2) Which area keeps one golden record per person? (3) Reference and master data.

Answer. b) Reference and master data Because: r1) Master data keeps one agreed record per core entity, such as a person.

Duplicate people are a master data problem. The report only exposes them.

Common wrong answers.

- `a`: The report shows the symptom. The duplicate person records cause it.
- `c`: Documents are not involved. The problem is two records for one person.
- `d`: Storage holds the rows. The rule that decides which rows are the same person belongs to master data.
- `b|r2`: Right area, wrong reason. Reference data is a list of codes. One record per person is master data.

E2-L1 exercise 3

Hints. (1) One is a list of allowed values. (2) The other describes data rather than being data. (3) `Reference`, then `Metadata`.

Answer.

```
Reference data: a controlled list of codes, such as grades or country
    codes
Metadata: data about data, such as definitions, owners and lineage
```

Reference data lists allowed codes. Metadata describes data. Master data is the agreed record itself.

Common wrong answers.

- g1 = `Master`: Master data is the agreed record of a core entity, such as a person. A list of codes is reference data.

E2-L1 exercise 4

Hints. (1) Ask what kind of failure each one is: access, meaning or completeness. (2) Where do agreed definitions live? (3) Completeness is a data quality dimension.

Answer.

- Access to salary is a data security question: masking and roles.
- A shared definition lives in the glossary, part of metadata management.
- Missing managers break a completeness rule, owned by data quality.

Naming the area first sends each problem to an owner who can fix it.

Common wrong answers.

- salary = `quality`: The salaries are correct. The problem is who can see them.
- definition = `architecture`: Layers will not settle a definition. The glossary does.
- missing = `security`: Nothing is exposed. Records are incomplete, which is a quality rule.

E2-L1 exercise 5

Hints. (1) Breadth first, then depth. (2) Who can decide what a field means? (3) Is the wheel about knowledge or about teams?

Answer.

- A full map first shows where the risk sits, not where you are comfortable.

- Named owners per area and domain turn the map into accountability. Gaps are findings.
- The wheel is a checklist. Teams can own several areas.

Map all areas, name owners, and use the wheel to route work, not to reorganise people.

Common wrong answers.

- scope = `one`: Starting where you are comfortable can leave the riskiest area unseen.
- owners = `team`: A platform team cannot own the meaning of HR data. Business owners must.
- use = `org`: The wheel organises knowledge, not people.

E2-L2 A maturity baseline you can defend

E2-L2 exercise 1

Hints. (1) Is there a documented standard? (2) Is it measured? (3) Documented and followed, but not measured.

Answer. b) 3 defined

A documented standard followed across teams is level 3, defined. Measuring it with targets would move it to 4.

Common wrong answers.

- `a`: Initial means ad hoc. A documented standard that every team follows is further along.
- `c`: Managed needs measures and targets. Nobody measures these rules yet.
- `d`: Optimised needs continuous improvement driven by measures.

E2-L2 exercise 2

Hints. (1) What would an average hide? (2) Which score stops an AI pilot in its tracks? (3) Report the minimum and name its area.

Answer. c) 0, with the area that scored it Because: r1) One weak area can sink a domain, and a mean hides it.

Report the weakest area per domain. The other scores still matter for the plan, but the minimum sets the risk.

Common wrong answers.

- `a`: The mean of 3 hides an area with no capability at all.

- `b`: The mode hides the weakest area just as the mean does.
- `d`: A baseline reports where you are today, including the gaps.
- `c|r2`: Right answer, wrong reason. The weakest area can be any of the eleven.

E2-L2 exercise 3

Hints. (1) What must exist before any score? (2) Scores before summaries. (3) Rescoring comes last, on the same scale.

Answer.

1. Agree and version the scale with stakeholders
2. Lay out the grid: knowledge areas by talent domain
3. Score each cell in whole levels, citing evidence
4. Report the weakest area per domain
5. Rescore at a fixed interval on the same scale

Scale, grid, scores with evidence, the weakest area per domain, then rescoring on the same scale.

Common wrong answers.

- Scores mean nothing until the scale is agreed. Agree it first.
- You cannot report the weakest area before you score.

E2-L2 exercise 4

Hints. (1) Validate every score before you pick the minimum. (2) Check `bool` before `int`, because `True` is an `int` in Python. (3) `min(areas.items(), key=lambda pair: (pair[1], pair[0]))` breaks ties by name.

Answer.

```python
MIN_LEVEL = 0
MAX_LEVEL = 5


def weakest_by_domain(scores: dict[str, dict[str, int]]) -> dict[str, tuple[str, int]]:
    """The weakest knowledge area and its score for each talent domain.

    Args:
        scores: Domain to knowledge area to whole-level score.

    Returns:
        Domain to (area, score). Ties go to the area first in alphabetical order.

    Raises:
```

```
        ValueError: If a score is not a whole number from 0 to 5, or a
    domain is empty.
    """
    result: dict[str, tuple[str, int]] = {}
    for domain, areas in scores.items():
        if not areas:
            raise ValueError(f"{domain}: no scores")
        for area, score in areas.items():
            if isinstance(score, bool) or not isinstance(score, int):
                raise ValueError(f"{domain}.{area}: score must be a whole
    number")
            if not MIN_LEVEL <= score <= MAX_LEVEL:
                raise ValueError(f"{domain}.{area}: score {score} is
    outside 0 to 5")
        result[domain] = min(areas.items(), key=lambda pair: (pair[1],
    pair[0]))
    return result
```

Validate first, so a typo such as 2.5 or 6 fails loudly. Then a tuple key picks the lowest score and breaks ties by name, so the result never depends on dict order.

E2-L2 exercise 5

Hints. (1) Which view shows the weakest area? (2) What can an auditor check? (3) What blocks work built on top?

Answer.

- The grid shows where the risk sits. One number cannot.
- Evidence lets anyone check a score, and rescoring use the same proof.
- Targets start with the weakest areas, because they block everything built on top.

Show the grid, cite the evidence, and set targets that fix the weakest areas first.

Common wrong answers.

- headline = `mean`: An average of 3.1 hid a 0 in this lesson's example.
- evidence = `survey`: Perception is not evidence. Cite artefacts.
- next = `pilot`: A high mean can still hide a 0 in security or ownership.

E2-L3 Governance at the hub, decision rights, policies and escalation

E2-L3 exercise 1

Hints. (1) Governance decides. Management does. (2) Which option sets a decision right? (3) Who may approve access.

Answer. b) Deciding who may approve access to salary data

Deciding who holds a decision right is governance. Running, building and granting are management.

Common wrong answers.

- `a`: Running checks is doing the work. Governance sets the thresholds and who owns them.
- `c`: Building a layer is management. Governance sets the rules it must meet.
- `d`: Granting is management. Governance decides who may approve the grant.

E2-L3 exercise 2

Hints. (1) Which one could a test check? (2) Policy says what, standard makes it measurable, procedure says how. (3) The masking rule.

Answer. b) Ratings are masked for every role except HR business partners and the line chain. Because: r1) A standard makes a policy measurable, so you can test whether it holds.

The masking rule is measurable: you can test which roles see unmasked ratings. That makes it a standard.

Common wrong answers.

- `a`: That is the policy: what must be true, and why.
- `c`: That is a procedure: how to do it.
- `d`: That is advice. Nobody can test it.
- `b|r2`: Right answer, wrong reason. A standard is defined by being measurable, not by who signs it.

E2-L3 exercise 3

Hints. (1) The top level states intent. (2) The middle level can be tested. (3) `Policy`, `Standard`, `Procedure`.

Answer.

```
Policy: what must be true, and why. Changes rarely, senior sign-off.
Standard: makes it measurable. Changes when the platform does.
Procedure: how to do it. Changes often.
```

Policy, standard and procedure separate intent, measure and method, so each changes at its own pace.

Common wrong answers.

- g1 = `Standard`; g2 = `Policy`: The policy states the intent. The standard makes it measurable.

E2-L3 exercise 4

Hints. (1) Who gathers the facts? (2) Who decides when owners disagree? (3) Record before you publish.

Answer.

1. The data steward gathers the definitions in use and their impact
2. The data owners of both domains try to agree
3. Without agreement, the governance council decides
4. Record the decision and its reason in the decision log
5. Update the glossary entry and tell the report owners

Steward, owners, council if needed, then the log, then the glossary and the people affected.

Common wrong answers.

- Start at the lowest level that can resolve it. The council is the last resort.
- Log the decision first, so the glossary change points to its reason.

E2-L3 exercise 5

Hints. (1) Who owns the meaning of HR data? (2) Which option can be tested? (3) Which option ends a dispute for good?

Answer.

- The business owns meaning. The platform team builds what the owner decides.
- Three levels of rules make access testable and changeable at the right pace.
- A fixed path with a log ends disputes for good.

Named owners, layered rules and a logged escalation path turn governance from advice into decisions.

Common wrong answers.

- decider = `platform`: Building a table does not give the right to define a rating. That belongs to the business owner.
- rule = `guidance`: Guidance cannot be tested or enforced.
- disputes = `meeting`: Without an owner and a log, the same dispute returns.