


Why Does My Computer Do That? Intro to Coding with Python— Documentation

Dr. Ab Mosca (they/them)


Plan for Today

- Tracing code
- Documenting code

In the
beginning...



Now...



Eventually...

The screenshot shows the GitHub repository page for 'github/gitignore'. The browser address bar displays 'https://github.com/github/gitignore'. The repository name 'github / gitignore' is at the top, with statistics: 2,596 watches, 69,757 stars, and 32,086 forks (the 'Fork' button is highlighted with a yellow box). Navigation tabs include 'Code', 'Pull requests' (156), 'Projects' (0), and 'Insights'. The description reads 'A collection of useful .gitignore templates'. Repository statistics show 2,852 commits, 6 branches, 0 releases, 969 contributors, and CC0-1.0 license. Action buttons include 'New pull request', 'Create new file', 'Upload files', 'Find file', and 'Clone or download'. A recent merge by 'shiftkey' is shown. A table of files follows:

File	Description	Time
.github	Trim trailing whitespace	a month ago
Global	Merge pull request #2738 from jayvdb/patch-artifacts	7 days ago
.travis.yml	stub a placeholder Travis config	24 days ago
Actionscript.aitianore	Fix comments on same line causing ignore to break	11 months ago

The point

- **Other people** need to be able to understand your code
- **Future you** needs to be able to understand your code

The point

- **Other people** need to be able to understand your code
- **Future you** needs to be able to understand your code

... but how?

The point

- **Other people** need to be able to understand your code
- **Future you** needs to be able to understand your code
- **Document it**

... but how?

Step 1:
meaningful
nouns for
variables



```
temp.py
1 x = "Ab Mosca"
2 y = "Professor"
3 z = "Westfield State"
4
5 print(x, "-", y, "at", z)
```


Line 5, Column 26 Spaces: 4 Python

Step 1:
meaningful
nouns for
variables



A screenshot of a code editor window titled "temp.py" with a status bar indicating "UNREGISTERED". The editor shows a Python script with five lines of code. Line 5 is highlighted, and the cursor is at the end of the line. The status bar at the bottom indicates "Line 5, Column 26", "Spaces: 4", and "Python".


```
1 x = "Ab Mosca"
2 y = "Professor"
3 z = "Westfield State"
4
5 print(x, "-", y, "at", z)
```



A screenshot of a code editor window titled "temp.py" with a status bar indicating "UNREGISTERED". The editor shows a Python script with six lines of code. Line 6 is highlighted, and the cursor is at the end of the line. The status bar at the bottom indicates "Line 6, Column 1", "Spaces: 4", and "Python".

```
1 name = "Ab Mosca"
2 title = "Professor"
3 institution = "Westfield State"
4
5 print(name, "-", title, "at", institution)
6
```

Step 2: lots of
comments




```
def makeSong():  
    # Get user input  
    title = input("Title? ")  
    artist = input("Artist? ")  
  
    # Create Song instance and print info  
    s = Song(title, artist)  
    s.print()  
Ln: 6 Col: 0
```

A useful technique: code tracing

- **Given:** a very short, poorly-documented program
- **Your goal:** try to figure out what it's doing
- **Recommendations:**
 - walk through the program step-by-step ("**trace its execution**") using the **whiteboard or paper** instead of running lines
 - once you understand what's happening, then rewrite it using **informative variable names** and **comments**

Example



```
x = int(input("Enter lower bound: "))
y = int(input("Enter upper bound: "))

for z in range(x, y+1):
    if z > 1:
        p = True
        for zz in range(2, z):
            if (z % zz) == 0:
                p = False
                break
        if p:
            print(z)
```

Ln: 12 Col: 16

Step 3*:
describe the
action for
functions



```
def bloop(x):  
    return x.title().replace("'S", "'s")
```


Ln: 1 Col: 9

Step 3*:
describe the
action for
functions



```
def bloop(x):  
    return x.title().replace("'S", "'s")
```


Ln: 1 Col: 9



```
def capitalizeWords(x):  
    return x.title().replace("'S", "'s")
```

Ln: 2 Col: 40


Step 3*:
describe the
action for
functions



```
def myFunction(number):  
    remainder = this.value % number  
    if (remainder == 0): return True  
    else: return False
```


Ln: 3 Col: 17

Step 3*:
describe the
action for
functions



```
def myFunction(number):  
    remainder = this.value % number  
    if (remainder == 0): return True  
    else: return False
```

Ln: 3 Col: 17



```
def isDivisibleBy(number):  
    remainder = this.value % number  
    if (remainder == 0): return True  
    else: return False
```

Ln: 4 Col: 22


Step 4*: docstrings

```
*Untitled*
def makeSong():
    """ Creates and prints a Song instance
        from user input"""
    # Get user input
    title = input("Title? ")
    artist = input("Artist? ")

    # Create Song instance and print info
    s = Song(title, artist)
    s.print()
Ln: 5 Col: 0
```

DEMO
TIME

Activity: "code detective"



```
challenge2.py - /Users/jcrouser/Google Drive/Teaching/Course.../labs/challe...  
zz = []  
p1go = True  
w = False  
  
def su():  
    for x in range(10):  
        zz.append(str(x + 1))  
  
def pb():  
    print( ' ' + zz[0] + ' ' )  
    print( '---+---' )
```

challenge2.py