Intro to Coding with Python– Animation

Dr. Ab Mosca (they/them)

Slides based off slides courtesy of Jordan Crouser (https://jcrouser.github.io/)

Plan for Today

- Animation basics
  - understanding motion
  - the `.move()` method
  - keeping objects on the screen

- ✓ Draw stuff

"graphical primitives"



- ✓ Draw stuff

using the **`graphics`** module

2. Make it move

Animation basics



Animation basics



Animation basics



Animation basics



Animation basics



Animation basics



Discussion

What do I need to **be able do**

to make that happen?

Understanding motion



Understanding motion



Understanding motion



The `.move()` method




```
circ.move( deltaX, deltaY )
```

The `.move()` method




```
circ.move( deltaX, deltaY )
```

Animation: call `.move()` method >1x




```
circ.move( deltaX, deltaY )
circ.move( deltaX, deltaY )
```

Animation: call `.move()` method >1x



Basic organization of animation **`main()`**

```
def main():
        # 1. open the graphics window
        # 2. define/initialize graphic objects
        # 3. start animation loop, stop on
        #    specific user interaction
        while win.checkMouse() == None:
                # 4. move/update each object
        # Loop is over.
        # 5. close the graphic window
```

Our first animated **`graphics`** program



Discussion

How do we keep an object from **moving off the screen**?

Every **`graphics`** element is an **`Object`**...

Point

p = Point(50, 150)



Every **`graphics`** element is an **`Object`**...

Point

p = Point(50, 150)



Every **`graphics`** element is an **`Object`**...

Circle



Circle Object

Every **`graphics`** element is an **`Object`**...

Circle



Circle Object

Every **`graphics`** element is an **`Object`**…

Circle



Every **`graphics`** element is an **`Object`**...

Circle



Every **`graphics`** element is an **`Object`**...

Circle

```
x = circ.getCenter().getX()
```



Every **`graphics`** element is an **`Object`**...

Rectangle



Rectangle Object

Every **`graphics`** element is an **`Object`**...

Rectangle



Every **`graphics`** element is an **`Object`**...

Rectangle



Every **`graphics`** element is an **`Object`**...

Rectangle



Every **`graphics`** element is an **`Object`**...

Text (label)



Text Object

Text (label)

Every **`graphics`** element is an **`Object`**...



Every **`graphics`** element is an **`Object`**...

Text (label)



Discussion (again)

Using this, how do we keep an object from **moving off the screen**?

15 minute activity: bouncing ball

1. Modify ball.py so that the ball bounces around the screen
2. Modify your fist from last class so that it swims back and forth across the screen