






**Move away from the traditional design approach  
and get closer to the code**

Welcome, friends!




**@amosie**


**GITHUBBERS****441****REMOTE****244 / 55%****CURRENTLY IN SF****196 / 44%****NEW HIRES****30 / 6%**

			
	<a href="#">@amosie</a>	UTC-0	
	<a href="#">@arthurnn (@github/core-app)</a>	UTC-4/5	
	<a href="#">@connors</a>	UTC-7/8	
	<a href="#">@davesims</a>	UTC-5/6	
	<a href="#">@dewski</a>	UTC-7/8	
	<a href="#">@iakeboxer</a>	UTC-7/8	







SKETCH



WIREFRAME



PHOTOSHOP




PROTOTYPE



CODE

SKETCH



PROTOTYPE/ CODE



**Wilson Page**

@wilsonpage

 Follow

Does anyone have experience working with visual/ux specs checked into repos on Github?

11:36 AM - 5 Nov 2015



**Reduce the process,  
spend more time on  
things that matter**

GitHub, Inc.

Conversation 1 Commits 10 Files changed 6 +257 -1

Labels cloud

Milestone No milestone

Assignee No one—assign yourself

Notifications

Unsubscribe

You're receiving notifications because you were mentioned.

2 participants

Lock conversation

Enter users email address

GitHub, Inc. Search GitHub Pull requests Issues Gist

As an admin user of the GitHub Cloud account, I want to add people to the instance.

Invite member from people page

Acme, Inc. Search GitHub Pull requests Issues Gist

You don't have any verified emails. We recommend [verifying](#) at least one email. Email verification helps our support team verify ownership if you lose account access and allows you to receive all the notifications you ask for.

Admin center 1 person 0 organizations

People Find someone... Invite member

Organizations

Audit log

Authentication

Account

acme-amosie acme-amosie Active 19 hours ago 0 organizations Admin Manage user

© 2015 GitHub, Inc. Terms Privacy Security Contact Help

Status API Training Shop Blog About Pricing

**Design problems arise  
as it's being built**

The GitHub Team page on a Mac OS X desktop. The window title is "GitHub, Inc." and the content is organized into sections: "Team", "The design team at large is the culmination of a few smaller teams. When you need to mention some of us, use these teams:", and "Designerds" with a grid of profile pictures and GitHub handles.

## Team

The design team at large is the culmination of a few smaller teams. When you need to mention some of us, use these teams:

- [@github/design](#) (the entire design team)
- [@github/creative](#) (our marketing designers, illustrators, and animators)
- [@github/product-design](#) (folks working on GitHub products or features)
- [@github/native-design](#) (folks working on native desktop apps)

## Designerds

<a href="#">@aaronrelph</a>	<a href="#">@aaronshekey</a>	<a href="#">@amosie</a>	<a href="#">@broccolini</a>	<a href="#">@cmwinters</a>	<a href="#">@cobyism</a>
<a href="#">@connors</a>	<a href="#">@fabianperez</a>	<a href="#">@jasoncostello</a>	<a href="#">@jasonlong</a>	<a href="#">@jeejkang</a>	<a href="#">@jglovier</a>

# Design reusable patterns

A screenshot of a web browser displaying the [primercss.io](https://primercss.io) website. The browser interface includes standard Mac OS X window controls (red, yellow, green buttons, close, minimize, maximize, and a refresh icon). The address bar shows the URL. The main content area has a blue header with the 'Primer' logo (a white cube icon) and navigation links for 'Docs', 'About', 'GitHub', and 'Install'. On the left, a vertical sidebar menu lists various components: Scaffolding (selected, highlighted in orange), Layout, Type, Buttons, Forms, Navigation, Alerts, Blankslate (with a cursor icon pointing to it), Avatars, States, Tooltips, and Utilities. The main content area features a large, bold heading 'Scaffolding'. Below it, a text block explains that Scaffolding refers to global resets and dependencies. A 'Contents' section follows, listing 'HTML5 doctype', 'Box-sizing', and 'Built on Normalize'. The 'HTML5 doctype' section is expanded, showing its definition: Primer uses HTML elements and CSS properties that require the HTML5 doctype, and it advises including it at the top of all pages.

# Scaffolding

Scaffolding refers to the global resets and dependencies that Primer is built upon.

## Contents

- [HTML5 doctype](#)
- [Box-sizing](#)
- [Built on Normalize](#)

## HTML5 doctype

Primer makes use of certain HTML elements and CSS properties that **require** the use of the HTML5 doctype. Include it at the beginning of all your pages.

# Get stuff in front of users faster



**Prototyping  
Staff ship  
Early access**

**Better to comment on  
how the thing works  
rather than how it  
looks**



# Amy's Meeting

Wednesday, November 11, 2015 06:12 pm GMT-0000



MEETING ID:

6605713133

MEETING DURATION:

01:08:20

RECORDING DURATION:

00:45:24

## PARTICIPANTS(9)

Pavel Dostál

Amy Whitney

Jon Rohan

Jason Costello

muan


Patrick Marsceill

Github Situation Room

muan

Tony J

# Putting research next to the product



A screenshot of a GitHub repository page for the private repository 'github / uxr'. The page shows the file 'report.md' in the 'uxr / studies / 2015 / 41-journeys' directory. The file content is as follows:

```
Octostudy 41: Tools & Workflows – Journeys

December 11, 2015, @franniez & @chrissiebrodigan


PR #654

What primarily influenced your current toolset?
| Microsoft moving to GitHub for open source projects – New Account Creator

Abstract
```

The GitHub interface includes a header with navigation icons, a search bar, and repository statistics (44 issues, 16 stars, 1 fork). The file details section shows the branch is 'master', the file path is 'uxr / studies / 2015 / 41-journeys / report.md', and the commit hash is '0f4e9c1' from December 12, 2015. Contributors are listed as '2 contributors' with profile icons for 'chrissiebrodigan' and 'franniez'. The file stats show 308 lines (193 sloc) and 20.1 KB. Action buttons for 'Raw', 'Blame', 'History', and file download are present.

**Everyone speaks the  
same language**



https://github.com/github/cloud/issues/140

Switch to GitHub:lab Rails 3.2.21.github15

771 1049 2.0s

This repository Search

Pull requests Issues Gist

Unwatch 62 Star 3 Fork 0

Code Issues 120 Pull requests 0 Pulse Graphs Settings

## Do our words make sense? #140

Open amosie opened this issue on Oct 19, 2015 · 27 comments

amosie commented on Oct 19, 2015

I've collected the words we are using together to see if they make sense and if we are using them correctly.

Name of thing	Where it's used	Description of thing
Admin center	Profile dropdown and Admin center	Admin tenant settings
Instance name	Admin center account settings	Tenants GitHub cloud instance name
Tenant		A tenant is the customer who has an instance of GitHub Cloud

Labels

cloud

enterprise-saas

Milestone

No milestone

Assignee

No one—assign yourself

Notifications

# Having a design history is ace

GitHub, Inc.

			33	</span>
			34	
 <b>wire up controller/view to use saml...</b>	62489c3		35	<div class="js-hosted-admin-saml-settings <%= "hidden" unless @auth_i
jch authored on Oct 20, 2015				
 <b>inline error fields</b>	f4ede7b		36	<%= f.text_group "Single sign-on URL", :sso_url, :placeholder => "I
jch authored on Oct 21, 2015			37	<%= f.text_group "Issuer", :issuer, :placeholder => "Response issu
			38	<%= f.text_area_group "Verification certificate", :idp_certificate
 <b>Improve label for disable_admin_d...</b>	62ec50f		39	<div class="form-checkbox">
meastman authored on Nov 11, 2015			40	<label>
			41	<%= f.check_box(:disable_admin_demote) %>
 <b>make words better</b>	79430d4		42	Disable automatic administrator promotion/ demotion
amosie authored a day ago				
 <b>Improve label for disable_admin_d...</b>	62ec50f		43	</label>
meastman authored on Nov 11, 2015				
 <b>Reverse</b>	98b3645		44	<p class="note">Manage administrator rights for users on your Gi
amosie authored a day ago				
 <b>Improve label for disable_admin_d...</b>	62ec50f		45	</div>
meastman authored on Nov 11, 2015				
 <b>adding the basic form</b>	030280b		46	</div>
connors authored on Sep 22, 2015			47	</div>
			48	<hr class="form-hr">
 <b>Reuse hosted_admin_authenti...</b>	172f781		49	<%= f.submit "Save changes", :class => "btn btn-primary" %>
juliamae authored on Sep 22, 2015				
 <b>Fill in saved values on Authent...</b>	3b39b03		50	<% end %>
juliamae authored on Sep 22, 2015				
 <b>adding the initial page to work with</b>	1f2369e		51	</div> <!-- /.four-fifths.column -->
connors authored on Sep 22, 2015			52	</div> <!-- /columns -->

# Designing asynchronously

**Builtin Auth add a member to a tenant #300**

① Open amosie opened this issue 2 days ago · 0 comments

amosie commented 2 days ago

Builtin auth customers need to be able to add members to their tenant - this should be done by adding a users **email address**. These sketches illustrate the flow for adding a new member to a tenant (with the option to add them to an organisation as well).

**Add member to tenant**

Labels: authentication, design

Milestone: No milestone

Assignee: No one—assign yourself

Notifications: Unsubscribe

1 participant: amosie

Lock conversation

• Add member from admin center people page  
• Enter users email

**Invite member to tenant (builtin auth) #48716**

① Open amosie wants to merge 10 commits into `master` from `invite-member`

Conversation 1 · ① Commits 10 · ② Files changed 6

amosie commented on Dec 11, 2015

As an admin user of the GitHub Cloud account, I want to add people to the instance.

**Invite member from people page**

Labels: cloud

Milestone: No milestone

Assignee: No one—assign yourself


Notifications: Unsubscribe

2 participants: amosie, amosie

Lock conversation

# Issues

# Pull requests



**Thank you!**