Project Name	Digital Identity
Online team meeting (Wed 12.30)	https://fau.zoom.us/j/66411020765
Production system (if any)	
Test system (if any)	
GitHub repository	https://github.com/amosproj/amos2022ss04-digital-identity
GitHub scrum board (project)	https://github.com/amosproj/amos2022ss04-digital-identity/projects
Team T-shirt (white)	https://www.shirtinator.de/loadBasket/FvFqNNwXWHo (shirtinator T-Shirt, because there is no standard T-Shirt in white)
Team T-shirt (black)	https://www.shirtinator.de/loadBasket/R7YvCl0mbCV
Additional materials	

Last Name	First Name	GitHub User Name	Email Address
Kiesel	Jannik	jackDS008	jannik.kiesel@fau.de
Krause	Annika	annikakrause	annika.krause@fau.de
Bräutigam	Valentin	valentinBraeutigam	valentin.braeutigam@fau.de
Hoock	Tamara	TamaraHoock	tamara.hoock@fau.de
Veit	Moritz	veitmo	moritz.veit@fau.de
Vogelbacher	Jean-Frédéric	Jean28518	jean-frederic.vog.vogelbacher@fau.de
Bakas	Athanassios Karol	idontker	karol.bakas@fau.de
Pegouen	Steve Richard	steve-237	steve.pegouen@fau.de
Hussien	Hend	hendhussienfau	hend.abdo.hussien@fau.de

Goals	 Create successful demo on demo day Meet product expectations of industry partner adorsys Meet defined requirements Build trust and rely on your teammates Meet each other with mutual respect and acknowledge the individual skills Have efficient and agile working environment
Meeting norms	 Mandatory weekly team meetings (sprints): Wednesday 12:30 PM – 2:00 PM Come prepared to each sprint Come to each meeting on time Present assigned issue (github project) Follow the agenda of the sprint and stick to the allocated timeframe Define purpose of next meeting at the end of a sprint Fill out hapiness index after each sprint meeting Meeting protocoller has to summarize important information the meeting in the document "meetings" in teams
Working norms	 Working on github project with clearly assigned tasks and tags Each issue (github project) includes min. 1 assignee, sprint tag and estimation tag Issues should only be moved to the Sprint Backlog during the weekly team meetings at sprint planning Issues should only be moved to the Feature Archive during weekly team meetings at sprint release Support each other when needed Issues are not assigned but individual team members are motivated to take on tasks independently
Coordination norms	 PO & SM is responsible for leading Team Meetings and keeping meetings on track Release Manager is responsible for weekly sprint releases and to keep "read me" updated Assignments/issues are allocated together in sprint meetings Overview of roles is defined in the Role Assignments tab
Communication norms	 Frequent and topic related communication in Teams by using the appropriate channels spontaneous and quick updates via Signal AMOS - DIdentity internal group Avoid sharing imporant information via a voice message Ensure open and direct communication, where every team member can express and discuss ideas, concerns, questions Criticize each other constructively and directly Check Teams once a day and respond to requests/messages Check E-mail at least once a day and respond to requests/messages "Reply to all" in mail conversations All messaging is public When sending Mails, use an "[AMOS]" in the beginning of the subject and use project e-mail Time of team communication 8 am - 8 pm

Consideration norms	 Every opinion is considered Agreement is achieved by discussing topics in the weekly sprint meetings (based on 2/3 majority in the worst) Use "Planning Poker" to discuss estimations, if disagreement conduct a discussion and revote
Cont. improvement norms	 Present tasks and progress in weekly meeting Instant evaluation and feedback
Rewards	 Celebratory moving of issues into "Feature Archive"-Bucket on github project Everybody else cheering Celebrate turn-in of homework with a Beer in a "Biergarten" or club
Sanctions	 Violating norms Failing to meet obligations Being late (Postponing possible one day earlier) in case of technical problem or other proper reasons can be tolerated Sanctioned person has to do push-ups or give around of drinks/food AND has to put extra effort in work to make up for the lost time


#	Meeting Day	Uni	Comment	Product Owner	Software Developer	Release Manager	Scrum Master	Protocollist
1	2022-04-27			Tamara Hoock, Moritz Veit	Everyone else	N/A	Hend Hussien	Tamara Hoock
2	2022-05-04			Tamara Hoock, Moritz Veit	Everyone else	Jean-Frederic Vogelbacher	Hend Hussien	Moritz Veit
3	2022-05-11	Yes		Tamara Hoock, Moritz Veit	Everyone else	Jean-Frederic Vogelbacher	Hend Hussien	Athanassios Karol Bakas
4	2022-05-18			Tamara Hoock, Moritz Veit	Everyone else	Valentin Bräutigam	Hend Hussien	Annika Krause
5	2022-05-25	Yes		Tamara Hoock, Moritz Veit	Everyone else	Athanassios Karol Bakas	Hend Hussien	Steve Richard Pegouen
6	2022-06-01			Tamara Hoock, Moritz Veit	Everyone else	Annika Krause	Hend Hussien	Valentin Bräutigam
7	2022-06-08	Yes	Mid-term due	Tamara Hoock, Moritz Veit	Everyone else	Jean-Frederic Vogelbacher	Hend Hussien	Hend Hussien
8	2022-06-15			Tamara Hoock, Moritz Veit	Everyone else	Steve Pegouen	Hend Hussien	Annika Krause
9	2022-06-22			Tamara Hoock, Moritz Veit	Everyone else	Athanassios Karol Bakas	Hend Hussien	Jannik Kiesel
10	2022-06-29	Yes		Tamara Hoock, Moritz Veit	Everyone else	Valentin Bräutigam	Hend Hussien	Steve Richard Pegouen
11	2022-07-06			Tamara Hoock, Moritz Veit	Everyone else	Jannik Kiesel	Hend Hussien	Valentin Bräutigam
12	2022-07-13			Tamara Hoock, Moritz Veit	Everyone else	Annika Krause	Hend Hussien	Jean-Frédéric Vogelbacher
13	2022-07-20	Yes		Tamara Hoock, Moritz Veit	Everyone else	Steve Pegouen	Hend Hussien	
14	2022-07-27		Demo day!	Tamara Hoock, Moritz Veit	Everyone else		Hend Hussien	
15	2022-08-03		Retrospective	Tamara Hoock, Moritz Veit	Everyone else		Hend Hussien	

Term	Definition
basic personal data	the basic personal data is the collection of data that has to be filled out at the "Create new DI" registration process (e.g. name, surname, email)
personal data	the data of every DI that is stored in the database
digital identity (DI)	a unique object that is clearly linked to one living person. It comprises the personal information stored about that person. (technical term in lissi: connection)
connection	synonym to digital identity
HR employee	person working in the HR department who is responsible for the creation and administration of digital identities at Adorsys.
schema	(= schema in lissi)
credential definition	(= credential definition in lissi)
credential	a credential definition that got assigned to a DI
credential proof	(= credential proof in lissi)

Product Vision Project Mission In numerous situations, such as contracting, travel, Internet, purchasing processes Adorsys wants to implement Digital identities for all employees, guests and partners access or access control, people need to uniquely identify and authenticate working for the company, to digitalize and simplify the identification and authentication themselves. A variety of carriers and processes are required for identification and process at adorsys. Starting with the creating digital identities for all stakeholders that authentication in different areas of life and business: IDs, cards, documents, are stored in the lissi app, defining authentication schemas and allowing access to its passwords, electronic data, or hybrids. To obtain a new document or access to a workers are the key goals for this project. In the future, adorsys envisions unlimited possibilities of using the digital identities for example as doorkeys and is keen to build system, the same data of a person is needed over and over again, and must be captured and verified each time. First name, last name, date of birth, gender, up this network of partners within the lissi network. profession, personal characteristics and more, depending on the area and application. A digital identity that is recorded, verified, securely stored, and managed in a trustworthy manner solves this problem and creates security and efficiency. Every individual and every institution can use their own digital identity to uniquely identify and authenticate themselves and also digitally sign documents in a legally valid manner.


8

#	Theme	Goal	Feature Name	Est. Size (Feature)	Est. Size (Sprint)	Real Size (Feature)	Real Size (Sprint)	Burn- Down
1	Project Start	Teambuilding, project organisation			9		9	
			#1 Create Logo	5		5		
			#2 Create T-Shirt	2		2		
			#3 Team Contract	2		2		
•	Duniant Cat up	Understand project scope and expectation from industry partner & research on tools			8		8	
2	Project Set-up	for project set-up	#21 Project Technical Set-up	0	-	0	0	
			#21 Project Technical Set-up	8		8		
3	Process Architecture & Set-up Backend and Frontend	Defining Process Overview & Initialize Frontend and backend development			19		29	
			#7 Enter Personal information	8		13		
			#5 User Login	8		13		
			#24 Create an open API	3		3		
4	Research on core functionalities & connection to lissi	Prioritize on high-risk core functionalities & lissi API			20		21	
			#33 Testing Frontend	5		5		
			#10 Frontend: Overview of digital identities	3		3		
			#29 Connection frontend-backend: store personal data in data base	2		3		
			#39 Research: Ensure secure access to backend	5		5		
			#28 Lissi: Research on how it works, API	3		3		
			#31 Frontend: Create Dashboard	2		2		
5	Implementation of core functionalities & connection to lissi	Deliver core-functionalities & lissi connection			46		41	
			#9 Backend: send e-mail	8		5		
			#47 Backend: QR code generation	3				
			#26 Backend: editing personal information. Update of database	2		2		
			#68 Navigation bar	3		3		
			#67 Login events: failed + success	3		3		
			#32 Backend connection: overview page of digital identities	5		5		
			#66 Frontend: edit personal information	5		5		
			#34 Testing Backend	3		3		
			#23 Software architecture	2		5		
			#50 Frontend: Page to create new schema	5		5		
			#56 Frontend-Backend connection: overview page of digital identities	3		3		
			#25 Send request to lissi backend and create digital identity	2				
			#49 Frontend: Adapt creation of new DI (Update)	2		2		
6	Ability to create a digital identity and a schema via Didentity	Connect previously built features to run succesful process of creation of digital identity and schema			27		22	
5	John Via Diuchtity	identity and selicina	#47 Backend: QR code generation	3		2	22	
			#25 Send request to lissi backend and create digital identity	2		5		
			#48 Invitation of user to Digital Identity	2		2		
			#101 Handle failure of sending an email	2		2		
			#100 Frontend: error handling with error pages	3		3		
			#99 Backend: useful responses to frontend requests	3		3		
			#51 backend: create new schema which is saved on lissi backend	2		3		
			#51 backend: create new schema which is saved on iissi backend #52 frontend: overview of schemas	5		5		
				3		5		
			#62 frontend-backend connection: create new schema #54 backend: provide existing schemas to frontend	2				



# Theme		Goal	Feature Name	Est. Size (Feature)	Est. Size (Sprint)	Real Size (Feature)	Real Size (Sprint)	Burn- Down
Technical refinement	ts and prepare	Tidy up, implement testing for all processes. Prepare to include credentials-	i cature Name	(i eature)		(i eature)		DOWII
7 credentials		process in Didentity	# E4 hostonet greate now sehance which is poved on lies hostoned	2	12		11	
			# 51 backend: create new schema which is saved on lissi backend	3		5		
			#62 frontend-backend connection: create new schema	2		3		
			#54 backend: provide existing schemas to frontend	2		3		
			#93 frontend refactoring	-		4		
			#110: store URL for DI in local database	2		1		
			#121 backend refactoring					
			#119: add tests for the backend					
			#128: create a secure initial password					
			#118: add tests for the frontend					
			#111: backend: create credential at Lissi API	3		2		
3 Credentials I		Add processes for credentials in frontend and backend and connect to Lissi API			25		11	
5. Juditidio i		and additional difference to Elast Al 1	#62: frontend-backend connection: create new schema	3				
			#130: change password	3		3		
			#118: add tests for the frontend	3		3		
			#128: create a secure initial password	5		2		
			#115: overview page over existing credential-definitions	3		3		
			#114: add DI to existing credential-defintion via popup window	5		3		
			#130: change password	3		3		
			ů i	3		3		
			#112: create new credential definition - page	3				
9 Credentials II & Proo	ıfe	Add processes for proofs in frontend and backend and connect to Lissi API			40		0	
Credentials if & F100	113	backeria and connect to Lissi AFT	#129 Prefilled formular on initial password change	1	40		U	
			#37 Forgotten password					
			#07 Torgotteri password	2				
			#165 Create DI: adjust: tickbox HR employee yes/no	1				
			#166 Delete DI on Adorsys Lissi Blockchain	3				
			#167 Create proof template	3				
			#168 Send proof request to DIs/connections	5				
			#169 Overview of proof templates	2				
			#114 Add DI to existing credential-defintion via pop-up window	5				
				3				
			#112 create new credential definition - page	3				
			#136 credential definition: detailed overview pop-up page	2				
			#144 backend: create proof at lissi API	3				
			#62 frontend-backend connection: create new schema	3				
			#36 authorization: unauthorized users cannot access frontend and send request to backend	3				
			#140 create mail account for testing and use it in Didentity	1				
			#139: Docker: Host our service	3				
			#171 Overview of DI values for open credentials, open proofs, connection status	3				
Edit and delete funct	tionalities	Build processes for editing DI-, schema-, credential-, proof-informtion and deletion			30			
		"	#204: proof: filter to check attribute values	5				
			#206: proof: check for revocation of a credential	3				
			#211: Credentials: replace dummy data with real data					
			#75: graphs for dashboard	3				
			#44: styleguide applied to all pages	8				
			#195: log-out button	1				

#	Theme	Goal	Feature Name	Est. Size (Feature)	Est. Size (Sprint)	Real Size (Feature)	Real Size (Sprint)	Burn- Down
			#207: update edit button with icon	1				
			#210: information description of different DI connection status	3				
			#13: notification for filled out survey	3				
			#209: standardize the use of samples when entering information	1				
			#208: adjustable size of columns in DI	2				
1	Helper/peripheral functionalities	make all processes on Didentity platform work successfully and add missing connections			13			
	, , , , , , , , , , , , , , , , , , ,		automate more processes: DI-creation of casual employee triggers credential creation					
			datatype/validity check of input from Lissi wallet					
			HR employee can set new password for Didentity account	5				
			dashboards for homepage	5				
			implement all error pages that are displayed to HR employee	3				
			send proof request connectionless					
			detailed overview of one proof					
			edit DI on Adorsys Lissi Blockchain					
			edit briori Addrsys Lissi Blockchain	5				
			edit scredna on Adorsys Lissi Blockchain	3				
			edit credential on Adorsys Lissi Blockchain	3				
			delete schema on Adorsys Lissi Blockchain	2				
			delete scrienta on Adorsys Lissi Blockchain	2				
			•	2				
			delete proof on Adorsys Lissi Blockchain	2				
			Display more feedback to HR employee during processes> have a look at Docker					
	All processes, refactoring & Demo Day	Finalize implementation of processes, clean						
2	preparation	up code, start preparing demo day			22			
			discuss presentation and prepare demo	8				
			create demo day slide	3				
			create demo video	5				
			create public Zoom meeting for demo day and share link with teachers	1				
			Extensive feature testing	5				
2	Refinement for Final Project Release	Refactor, finalize deliverables, get everything in order and place			19			
ì		, g a a p	finalize user, design, build/deploy documentation	5				
			clean up and finish final project release plan	5				
			@releaseManager: tag code with final-project release	1				
			technical refinements	8				
			COST. IOC. I CONTONIO	0				
				Est. Size	Est. Burndown	Real Size	Real Burndown	
					161		0	
		Tidy up, implement testing for all processes. Prepare		10	4.0			
	Rechnical refinements and prepare credentials	to include credentials-process in Didentity		12			0	
	Credentials	Add processes for credentials in frontend and backend and connect to I issi API		25	124		0	
	Proofs	Add processes for proofs in frontend and backend and connect to Lissi API		40	84		0	
0	Edit and delete functionalities	Build processes for editing DI-, schema-, credential-,		30	54		0	
•		proof-informtion and deletion make all processes on Didentity platform work		13			0	
4	Helper/peripheral functionalities	successfully and add missing connections Finalize implementation of processes, clean up code,						
1					19		0	
	All processes, refactoring & Demo Day preparation	start preparing demo day		22			U	
2	All processes, refactoring & Demo Day preparation Refinement for Final Project Release			19			0	



#	Feature Definition of Done	Sprint Release Definition of Done	Project Release Definition of Done
	code peer-reviewed (by at least one team member)	no severe bugs open	no severe bugs open: bugs-issues have been fixed and closed or are labeled with "wont-fix"
	acceptance criteria met	code is cleaned	user manual finished and available
	integrated into a clean build	demo is approved	developer documentation is finished and deliverable
	documentation updated	there is a tagged release candidate	code has been deployed via Docker to the server
	code is well-formatted (according to our norms) and structure		
	Code supports all functions/cases and all responses defined in the API		
	no severe bugs during main functionalities (program should not stop executing due to these bugs, e.g. runtime exception in Docker)		
	Bill of Materials updated if necessary		
	70% of the tests pass	80% of the tests pass	
	important functions shall be tested	(Starting with Sprint 9): code has been deployed via Docker to the server	
	> if all DoDs are met, the feature qualifies to add to a release		

Type	Link / reference

	Context	Name	Version	License	Comment
1	@angular/animations	@angular/animations	13.3.0	MIT	
2	@angular/cdk	@angular/cdk	13.3.7	MIT	
3	@angular/common	@angular/common	13.3.0	MIT	
4	@angular/compiler	@angular/compiler	13.3.0	MIT	
5	@angular/core	@angular/core	13.3.0	MIT	
6	@angular/forms	@angular/forms	13.3.0	MIT	
7	@angular/material	@angular/material	13.3.7	MIT	
8	@angular/platform-browser	@angular/platform-browser	13.3.0	MIT	
q	@angular/platform-browser- dynamic	@angular/platform-browser-dynamic	13.3.0	MIT	
	@angular/router	@angular/router	13.3.0	MIT	
	rxjs	rxis	7.5.0	Apache 2.0	
	tslib	tslib	2.3.0	0BSD	
	zone.js	zone.js	0.11.4	MIT	
	@angular-devkit/build-angular	@angular-devkit/build-angular	13.3.3	MIT	
	@angular/cli	@angular/cli	13.3.3	MIT	
	@angular/compiler-cli	@angular/compiler-cli	13.3.0	MIT	
	@types/jasmine	@types/jasmine	3.10.0	MIT	
	@types/node	@types/node	12.11.1	MIT	
	jasmine-core	jasmine-core	4.0.0	MIT	
	karma	karma	6.3.0	MIT	
	karma-chrome-launcher	karma-chrome-launcher	3.1.0	MIT	
	karma-coverage	karma-coverage	2.1.0	MIT	
	karma-jasmine	karma-jasmine	4.0.0	MIT	
	karma-jasmine-html-reporter	karma-jasmine-html-reporter	1.7.0	MIT	
	typescript	typescript	4.6.2	Apache 2.0	
	org.springframework.boot	org.springframework.boot	2.6.7	Apache 2.0	
	For database	org.springframework.boot.jpa			
	Database Connector	org.springframework.boot.mysql-connector			
	Database mysql				
	org.apache.maven	org.apache.maven	3.1.0	Apache 2.0	
	maven	maven	3.8.4	Apache 2.0	
32	mysql	mysql	8.0.29	GNU	
	mail relay for spring	spring-boot-starter-mail	2.7.0		
	QR-Code generation	com.google.zxing.	3.3.0		
	cypress	cypress	10.2.0	MIT	
	karma-coverage-istanbul-reporter	karma-coverage-istanbul-reporter	3.0.3	MIT	
	karma-firefox-launcher	karma-firefox-launcher	2.1.2	MIT	
38	karma-ie-launcher	karma-ie-launcher	1.0.0	MIT	
39	karma-spec-reporter	karma-spec-reporter	0.0.34	MIT	

40	ngx-mat-select-search	ngx-mat-select-search	4.2.0	MIT	
41	com h2database	com.h2database	0	EPL 1.0	
42	org.passay	org.passay	1.3.1	Apache 2.0	
43	org.passay spring-boot-starter-test spring-boot-starter-web	spring-boot-starter-test		Apache 2.0	
44	spring-boot-starter-web	spring-boot-starter-web		Apache 2.0	
	opining soot otalitor mos	opining soot etailter tres		7 400.10 2.0	

Last Name	First Name	Value			
Kiesel	Jannik	c [<u>::::</u>]*	TUIVI	TUIVI	
Krause	Annika		0!	0!	
Bräutigam	Valentin		O:	U:	
Hoock	Tamara				
Veit	Moritz		0	No size	
Vogelbacher	Jean-Frédéric		1	Trivial size	
Bakas	Athanassios Karol		2	Small size	
Pegouen	Steve Richard		3	Medium size	
Hussien			5	Large size	
			8	Very large size	
			13	Too large (size)	
			c [<u>::::</u>]*	I need coffee	