



PresentationTier
ViewsUI
ChatUI
0..*
0..*
0..*
requests arc42 views
receives evidence-based answers
asks questions / calls tools
DomainTier
ViewGenerator
1
1
McpFacade
1
1
1
ChatOrchestrator
1
1
1
1
IngestionPipeline
1
1
1
delegates requests
starts analysis jobs
creates model calls
LlmAdapter
1
1
reads graph
OpenAI-compatible HTTP API
evidence queries (Cypher)
writes facts / snapshots
reads pinned migration steps
«external»
LlmServer
1
PersistenceTier
GraphStore
1
1
GitDepot
1..*


Web client
:WebApp
Vite + React + TS
ChatUI and
ViewsUI
HTTPS: REST / MCP
no single origin
Application service
:BackendServer
Python + FastAPI
(version open)
McpFacade,
ChatOrchestrator,
LlmAdapter,
IngestionPipeline,
ViewGenerator
OpenAI-compatible HTTP API
via LlmAdapter
:LlmServer
local, e.g.
Ollama - or cloud
driver / Cypher
git CLI (worktrees)
Persistence service
:GraphStore
Neo4j (candidate)
:GitDepot
local
repositories,
pinned steps


ApplicationLayer
backend
+api(incl. McpFacade)
+chat(incl. ChatOrchestrator)
+ingest(IngestionPipeline)
+views(ViewGenerator)
+adapters(incl. LlmAdapter)
frontend
+ChatUI
+ViewsUI
uses
uses
uses
uses
uses
FrameworkLayer
OpenAI-compatible client
Neo4j driver
React + Vite
MCP SDK
FastAPI + Pydantic
invokes git CLI
calls
connects to
runs on
runs on
PlatformLayer
Docker Compose
Git
orchestrates (local)
orchestrates
orchestrates
orchestrates
LLM server (local or cloud)
Neo4j server
Node.js
Python (version open)