Project Name	Engineering Knowledge Advisor
Online team meeting	https://fau.zoom-x.de/j/68492789151
Production system (if any)	...
Test system (if any)	...
GitHub repository	https://github.com/amosproj/amos2026ws02-engineering-knowledge-advisor
GitHub feature board	https://github.com/orgs/amosproj/projects/110
GitHub imp-squared backlog	https://github.com/orgs/amosproj/projects/114
Position of T-shirt logo	Upper Torso Right Small
Link to logo for black T-shirt	https://github.com/amosproj/amos2026ws02-engineering-knowledge-advisor/tree/main/Deliverables/sprint-01/team-logo.svg
Link to logo for white T-shirt	https://github.com/amosproj/amos2026ws02-engineering-knowledge-advisor/tree/main/Deliverables/sprint-01/team-logo.svg
Additional materials	https://github.com/amosproj/amos2026ws02-engineering-knowledge-advisor/tree/main/Deliverables/sprint-01/team-label.svg
	x
Team maling list	oss-amos-proj2@lists.fau.de

Last Name	First Name	GitHub User Name	Email Address
Pohl	Christian	ChristianJPohl	christian.j.pohl@fau.de
Drobischevskiy	Leonid	le-db	leonid.drobischevskiy@fau.de
Nadwornik	Jost	Jost-Na	nadwornik@campus.tu-berlin.de
Tenepo	Franklin	franktronics	wilson.f.tenepo@fau.de
Khan	Gulbaz	mgulbazilyas	gulbaz.khan@fau.de
Pasewaldt	Felix	felixp33	felix.pasewaldt@campus.tu-berlin.de
Wendlinger	Tom	tombln292	tom.wendlinger@campus.tu-berlin.de
Medeiros da Cruz	Yan	yanmcruz	yan.medeiros.da.cruz@campus.tu-berlin.de
Best	Lisabeth	PeppermintCoding123	lisabeth.hasse@fau.de

		Product Owner					
#	Meeting Day	Review	Planning	Software Developer	Release Manager	Scrum Master	Comment
1	2026-10-14	N/A	Yan	Everyone else	N/A	Lisabeth	
2	2026-10-21	Yan	Tom	Everyone else	Gulbaz	Lisabeth	
3	2026-10-28	Tom	Yan	Everyone else	Gulbaz	Lisabeth	
4	2026-11-04	Yan	Tom	Everyone else	Gulbaz	Lisabeth	
5	2026-11-11	Tom	Yan	Everyone else	Gulbaz	Lisabeth	
6	2026-11-18	Yan	Tom	Everyone else	Gulbaz	Lisabeth	Yan not present
7	2026-11-25	Tom	Yan	Everyone else	Gulbaz	Lisabeth	Mid-term due
8	2026-12-02	Yan	Tom	Everyone else	Gulbaz	Lisabeth	
9	2026-12-09	Tom	Yan	Everyone else	Gulbaz	Lisabeth	
10	2026-12-16	Yan	Tom	Everyone else	Gulbaz	Lisabeth	
11	2026-01-13	Tom	Yan	Everyone else	Gulbaz	Lisabeth	
12	2026-01-20	Yan	Tom	Everyone else	Gulbaz	Lisabeth	
13	2026-01-27	Tom	Yan	Everyone else	Gulbaz	Lisabeth	
14	2026-02-03	Yan	Tom	Everyone else	Gulbaz	Lisabeth	Demo day!

Product owners, software developers, and Scurm Master are set and ideally don't change over time; the critical part is the Release Manager role you need to define here

Goals	Team goal: Develop a high-quality, usable, and useful software solution for Bosch that addresses the company partner’s problem, while collaborating effectively, strengthening agile practices, and building industry connections.
Meeting norms	Meetings start at 12:30, and go on until 14:00. We start on time (let us know if there are any problems, if you won't attend or you will be late). Let us know in advance when you won't be able to attend, via whatsapp. We communicate outside of the team meetings on Discord (https://discord.gg/nmUEwuDyU). For every meeting there should be a moderator and time-keeper, to ensure the agenda is followed (scrum master/PO). There should be a meeting agenda prepared and sent beforehand. Meeting feedback will be prepared by the scrum master. Meeting summary will be prepared by the scrum master.
Working norms	We use pull requests and require a review. The main and dev branches is protected. We have a development branch. We do the release once a week (merge from dev to main). Code reviews for anything that goes into dev (require approval). Setup a CI pipeline. Autoformater. Do not squash commits; preferred is small commits for grading.
Coordination norms	POs will share the duties, week after week.
Communication norms	We communicate in English. We expect replies as fast as possible, preferrably within 24h.
Consideration norms	We respect each other ideas. We don't fill up the commits with AI slop: make sure you use AI responsibly.
Cont. improvement norms	Provide feedback on the team meeting. Whenever possible, share your best practices (on Discord or Team Meeting).
Rewards	Praise and appreciation upon good work! Share publicly or privately on Discord.
Sanctions	We don't think this can help team motivation
Signatures	
Scrum Master	Lisabeth Best
Product owner	Yan Medeiros da Cruz
Product owner	Tom Wendlinger
Software developer	Gulbaz Khan
Software developer	Christian Pohl
Software developer	Leonid Drobischevskiy
Software developer	Franklin Tenepo

Software developer	Felix Pasewaldt
Software developer	Jost Nadwornik


Product Vision	Project Mission
A knowledge database, LLM-readable and searchable, with an AI user interface that allows engineers both to capture their knowledge about existing products, linked to the respective CAD files and assembly groups, and to retrieve this knowledge during the design of new products.	Deliver an open-source prototype that lets Bosch engineers capture knowledge about existing products, linked to their CAD assembly groups, and retrieve it with AI during new designs.

Term	Definition
Knowledge	engineering decisions, specifications, availability of data, reusability, etc.
Knowledge database	a database that hosts the captured knowledge, connected to the respective assembly group(s)
Knowledge item	a single piece of captured knowledge, linked to one or more assembly groups
Product	special machinery
Design	process of development of a new product or a retrofit
Assembly group	a functional unit of a product, made of assemblies (to be confirmed with Bosch)
Assembly	a combination of parts, described by a CAD file (to be confirmed with Bosch)
Part	a single component, listed in the parts list
Contributor	user role that provides and confirms knowledge
Searcher	user role that searches and asks questions


Sprint #	Sprint goal
1	Project Introduction and initial planning
2	None
3	None
4	Optional
5	Write your sprint goal here
6	
7	
8	
9	
10	
11	
12	
13	
14	

#	Feature Definition of Done	Sprint Release Definition of Done	Project Release Definition of Done


Sprint #	Story Points Realized
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0


Velocity Chart
30
20
10
0
Story points
0 0 0 0 0 0 0 0 0 0 0 0 0 0
1 2 3 4 5 6 7 8 9 10 11 12 13 14
Sprint

Sprint	Theme	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
Release							
Total				0	0		
Sprints							
1				0	0	0	0
2				0	0	0	0
3				0	0	0	0
...					0		0
Features							
1							
2							
3							
			PLEASE CREATE THE BURNDOWN CHART ON A NEW TAB USING THE DATA FROM THIS TAB				


Estimated burn-down
Real burn-down
1.0
0.5
0.0
-0.5
-1.0
0
0
0
0
0
0
0
0

Sprint	Theme	Goal	Feature Name	Est. size	Est. remaining	Real size	Real remaining
Release							
Total				0	0		
Sprints							
1				0	0	0	0
2				0	0	0	0
3				0	0	0	0
...					0		0
Features							
1							
2							
3							
			PLEASE CREATE THE BURNDOWN CHART ON A NEW TAB USING THE DATA FROM THIS TAB				


Estimated burn-down
Real burn-down
1.0
0.5
0.0
-0.5
-1.0
0
0
0
0
0
0

Type	Link / reference
Google Drive	https://drive.google.com/drive/folders/1F5IInu0HKCLeCM4MzbXTtKiKl4qRNNh3?usp=drive_link
Sprint Planning Document	https://docs.google.com/document/d/1oI0MW1-rmmEiPVtpENtIfXk7JH0-ARNBvNP5l3xS3Yc/edit?usp=drive_link

#	Context	Name	Version	License	Comment
1	web.cdx.json	@babel/code-frame	7.29.7	MIT	pkg:npm/%40babel/code-frame@7.29.7
2	web.cdx.json	@babel/compat-data	7.29.7	MIT	pkg:npm/%40babel/compat-data@7.29.7
3	web.cdx.json	@babel/core	7.29.7	MIT	pkg:npm/%40babel/core@7.29.7
4	web.cdx.json	@babel/generator	7.29.8	MIT	pkg:npm/%40babel/generator@7.29.8
5	web.cdx.json	@babel/helper-annotate-as-pure	7.29.7	MIT	pkg:npm/%40babel/helper-annotate-as-pure@7.29.7
6	web.cdx.json	@babel/helper-compilation-targets	7.29.7	MIT	pkg:npm/%40babel/helper-compilation-targets@7.29.7
7	web.cdx.json	@babel/helper-create-class-features-plugin	7.29.7	MIT	pkg:npm/%40babel/helper-create-class-features-plugin@7.29.7
8	web.cdx.json	@babel/helper-globals	7.29.7	MIT	pkg:npm/%40babel/helper-globals@7.29.7
9	web.cdx.json	@babel/helper-member-expression-to-functions	7.29.7	MIT	pkg:npm/%40babel/helper-member-expression-to-functions@7.29.7
10	web.cdx.json	@babel/helper-module-imports	7.29.7	MIT	pkg:npm/%40babel/helper-module-imports@7.29.7
11	web.cdx.json	@babel/helper-module-transforms	7.29.7	MIT	pkg:npm/%40babel/helper-module-transforms@7.29.7
12	web.cdx.json	@babel/helper-optimise-call-expression	7.29.7	MIT	pkg:npm/%40babel/helper-optimise-call-expression@7.29.7
13	web.cdx.json	@babel/helper-plugin-utils	7.29.7	MIT	pkg:npm/%40babel/helper-plugin-utils@7.29.7
14	web.cdx.json	@babel/helper-replace-supers	7.29.7	MIT	pkg:npm/%40babel/helper-replace-supers@7.29.7
15	web.cdx.json	@babel/helper-skip-transparent-expression-wrappers	7.29.7	MIT	pkg:npm/%40babel/helper-skip-transparent-expression-wrappers@7.29.7
16	web.cdx.json	@babel/helper-string-parser	7.29.7	MIT	pkg:npm/%40babel/helper-string-parser@7.29.7
17	web.cdx.json	@babel/helper-validator-identifier	7.29.7	MIT	pkg:npm/%40babel/helper-validator-identifier@7.29.7
18	web.cdx.json	@babel/helper-validator-option	7.29.7	MIT	pkg:npm/%40babel/helper-validator-option@7.29.7
19	web.cdx.json	@babel/helpers	7.29.10	MIT	pkg:npm/%40babel/helpers@7.29.10
20	web.cdx.json	@babel/parser	7.29.9	MIT	pkg:npm/%40babel/parser@7.29.9
21	web.cdx.json	@babel/plugin-syntax-jsx	7.29.7	MIT	pkg:npm/%40babel/plugin-syntax-jsx@7.29.7
22	web.cdx.json	@babel/plugin-syntax-typescript	7.29.7	MIT	pkg:npm/%40babel/plugin-syntax-typescript@7.29.7
23	web.cdx.json	@babel/plugin-transform-modules-commonjs	7.29.7	MIT	pkg:npm/%40babel/plugin-transform-modules-commonjs@7.29.7
24	web.cdx.json	@babel/plugin-transform-typescript	7.29.9	MIT	pkg:npm/%40babel/plugin-transform-typescript@7.29.9

#	Context	Name	Version	License	Comment
25	web.cdx.json	@babel/preset-typescript	7.29.7	MIT	pkg:npm/%40babel/preset-typescript@7.29.7
26	web.cdx.json	@babel/runtime	8.0.7	MIT	pkg:npm/%40babel/runtime@8.0.7
27	web.cdx.json	@babel/template	7.29.7	MIT	pkg:npm/%40babel/template@7.29.7
28	web.cdx.json	@babel/traverse	7.29.10	MIT	pkg:npm/%40babel/traverse@7.29.10
29	web.cdx.json	@babel/types	7.29.8	MIT	pkg:npm/%40babel/types@7.29.8
30	web.cdx.json	@base-ui/react	1.9.0	MIT	pkg:npm/%40base-ui/react@1.9.0
31	web.cdx.json	@base-ui/utils	0.5.0	MIT	pkg:npm/%40base-ui/utils@0.5.0
32	web.cdx.json	@cacheable/memory	2.2.0	MIT	pkg:npm/%40cacheable/memory@2.2.0
33	web.cdx.json	@cacheable/utils	2.5.0	MIT	pkg:npm/%40cacheable/utils@2.5.0
34	web.cdx.json	@date-fns/tz	1.5.0	MIT	pkg:npm/%40date-fns/tz@1.5.0
35	web.cdx.json	@dotenvx/dotenvx	1.75.1	BSD-3-Clause	pkg:npm/%40dotenvx/dotenvx@1.75.1
36	web.cdx.json	@dotenvx/primitives	0.8.0	BSD-3-Clause	pkg:npm/%40dotenvx/primitives@0.8.0
37	web.cdx.json	@emnapi/core	1.11.1	MIT	pkg:npm/%40emnapi/core@1.11.1
38	web.cdx.json	@emnapi/runtime	1.11.1	MIT	pkg:npm/%40emnapi/runtime@1.11.1
39	web.cdx.json	@emnapi/wasi-threads	1.2.2	MIT	pkg:npm/%40emnapi/wasi-threads@1.2.2
40	web.cdx.json	@eslint-community/eslint-utils	4.10.1	MIT	pkg:npm/%40eslint-community/eslint-utils@4.10.1
41	web.cdx.json	@eslint-community/regexpp	4.12.2	MIT	pkg:npm/%40eslint-community/regexpp@4.12.2
42	web.cdx.json	@eslint/config-array	0.23.5	Apache-2.0	pkg:npm/%40eslint/config-array@0.23.5
43	web.cdx.json	@eslint/config-helpers	0.7.0	Apache-2.0	pkg:npm/%40eslint/config-helpers@0.7.0
44	web.cdx.json	@eslint/core	1.2.1	Apache-2.0	pkg:npm/%40eslint/core@1.2.1
45	web.cdx.json	@eslint/js	10.0.1	MIT	pkg:npm/%40eslint/js@10.0.1
46	web.cdx.json	@eslint/object-schema	3.0.5	Apache-2.0	pkg:npm/%40eslint/object-schema@3.0.5
47	web.cdx.json	@eslint/plugin-kit	0.7.3	Apache-2.0	pkg:npm/%40eslint/plugin-kit@0.7.3
48	web.cdx.json	@floating-ui/core	1.8.0	MIT	pkg:npm/%40floating-ui/core@1.8.0
49	web.cdx.json	@floating-ui/dom	1.8.0	MIT	pkg:npm/%40floating-ui/dom@1.8.0
50	web.cdx.json	@floating-ui/react-dom	2.1.9	MIT	pkg:npm/%40floating-ui/react-dom@2.1.9
51	web.cdx.json	@floating-ui/utils	0.2.12	MIT	pkg:npm/%40floating-ui/utils@0.2.12
52	web.cdx.json	@fontsource-variable/inter	5.3.0	OFL-1.1	pkg:npm/%40fontsource-variable/inter@5.3.0
53	web.cdx.json	@hono/node-server	2.1.5	MIT	pkg:npm/%40hono/node-server@2.1.5
54	web.cdx.json	@hugeicons/core-free-icons	4.3.5	MIT	pkg:npm/%40hugeicons/core-free-icons@4.3.5
55	web.cdx.json	@hugeicons/react	1.1.10	MIT	pkg:npm/%40hugeicons/react@1.1.10
56	web.cdx.json	@humanfs/core	0.19.2	Apache-2.0	pkg:npm/%40humanfs/core@0.19.2
57	web.cdx.json	@humanfs/node	0.16.8	Apache-2.0	pkg:npm/%40humanfs/node@0.16.8
58	web.cdx.json	@humanfs/types	0.15.0	Apache-2.0	pkg:npm/%40humanfs/types@0.15.0
59	web.cdx.json	@humanwhocodes/module-importer	1.0.1	Apache-2.0	pkg:npm/%40humanwhocodes/module-importer@1.0.1
60	web.cdx.json	@humanwhocodes/retry	0.4.3	Apache-2.0	pkg:npm/%40humanwhocodes/retry@0.4.3
61	web.cdx.json	@jridgewell/gen-mapping	0.3.13	MIT	pkg:npm/%40jridgewell/gen-mapping@0.3.13

#	Context	Name	Version	License	Comment
62	web.cdx.json	@jridgewell/remapping	2.3.5	MIT	pkg:npm/%40jridgewell/remapping@2.3.5
63	web.cdx.json	@jridgewell/resolve-uri	3.1.2	MIT	pkg:npm/%40jridgewell/resolve-uri@3.1.2
64	web.cdx.json	@jridgewell/sourcemap-codec	1.6.0	MIT	pkg:npm/%40jridgewell/sourcemap-codec@1.6.0
65	web.cdx.json	@jridgewell/trace-mapping	0.3.31	MIT	pkg:npm/%40jridgewell/trace-mapping@0.3.31
66	web.cdx.json	@keyv/bigmap	1.3.1	MIT	pkg:npm/%40keyv/bigmap@1.3.1
67	web.cdx.json	@keyv/serialize	1.1.1	MIT	pkg:npm/%40keyv/serialize@1.1.1
68	web.cdx.json	@modelcontextprotocol/sdk	1.32.1	MIT	pkg:npm/%40modelcontextprotocol/sdk@1.32.1
69	web.cdx.json	@napi-rs/wasm-runtime	1.1.4	MIT	pkg:npm/%40napi-rs/wasm-runtime@1.1.4
70	web.cdx.json	@nodelib/fs.scandir	2.1.5	MIT	pkg:npm/%40nodelib/fs.scandir@2.1.5
71	web.cdx.json	@nodelib/fs.stat	2.0.5	MIT	pkg:npm/%40nodelib/fs.stat@2.0.5
72	web.cdx.json	@nodelib/fs.walk	1.2.8	MIT	pkg:npm/%40nodelib/fs.walk@1.2.8
73	web.cdx.json	@oxc-project/types	0.155.0	MIT	pkg:npm/%40oxc-project/types@0.155.0
74	web.cdx.json	@radix-ui/primitive	1.2.0	MIT	pkg:npm/%40radix-ui/primitive@1.2.0
75	web.cdx.json	@radix-ui/react-compose-refs	1.1.5	MIT	pkg:npm/%40radix-ui/react-compose-refs@1.1.5
76	web.cdx.json	@radix-ui/react-context	1.3.0	MIT	pkg:npm/%40radix-ui/react-context@1.3.0
77	web.cdx.json	@radix-ui/react-dialog	1.3.1	MIT	pkg:npm/%40radix-ui/react-dialog@1.3.1
78	web.cdx.json	@radix-ui/react-dismissable-layer	1.2.1	MIT	pkg:npm/%40radix-ui/react-dismissable-layer@1.2.1
79	web.cdx.json	@radix-ui/react-focus-guards	1.2.0	MIT	pkg:npm/%40radix-ui/react-focus-guards@1.2.0
80	web.cdx.json	@radix-ui/react-focus-scope	1.3.1	MIT	pkg:npm/%40radix-ui/react-focus-scope@1.3.1
81	web.cdx.json	@radix-ui/react-id	1.1.4	MIT	pkg:npm/%40radix-ui/react-id@1.1.4
82	web.cdx.json	@radix-ui/react-portal	1.2.0	MIT	pkg:npm/%40radix-ui/react-portal@1.2.0
83	web.cdx.json	@radix-ui/react-presence	1.1.11	MIT	pkg:npm/%40radix-ui/react-presence@1.1.11
84	web.cdx.json	@radix-ui/react-primitive	2.2.0	MIT	pkg:npm/%40radix-ui/react-primitive@2.2.0
85	web.cdx.json	@radix-ui/react-slot	1.5.0	MIT	pkg:npm/%40radix-ui/react-slot@1.5.0
86	web.cdx.json	@radix-ui/react-use-callback-ref	1.1.5	MIT	pkg:npm/%40radix-ui/react-use-callback-ref@1.1.5
87	web.cdx.json	@radix-ui/react-use-controllable-state	1.3.0	MIT	pkg:npm/%40radix-ui/react-use-controllable-state@1.3.0
88	web.cdx.json	@radix-ui/react-use-effect-event	0.0.5	MIT	pkg:npm/%40radix-ui/react-use-effect-event@0.0.5
89	web.cdx.json	@radix-ui/react-use-layout-effect	1.1.4	MIT	pkg:npm/%40radix-ui/react-use-layout-effect@1.1.4
90	web.cdx.json	@rolldown/binding-android-arm-eabi	1.2.15	MIT	pkg:npm/%40rolldown/binding-android-arm-eabi@1.2.15
91	web.cdx.json	@rolldown/binding-android-arm64	1.2.15	MIT	pkg:npm/%40rolldown/binding-android-arm64@1.2.15

#	Context	Name	Version	License	Comment
92	web.cdx.json	@rolldown/binding-darwin-arm64	1.2.15	MIT	pkg:npm/%40rolldown/binding-darwin-arm64@1.2.15
93	web.cdx.json	@rolldown/binding-darwin-x64	1.2.15	MIT	pkg:npm/%40rolldown/binding-darwin-x64@1.2.15
94	web.cdx.json	@rolldown/binding-freebsd-x64	1.2.15	MIT	pkg:npm/%40rolldown/binding-freebsd-x64@1.2.15
95	web.cdx.json	@rolldown/binding-linux-arm-gnueabihf	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-arm-gnueabihf@1.2.15
96	web.cdx.json	@rolldown/binding-linux-arm64-gnu	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-arm64-gnu@1.2.15
97	web.cdx.json	@rolldown/binding-linux-arm64-musl	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-arm64-musl@1.2.15
98	web.cdx.json	@rolldown/binding-linux-ppc64-gnu	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-ppc64-gnu@1.2.15
99	web.cdx.json	@rolldown/binding-linux-s390x-gnu	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-s390x-gnu@1.2.15
100	web.cdx.json	@rolldown/binding-linux-x64-gnu	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-x64-gnu@1.2.15
101	web.cdx.json	@rolldown/binding-linux-x64-musl	1.2.15	MIT	pkg:npm/%40rolldown/binding-linux-x64-musl@1.2.15
102	web.cdx.json	@rolldown/binding-openharmony-arm64	1.2.15	MIT	pkg:npm/%40rolldown/binding-openharmony-arm64@1.2.15
103	web.cdx.json	@rolldown/binding-win32-arm64-msvc	1.2.15	MIT	pkg:npm/%40rolldown/binding-win32-arm64-msvc@1.2.15
104	web.cdx.json	@rolldown/binding-win32-x64-msvc	1.2.15	MIT	pkg:npm/%40rolldown/binding-win32-x64-msvc@1.2.15
105	web.cdx.json	@rolldown/pluginutils	1.0.1	MIT	pkg:npm/%40rolldown/pluginutils@1.0.1
106	web.cdx.json	@sec-ant/readable-stream	0.4.1	MIT	pkg:npm/%40sec-ant/readable-stream@0.4.1
107	web.cdx.json	@shadcn/registry	0.2.0	MIT	pkg:npm/%40shadcn/registry@0.2.0
108	web.cdx.json	@sindresorhus/merge-streams	4.0.0	MIT	pkg:npm/%40sindresorhus/merge-streams@4.0.0
109	web.cdx.json	@tailwindcss/node	4.3.3	MIT	pkg:npm/%40tailwindcss/node@4.3.3
110	web.cdx.json	@tailwindcss/oxide	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide@4.3.3
111	web.cdx.json	@tailwindcss/oxide-android-arm64	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-android-arm64@4.3.3
112	web.cdx.json	@tailwindcss/oxide-darwin-arm64	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-darwin-arm64@4.3.3
113	web.cdx.json	@tailwindcss/oxide-darwin-x64	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-darwin-x64@4.3.3

#	Context	Name	Version	License	Comment
114	web.cdx.json	@tailwindcss/oxide-freebsd-x64	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-freebsd-x64@4.3.3
115	web.cdx.json	@tailwindcss/oxide-linux-arm-gnueabihf	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-linux-arm-gnueabihf@4.3.3
116	web.cdx.json	@tailwindcss/oxide-linux-arm64-gnu	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-linux-arm64-gnu@4.3.3
117	web.cdx.json	@tailwindcss/oxide-linux-arm64-musl	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-linux-arm64-musl@4.3.3
118	web.cdx.json	@tailwindcss/oxide-linux-x64-gnu	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-linux-x64-gnu@4.3.3
119	web.cdx.json	@tailwindcss/oxide-linux-x64-musl	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-linux-x64-musl@4.3.3
120	web.cdx.json	@tailwindcss/oxide-wasm32-wasi	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-wasm32-wasi@4.3.3
121	web.cdx.json	@tailwindcss/oxide-win32-arm64-msvc	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-win32-arm64-msvc@4.3.3
122	web.cdx.json	@tailwindcss/oxide-win32-x64-msvc	4.3.3	MIT	pkg:npm/%40tailwindcss/oxide-win32-x64-msvc@4.3.3
123	web.cdx.json	@tailwindcss/vite	4.3.3	MIT	pkg:npm/%40tailwindcss/vite@4.3.3
124	web.cdx.json	@tanstack/devtools-event-client	0.4.4	MIT	pkg:npm/%40tanstack/devtools-event-client@0.4.4
125	web.cdx.json	@tanstack/form-core	1.33.5	MIT	pkg:npm/%40tanstack/form-core@1.33.5
126	web.cdx.json	@tanstack/history	1.162.5	MIT	pkg:npm/%40tanstack/history@1.162.5
127	web.cdx.json	@tanstack/pacer-lite	0.1.1	MIT	pkg:npm/%40tanstack/pacer-lite@0.1.1
128	web.cdx.json	@tanstack/query-core	5.104.5	MIT	pkg:npm/%40tanstack/query-core@5.104.5
129	web.cdx.json	@tanstack/react-form	1.33.5	MIT	pkg:npm/%40tanstack/react-form@1.33.5
130	web.cdx.json	@tanstack/react-query	5.104.5	MIT	pkg:npm/%40tanstack/react-query@5.104.5
131	web.cdx.json	@tanstack/react-router	1.170.45	MIT	pkg:npm/%40tanstack/react-router@1.170.45
132	web.cdx.json	@tanstack/react-store	0.11.2	MIT	pkg:npm/%40tanstack/react-store@0.11.2
133	web.cdx.json	@tanstack/router-core	1.171.38	MIT	pkg:npm/%40tanstack/router-core@1.171.38
134	web.cdx.json	@tanstack/store	0.11.2	MIT	pkg:npm/%40tanstack/store@0.11.2
135	web.cdx.json	@ts-morph/common	0.27.0	MIT	pkg:npm/%40ts-morph/common@0.27.0
136	web.cdx.json	@tybys/wasm-util	0.10.2	MIT	pkg:npm/%40tybys/wasm-util@0.10.2
137	web.cdx.json	@types/chai	5.2.3	MIT	pkg:npm/%40types/chai@5.2.3
138	web.cdx.json	@types/deep-eql	4.0.2	MIT	pkg:npm/%40types/deep-eql@4.0.2
139	web.cdx.json	@types/esrecurse	4.3.1	MIT	pkg:npm/%40types/esrecurse@4.3.1
140	web.cdx.json	@types/estree	1.0.9	MIT	pkg:npm/%40types/estree@1.0.9
141	web.cdx.json	@types/json-schema	7.0.15	MIT	pkg:npm/%40types/json-schema@7.0.15

#	Context	Name	Version	License	Comment
142	web.cdx.json	@types/node	24.19.2	MIT	pkg:npm/%40types/node@24.19.2
143	web.cdx.json	@types/react	19.3.0	MIT	pkg:npm/%40types/react@19.3.0
144	web.cdx.json	@types/react-dom	19.3.0	MIT	pkg:npm/%40types/react-dom@19.3.0
145	web.cdx.json	@types/validate-npm-package-name	4.0.2	MIT	pkg:npm/%40types/validate-npm-package-name@4.0.2
146	web.cdx.json	@typescript-eslint/eslint-plugin	8.72.0	MIT	pkg:npm/%40typescript-eslint/eslint-plugin@8.72.0
147	web.cdx.json	@typescript-eslint/parser	8.72.0	MIT	pkg:npm/%40typescript-eslint/parser@8.72.0
148	web.cdx.json	@typescript-eslint/project-service	8.72.0	MIT	pkg:npm/%40typescript-eslint/project-service@8.72.0
149	web.cdx.json	@typescript-eslint/scope-manager	8.72.0	MIT	pkg:npm/%40typescript-eslint/scope-manager@8.72.0
150	web.cdx.json	@typescript-eslint/tsconfig-utils	8.72.0	MIT	pkg:npm/%40typescript-eslint/tsconfig-utils@8.72.0
151	web.cdx.json	@typescript-eslint/type-utils	8.72.0	MIT	pkg:npm/%40typescript-eslint/type-utils@8.72.0
152	web.cdx.json	@typescript-eslint/types	8.72.0	MIT	pkg:npm/%40typescript-eslint/types@8.72.0
153	web.cdx.json	@typescript-eslint/typescript-estree	8.72.0	MIT	pkg:npm/%40typescript-eslint/typescript-estree@8.72.0
154	web.cdx.json	@typescript-eslint/utils	8.72.0	MIT	pkg:npm/%40typescript-eslint/utils@8.72.0
155	web.cdx.json	@typescript-eslint/visitor-keys	8.72.0	MIT	pkg:npm/%40typescript-eslint/visitor-keys@8.72.0
156	web.cdx.json	@vitejs/plugin-react	6.1.2	MIT	pkg:npm/%40vitejs/plugin-react@6.1.2
157	web.cdx.json	@vitest/mocker	5.0.5	MIT	pkg:npm/%40vitest/mocker@5.0.5
158	web.cdx.json	@vitest/spy	5.0.5	MIT	pkg:npm/%40vitest/spy@5.0.5
159	web.cdx.json	accepts	2.0.0	MIT	pkg:npm/accepts@2.0.0
160	web.cdx.json	acorn	8.19.0	MIT	pkg:npm/acorn@8.19.0
161	web.cdx.json	acorn-jsx	5.3.2	MIT	pkg:npm/acorn-jsx@5.3.2
162	web.cdx.json	ajv	6.15.0	MIT	pkg:npm/ajv@6.15.0
163	web.cdx.json	ajv	8.20.0	MIT	pkg:npm/ajv@8.20.0
164	web.cdx.json	ajv-formats	2.1.1	MIT	pkg:npm/ajv-formats@2.1.1
165	web.cdx.json	ajv-formats	3.0.1	MIT	pkg:npm/ajv-formats@3.0.1
166	web.cdx.json	ansi-colors	4.1.3	MIT	pkg:npm/ansi-colors@4.1.3
167	web.cdx.json	ansi-regex	5.0.1	MIT	pkg:npm/ansi-regex@5.0.1
168	web.cdx.json	ansi-regex	6.4.0	MIT	pkg:npm/ansi-regex@6.4.0
169	web.cdx.json	aria-hidden	1.2.6	MIT	pkg:npm/aria-hidden@1.2.6
170	web.cdx.json	assertion-error	2.0.1	MIT	pkg:npm/assertion-error@2.0.1
171	web.cdx.json	ast-types	0.16.3	MIT	pkg:npm/ast-types@0.16.3
172	web.cdx.json	atomically	1.7.0	MIT	pkg:npm/atomically@1.7.0

#	Context	Name	Version	License	Comment
173	web.cdx.json	balanced-match	4.0.4	MIT	pkg:npm/balanced-match@4.0.4
174	web.cdx.json	baseline-browser-mapping	2.11.30	Apache-2.0	pkg:npm/baseline-browser-mapping@2.11.30
175	web.cdx.json	body-parser	2.4.0	MIT	pkg:npm/body-parser@2.4.0
176	web.cdx.json	brace-expansion	5.0.12	MIT	pkg:npm/brace-expansion@5.0.12
177	web.cdx.json	braces	3.0.3	MIT	pkg:npm/braces@3.0.3
178	web.cdx.json	browserslist	4.29.4	MIT	pkg:npm/browserslist@4.29.4
179	web.cdx.json	bundle-name	4.1.1	MIT	pkg:npm/bundle-name@4.1.1
180	web.cdx.json	bytes	3.1.2	MIT	pkg:npm/bytes@3.1.2
181	web.cdx.json	cacheable	2.5.0	MIT	pkg:npm/cacheable@2.5.0
182	web.cdx.json	call-bind-apply-helpers	1.0.2	MIT	pkg:npm/call-bind-apply-helpers@1.0.2
183	web.cdx.json	call-bound	1.0.4	MIT	pkg:npm/call-bound@1.0.4
184	web.cdx.json	caniuse-lite	1.0.30001818	CC-BY-4.0	pkg:npm/caniuse-lite@1.0.30001818
185	web.cdx.json	chai	6.3.0	MIT	pkg:npm/chai@6.3.0
186	web.cdx.json	chalk	5.6.2	MIT	pkg:npm/chalk@5.6.2
187	web.cdx.json	class-variance-authority	0.7.1	Apache-2.0	pkg:npm/class-variance-authority@0.7.1
188	web.cdx.json	cli-cursor	5.0.0	MIT	pkg:npm/cli-cursor@5.0.0
189	web.cdx.json	cli-spinners	2.9.2	MIT	pkg:npm/cli-spinners@2.9.2
190	web.cdx.json	clsx	2.1.1	MIT	pkg:npm/clsx@2.1.1
191	web.cdx.json	cmdk	1.1.1	MIT	pkg:npm/cmdk@1.1.1
192	web.cdx.json	cn	0.2.6	MIT	pkg:npm/cn@0.2.6
193	web.cdx.json	cn	0.5.0	MIT	pkg:npm/cn@0.5.0
194	web.cdx.json	code-block-writer	13.0.3	MIT	pkg:npm/code-block-writer@13.0.3
195	web.cdx.json	commander	11.1.0	MIT	pkg:npm/commander@11.1.0
196	web.cdx.json	commander	14.0.3	MIT	pkg:npm/commander@14.0.3
197	web.cdx.json	conf	10.2.0	MIT	pkg:npm/conf@10.2.0
198	web.cdx.json	content-disposition	2.0.1	MIT	pkg:npm/content-disposition@2.0.1
199	web.cdx.json	content-type	1.0.5	MIT	pkg:npm/content-type@1.0.5
200	web.cdx.json	content-type	2.1.0	MIT	pkg:npm/content-type@2.1.0
201	web.cdx.json	convert-source-map	2.0.0	MIT	pkg:npm/convert-source-map@2.0.0
202	web.cdx.json	cookie	0.7.2	MIT	pkg:npm/cookie@0.7.2
203	web.cdx.json	cookie-es	3.1.1	MIT	pkg:npm/cookie-es@3.1.1
204	web.cdx.json	cookie-signature	1.2.2	MIT	pkg:npm/cookie-signature@1.2.2
205	web.cdx.json	cors	2.8.6	MIT	pkg:npm/cors@2.8.6
206	web.cdx.json	cross-spawn	7.0.6	MIT	pkg:npm/cross-spawn@7.0.6
207	web.cdx.json	cssesc	3.0.0	MIT	pkg:npm/cssesc@3.0.0
208	web.cdx.json	csstype	3.2.3	MIT	pkg:npm/csstype@3.2.3
209	web.cdx.json	date-fns	4.4.0	MIT	pkg:npm/date-fns@4.4.0

#	Context	Name	Version	License	Comment
210	web.cdx.json	debounce-fn	4.0.0	MIT	pkg:npm/debounce-fn@4.0.0
211	web.cdx.json	debug	4.4.3	MIT	pkg:npm/debug@4.4.3
212	web.cdx.json	dedent	1.7.2	MIT	pkg:npm/dedent@1.7.2
213	web.cdx.json	deep-is	0.1.4	MIT	pkg:npm/deep-is@0.1.4
214	web.cdx.json	deepmerge	4.3.1	MIT	pkg:npm/deepmerge@4.3.1
215	web.cdx.json	default-browser	5.5.1	MIT	pkg:npm/default-browser@5.5.1
216	web.cdx.json	default-browser-id	5.0.1	MIT	pkg:npm/default-browser-id@5.0.1
217	web.cdx.json	define-lazy-prop	2.0.0	MIT	pkg:npm/define-lazy-prop@2.0.0
218	web.cdx.json	define-lazy-prop	3.0.0	MIT	pkg:npm/define-lazy-prop@3.0.0
219	web.cdx.json	depd	2.0.0	MIT	pkg:npm/depd@2.0.0
220	web.cdx.json	detect-libc	2.1.2	Apache-2.0	pkg:npm/detect-libc@2.1.2
221	web.cdx.json	detect-node-es	1.1.0	MIT	pkg:npm/detect-node-es@1.1.0
222	web.cdx.json	diff	8.0.4	BSD-3-Clause	pkg:npm/diff@8.0.4
223	web.cdx.json	dot-prop	6.0.1	MIT	pkg:npm/dot-prop@6.0.1
224	web.cdx.json	dotenv	17.4.2	BSD-2-Clause	pkg:npm/dotenv@17.4.2
225	web.cdx.json	dunder-proto	1.0.1	MIT	pkg:npm/dunder-proto@1.0.1
226	web.cdx.json	ee-first	1.1.1	MIT	pkg:npm/ee-first@1.1.1
227	web.cdx.json	electron-to-chromium	1.5.463	ISC	pkg:npm/electron-to-chromium@1.5.463
228	web.cdx.json	embla-carousel	8.6.0	MIT	pkg:npm/embla-carousel@8.6.0
229	web.cdx.json	embla-carousel-react	8.6.0	MIT	pkg:npm/embla-carousel-react@8.6.0
230	web.cdx.json	embla-carousel-reactive-utils	8.6.0	MIT	pkg:npm/embla-carousel-reactive-utils@8.6.0
231	web.cdx.json	emoji-regex	10.6.0	MIT	pkg:npm/emoji-regex@10.6.0
232	web.cdx.json	encodeurl	2.0.0	MIT	pkg:npm/encodeurl@2.0.0
233	web.cdx.json	enhanced-resolve	5.26.0	MIT	pkg:npm/enhanced-resolve@5.26.0
234	web.cdx.json	enquirer	2.4.1	MIT	pkg:npm/enquirer@2.4.1
235	web.cdx.json	env-paths	2.2.1	MIT	pkg:npm/env-paths@2.2.1
236	web.cdx.json	es-define-property	1.0.1	MIT	pkg:npm/es-define-property@1.0.1
237	web.cdx.json	es-errors	1.3.0	MIT	pkg:npm/es-errors@1.3.0
238	web.cdx.json	es-module-lexer	2.3.2	MIT	pkg:npm/es-module-lexer@2.3.2
239	web.cdx.json	es-object-atoms	1.1.2	MIT	pkg:npm/es-object-atoms@1.1.2
240	web.cdx.json	escalade	3.2.0	MIT	pkg:npm/escalade@3.2.0
241	web.cdx.json	escape-html	1.0.3	MIT	pkg:npm/escape-html@1.0.3
242	web.cdx.json	escape-string-regexp	4.0.0	MIT	pkg:npm/escape-string-regexp@4.0.0
243	web.cdx.json	eslint	10.13.0	MIT	pkg:npm/eslint@10.13.0
244	web.cdx.json	eslint-plugin-react-hooks	7.1.1	MIT	pkg:npm/eslint-plugin-react-hooks@7.1.1
245	web.cdx.json	eslint-plugin-react-refresh	0.5.7	MIT	pkg:npm/eslint-plugin-react-refresh@0.5.7
246	web.cdx.json	eslint-scope	9.1.2	BSD-2-Clause	pkg:npm/eslint-scope@9.1.2
247	web.cdx.json	eslint-visitor-keys	3.4.3	Apache-2.0	pkg:npm/eslint-visitor-keys@3.4.3

#	Context	Name	Version	License	Comment
248	web.cdx.json	eslint-visitor-keys	5.0.1	Apache-2.0	pkg:npm/eslint-visitor-keys@5.0.1
249	web.cdx.json	espree	11.2.0	BSD-2-Clause	pkg:npm/espree@11.2.0
250	web.cdx.json	esprima	4.0.1	BSD-2-Clause	pkg:npm/esprima@4.0.1
251	web.cdx.json	esquery	1.7.0	BSD-3-Clause	pkg:npm/esquery@1.7.0
252	web.cdx.json	esrecurse	4.3.0	BSD-2-Clause	pkg:npm/esrecurse@4.3.0
253	web.cdx.json	estraverse	5.3.0	BSD-2-Clause	pkg:npm/estraverse@5.3.0
254	web.cdx.json	estree-walker	3.0.3	MIT	pkg:npm/estree-walker@3.0.3
255	web.cdx.json	esutils	2.0.3	BSD-2-Clause	pkg:npm/esutils@2.0.3
256	web.cdx.json	etag	1.8.1	MIT	pkg:npm/etag@1.8.1
257	web.cdx.json	eventsource	3.0.7	MIT	pkg:npm/eventsource@3.0.7
258	web.cdx.json	eventsource-parser	3.1.1	MIT	pkg:npm/eventsource-parser@3.1.1
259	web.cdx.json	execa	5.1.1	MIT	pkg:npm/execa@5.1.1
260	web.cdx.json	execa	9.6.1	MIT	pkg:npm/execa@9.6.1
261	web.cdx.json	expect-type	1.4.0	Apache-2.0	pkg:npm/expect-type@1.4.0
262	web.cdx.json	express	5.3.0	MIT	pkg:npm/express@5.3.0
263	web.cdx.json	express-rate-limit	8.7.1	MIT	pkg:npm/express-rate-limit@8.7.1
264	web.cdx.json	fast-deep-equal	3.1.3	MIT	pkg:npm/fast-deep-equal@3.1.3
265	web.cdx.json	fast-glob	3.3.3	MIT	pkg:npm/fast-glob@3.3.3
266	web.cdx.json	fast-json-stable-stringify	2.1.0	MIT	pkg:npm/fast-json-stable-stringify@2.1.0
267	web.cdx.json	fast-levenshtein	2.0.6	MIT	pkg:npm/fast-levenshtein@2.0.6
268	web.cdx.json	fast-uri	3.1.9	BSD-3-Clause	pkg:npm/fast-uri@3.1.9
269	web.cdx.json	fastq	1.20.3	ISC	pkg:npm/fastq@1.20.3
270	web.cdx.json	fdir	6.5.0	MIT	pkg:npm/fdir@6.5.0
271	web.cdx.json	figures	6.1.0	MIT	pkg:npm/figures@6.1.0
272	web.cdx.json	file-entry-cache	11.1.5	MIT	pkg:npm/file-entry-cache@11.1.5
273	web.cdx.json	fill-range	7.1.1	MIT	pkg:npm/fill-range@7.1.1
274	web.cdx.json	finalhandler	2.1.1	MIT	pkg:npm/finalhandler@2.1.1
275	web.cdx.json	find-up	3.0.0	MIT	pkg:npm/find-up@3.0.0
276	web.cdx.json	find-up	5.0.0	MIT	pkg:npm/find-up@5.0.0
277	web.cdx.json	flat-cache	6.1.23	MIT	pkg:npm/flat-cache@6.1.23
278	web.cdx.json	flatted	3.4.4	ISC	pkg:npm/flatted@3.4.4
279	web.cdx.json	forwarded	0.2.0	MIT	pkg:npm/forwarded@0.2.0
280	web.cdx.json	fresh	2.0.0	MIT	pkg:npm/fresh@2.0.0
281	web.cdx.json	fs-extra	11.4.1	MIT	pkg:npm/fs-extra@11.4.1
282	web.cdx.json	fsevents	2.3.3	MIT	pkg:npm/fsevents@2.3.3
283	web.cdx.json	function-bind	1.1.2	MIT	pkg:npm/function-bind@1.1.2
284	web.cdx.json	fuzzysort	3.1.0	MIT	pkg:npm/fuzzysort@3.1.0

#	Context	Name	Version	License	Comment
285	web.cdx.json	gensync	1.0.0-beta.2	MIT	pkg:npm/gensync@1.0.0-beta.2
286	web.cdx.json	get-east-asian-width	1.7.0	MIT	pkg:npm/get-east-asian-width@1.7.0
287	web.cdx.json	get-intrinsic	1.3.0	MIT	pkg:npm/get-intrinsic@1.3.0
288	web.cdx.json	get-nonce	1.0.1	MIT	pkg:npm/get-nonce@1.0.1
289	web.cdx.json	get-own-enumerable-keys	1.0.0	MIT	pkg:npm/get-own-enumerable-keys@1.0.0
290	web.cdx.json	get-proto	1.0.1	MIT	pkg:npm/get-proto@1.0.1
291	web.cdx.json	get-stream	6.0.1	MIT	pkg:npm/get-stream@6.0.1
292	web.cdx.json	get-stream	9.0.1	MIT	pkg:npm/get-stream@9.0.1
293	web.cdx.json	glob-parent	5.1.2	ISC	pkg:npm/glob-parent@5.1.2
294	web.cdx.json	glob-parent	6.0.2	ISC	pkg:npm/glob-parent@6.0.2
295	web.cdx.json	globals	17.13.0	MIT	pkg:npm/globals@17.13.0
296	web.cdx.json	gopd	1.2.0	MIT	pkg:npm/gopd@1.2.0
297	web.cdx.json	graceful-fs	4.2.11	ISC	pkg:npm/graceful-fs@4.2.11
298	web.cdx.json	has-symbols	1.1.0	MIT	pkg:npm/has-symbols@1.1.0
299	web.cdx.json	hashery	1.5.1	MIT	pkg:npm/hashery@1.5.1
300	web.cdx.json	hasown	2.0.4	MIT	pkg:npm/hasown@2.0.4
301	web.cdx.json	hermes-estree	0.25.1	MIT	pkg:npm/hermes-estree@0.25.1
302	web.cdx.json	hermes-parser	0.25.1	MIT	pkg:npm/hermes-parser@0.25.1
303	web.cdx.json	hono	4.13.13	MIT	pkg:npm/hono@4.13.13
304	web.cdx.json	hookified	1.15.1	MIT	pkg:npm/hookified@1.15.1
305	web.cdx.json	hookified	2.2.0	MIT	pkg:npm/hookified@2.2.0
306	web.cdx.json	http-errors	2.0.1	MIT	pkg:npm/http-errors@2.0.1
307	web.cdx.json	human-signals	2.1.0	Apache-2.0	pkg:npm/human-signals@2.1.0
308	web.cdx.json	human-signals	8.0.1	Apache-2.0	pkg:npm/human-signals@8.0.1
309	web.cdx.json	iconv-lite	0.7.3	MIT	pkg:npm/iconv-lite@0.7.3
310	web.cdx.json	ignore	5.3.2	MIT	pkg:npm/ignore@5.3.2
311	web.cdx.json	ignore	7.0.13	MIT	pkg:npm/ignore@7.0.13
312	web.cdx.json	imurmurhash	0.1.4	MIT	pkg:npm/imurmurhash@0.1.4
313	web.cdx.json	inherits	2.0.4	ISC	pkg:npm/inherits@2.0.4
314	web.cdx.json	input-otp	1.5.0	MIT	pkg:npm/input-otp@1.5.0
315	web.cdx.json	ip-address	10.7.4	MIT	pkg:npm/ip-address@10.7.4
316	web.cdx.json	ipaddr.js	1.9.1	MIT	pkg:npm/ipaddr.js@1.9.1
317	web.cdx.json	is-docker	2.2.1	MIT	pkg:npm/is-docker@2.2.1
318	web.cdx.json	is-docker	3.0.0	MIT	pkg:npm/is-docker@3.0.0
319	web.cdx.json	is-extglob	2.1.1	MIT	pkg:npm/is-extglob@2.1.1
320	web.cdx.json	is-glob	4.0.3	MIT	pkg:npm/is-glob@4.0.3
321	web.cdx.json	is-in-ssh	1.0.0	MIT	pkg:npm/is-in-ssh@1.0.0

#	Context	Name	Version	License	Comment
322	web.cdx.json	is-inside-container	1.0.0	MIT	pkg:npm/is-inside-container@1.0.0
323	web.cdx.json	is-interactive	2.0.0	MIT	pkg:npm/is-interactive@2.0.0
324	web.cdx.json	is-number	7.0.0	MIT	pkg:npm/is-number@7.0.0
325	web.cdx.json	is-obj	2.0.0	MIT	pkg:npm/is-obj@2.0.0
326	web.cdx.json	is-obj	3.0.0	MIT	pkg:npm/is-obj@3.0.0
327	web.cdx.json	is-plain-obj	4.1.0	MIT	pkg:npm/is-plain-obj@4.1.0
328	web.cdx.json	is-promise	4.0.0	MIT	pkg:npm/is-promise@4.0.0
329	web.cdx.json	is-regexp	3.1.0	MIT	pkg:npm/is-regexp@3.1.0
330	web.cdx.json	is-stream	2.0.1	MIT	pkg:npm/is-stream@2.0.1
331	web.cdx.json	is-stream	4.0.1	MIT	pkg:npm/is-stream@4.0.1
332	web.cdx.json	is-unicode-supported	1.3.0	MIT	pkg:npm/is-unicode-supported@1.3.0
333	web.cdx.json	is-unicode-supported	2.1.0	MIT	pkg:npm/is-unicode-supported@2.1.0
334	web.cdx.json	is-wsl	2.2.0	MIT	pkg:npm/is-wsl@2.2.0
335	web.cdx.json	is-wsl	3.1.1	MIT	pkg:npm/is-wsl@3.1.1
336	web.cdx.json	isbot	5.2.2	Unlicense	pkg:npm/isbot@5.2.2
337	web.cdx.json	isexe	2.0.0	ISC	pkg:npm/isexe@2.0.0
338	web.cdx.json	isexe	3.1.5	BlueOak-1.0.0	pkg:npm/isexe@3.1.5
339	web.cdx.json	jiti	2.7.0	MIT	pkg:npm/jiti@2.7.0
340	web.cdx.json	jose	6.2.13	MIT	pkg:npm/jose@6.2.13
341	web.cdx.json	js-tokens	4.0.0	MIT	pkg:npm/js-tokens@4.0.0
342	web.cdx.json	jsesc	3.1.0	MIT	pkg:npm/jsesc@3.1.0
343	web.cdx.json	json-schema-traverse	0.4.1	MIT	pkg:npm/json-schema-traverse@0.4.1
344	web.cdx.json	json-schema-traverse	1.0.0	MIT	pkg:npm/json-schema-traverse@1.0.0
345	web.cdx.json	json-schema-typed	7.0.3	BSD-2-Clause	pkg:npm/json-schema-typed@7.0.3
346	web.cdx.json	json-schema-typed	8.0.2	BSD-2-Clause	pkg:npm/json-schema-typed@8.0.2
347	web.cdx.json	json-stable-stringify-without-jsonify	1.0.1	MIT	pkg:npm/json-stable-stringify-without-jsonify@1.0.1
348	web.cdx.json	json5	2.2.3	MIT	pkg:npm/json5@2.2.3
349	web.cdx.json	jsonfile	6.2.1	MIT	pkg:npm/jsonfile@6.2.1
350	web.cdx.json	keyv	5.6.0	MIT	pkg:npm/keyv@5.6.0
351	web.cdx.json	kleur	3.0.3	MIT	pkg:npm/kleur@3.0.3
352	web.cdx.json	kleur	4.1.5	MIT	pkg:npm/kleur@4.1.5
353	web.cdx.json	levn	0.4.1	MIT	pkg:npm/levn@0.4.1
354	web.cdx.json	lightningcss	1.32.0	MPL-2.0	pkg:npm/lightningcss@1.32.0
355	web.cdx.json	lightningcss	1.33.0	MPL-2.0	pkg:npm/lightningcss@1.33.0
356	web.cdx.json	lightningcss-android-arm64	1.32.0	MPL-2.0	pkg:npm/lightningcss-android-arm64@1.32.0
357	web.cdx.json	lightningcss-android-arm64	1.33.0	MPL-2.0	pkg:npm/lightningcss-android-arm64@1.33.0
358	web.cdx.json	lightningcss-darwin-arm64	1.32.0	MPL-2.0	pkg:npm/lightningcss-darwin-arm64@1.32.0

#	Context	Name	Version	License	Comment
359	web.cdx.json	lightningcss-darwin-arm64	1.33.0	MPL-2.0	pkg:npm/lightningcss-darwin-arm64@1.33.0
360	web.cdx.json	lightningcss-darwin-x64	1.32.0	MPL-2.0	pkg:npm/lightningcss-darwin-x64@1.32.0
361	web.cdx.json	lightningcss-darwin-x64	1.33.0	MPL-2.0	pkg:npm/lightningcss-darwin-x64@1.33.0
362	web.cdx.json	lightningcss-freebsd-x64	1.32.0	MPL-2.0	pkg:npm/lightningcss-freebsd-x64@1.32.0
363	web.cdx.json	lightningcss-freebsd-x64	1.33.0	MPL-2.0	pkg:npm/lightningcss-freebsd-x64@1.33.0
364	web.cdx.json	lightningcss-linux-arm-gnueabihf	1.32.0	MPL-2.0	pkg:npm/lightningcss-linux-arm-gnueabihf@1.32.0
365	web.cdx.json	lightningcss-linux-arm-gnueabihf	1.33.0	MPL-2.0	pkg:npm/lightningcss-linux-arm-gnueabihf@1.33.0
366	web.cdx.json	lightningcss-linux-arm64-gnu	1.32.0	MPL-2.0	pkg:npm/lightningcss-linux-arm64-gnu@1.32.0
367	web.cdx.json	lightningcss-linux-arm64-gnu	1.33.0	MPL-2.0	pkg:npm/lightningcss-linux-arm64-gnu@1.33.0
368	web.cdx.json	lightningcss-linux-arm64-musl	1.32.0	MPL-2.0	pkg:npm/lightningcss-linux-arm64-musl@1.32.0
369	web.cdx.json	lightningcss-linux-arm64-musl	1.33.0	MPL-2.0	pkg:npm/lightningcss-linux-arm64-musl@1.33.0
370	web.cdx.json	lightningcss-linux-x64-gnu	1.32.0	MPL-2.0	pkg:npm/lightningcss-linux-x64-gnu@1.32.0
371	web.cdx.json	lightningcss-linux-x64-gnu	1.33.0	MPL-2.0	pkg:npm/lightningcss-linux-x64-gnu@1.33.0
372	web.cdx.json	lightningcss-linux-x64-musl	1.32.0	MPL-2.0	pkg:npm/lightningcss-linux-x64-musl@1.32.0
373	web.cdx.json	lightningcss-linux-x64-musl	1.33.0	MPL-2.0	pkg:npm/lightningcss-linux-x64-musl@1.33.0
374	web.cdx.json	lightningcss-win32-arm64-msvc	1.32.0	MPL-2.0	pkg:npm/lightningcss-win32-arm64-msvc@1.32.0
375	web.cdx.json	lightningcss-win32-arm64-msvc	1.33.0	MPL-2.0	pkg:npm/lightningcss-win32-arm64-msvc@1.33.0
376	web.cdx.json	lightningcss-win32-x64-msvc	1.32.0	MPL-2.0	pkg:npm/lightningcss-win32-x64-msvc@1.32.0
377	web.cdx.json	lightningcss-win32-x64-msvc	1.33.0	MPL-2.0	pkg:npm/lightningcss-win32-x64-msvc@1.33.0
378	web.cdx.json	locate-path	3.0.0	MIT	pkg:npm/locate-path@3.0.0
379	web.cdx.json	locate-path	6.0.0	MIT	pkg:npm/locate-path@6.0.0
380	web.cdx.json	log-symbols	6.0.0	MIT	pkg:npm/log-symbols@6.0.0
381	web.cdx.json	lru-cache	5.1.1	ISC	pkg:npm/lru-cache@5.1.1
382	web.cdx.json	magic-string	0.30.21	MIT	pkg:npm/magic-string@0.30.21
383	web.cdx.json	magic-string	1.4.4	MIT	pkg:npm/magic-string@1.4.4
384	web.cdx.json	math-intrinsics	1.1.0	MIT	pkg:npm/math-intrinsics@1.1.0
385	web.cdx.json	media-typer	1.1.1	MIT	pkg:npm/media-typer@1.1.1
386	web.cdx.json	merge-descriptors	2.0.0	MIT	pkg:npm/merge-descriptors@2.0.0
387	web.cdx.json	merge-stream	2.0.0	MIT	pkg:npm/merge-stream@2.0.0
388	web.cdx.json	merge2	1.4.1	MIT	pkg:npm/merge2@1.4.1
389	web.cdx.json	micromatch	4.0.8	MIT	pkg:npm/micromatch@4.0.8
390	web.cdx.json	mime-db	1.54.0	MIT	pkg:npm/mime-db@1.54.0
391	web.cdx.json	mime-types	3.0.2	MIT	pkg:npm/mime-types@3.0.2
392	web.cdx.json	mimic-fn	2.1.0	MIT	pkg:npm/mimic-fn@2.1.0
393	web.cdx.json	mimic-fn	3.1.0	MIT	pkg:npm/mimic-fn@3.1.0
394	web.cdx.json	mimic-function	5.0.1	MIT	pkg:npm/mimic-function@5.0.1
395	web.cdx.json	minimatch	10.2.6	BlueOak-1.0.0	pkg:npm/minimatch@10.2.6
396	web.cdx.json	minimist	1.2.8	MIT	pkg:npm/minimist@1.2.8

#	Context	Name	Version	License	Comment
397	web.cdx.json	ms	2.1.3	MIT	pkg:npm/ms@2.1.3
398	web.cdx.json	nanoid	3.3.20	MIT	pkg:npm/nanoid@3.3.20
399	web.cdx.json	natural-compare	1.4.0	MIT	pkg:npm/natural-compare@1.4.0
400	web.cdx.json	negotiator	1.1.0	MIT	pkg:npm/negotiator@1.1.0
401	web.cdx.json	node-releases	2.0.59	MIT	pkg:npm/node-releases@2.0.59
402	web.cdx.json	npm-run-path	4.0.1	MIT	pkg:npm/npm-run-path@4.0.1
403	web.cdx.json	npm-run-path	6.0.0	MIT	pkg:npm/npm-run-path@6.0.0
404	web.cdx.json	object-assign	4.1.1	MIT	pkg:npm/object-assign@4.1.1
405	web.cdx.json	object-inspect	1.13.4	MIT	pkg:npm/object-inspect@1.13.4
406	web.cdx.json	object-treeify	1.1.33	MIT	pkg:npm/object-treeify@1.1.33
407	web.cdx.json	obug	3.0.0	MIT	pkg:npm/obug@3.0.0
408	web.cdx.json	on-finished	2.4.2	MIT	pkg:npm/on-finished@2.4.2
409	web.cdx.json	once	1.4.0	ISC	pkg:npm/once@1.4.0
410	web.cdx.json	onetime	5.1.2	MIT	pkg:npm/onetime@5.1.2
411	web.cdx.json	onetime	7.0.0	MIT	pkg:npm/onetime@7.0.0
412	web.cdx.json	open	11.0.4	MIT	pkg:npm/open@11.0.4
413	web.cdx.json	open	8.4.2	MIT	pkg:npm/open@8.4.2
414	web.cdx.json	optionator	0.9.4	MIT	pkg:npm/optionator@0.9.4
415	web.cdx.json	ora	8.2.0	MIT	pkg:npm/ora@8.2.0
416	web.cdx.json	p-limit	2.3.0	MIT	pkg:npm/p-limit@2.3.0
417	web.cdx.json	p-limit	3.1.0	MIT	pkg:npm/p-limit@3.1.0
418	web.cdx.json	p-locate	3.0.0	MIT	pkg:npm/p-locate@3.0.0
419	web.cdx.json	p-locate	5.0.0	MIT	pkg:npm/p-locate@5.0.0
420	web.cdx.json	p-try	2.2.0	MIT	pkg:npm/p-try@2.2.0
421	web.cdx.json	parse-ms	4.0.0	MIT	pkg:npm/parse-ms@4.0.0
422	web.cdx.json	parseurl	1.3.3	MIT	pkg:npm/parseurl@1.3.3
423	web.cdx.json	path-browserify	1.0.1	MIT	pkg:npm/path-browserify@1.0.1
424	web.cdx.json	path-exists	3.0.0	MIT	pkg:npm/path-exists@3.0.0
425	web.cdx.json	path-exists	4.0.0	MIT	pkg:npm/path-exists@4.0.0
426	web.cdx.json	path-key	3.1.1	MIT	pkg:npm/path-key@3.1.1
427	web.cdx.json	path-key	4.0.0	MIT	pkg:npm/path-key@4.0.0
428	web.cdx.json	path-to-regexp	8.4.2	MIT	pkg:npm/path-to-regexp@8.4.2
429	web.cdx.json	picocolors	1.1.1	ISC	pkg:npm/picocolors@1.1.1
430	web.cdx.json	picomatch	2.3.2	MIT	pkg:npm/picomatch@2.3.2
431	web.cdx.json	picomatch	4.0.7	MIT	pkg:npm/picomatch@4.0.7
432	web.cdx.json	pkce-challenge	5.0.1	MIT	pkg:npm/pkce-challenge@5.0.1
433	web.cdx.json	pkg-up	3.1.0	MIT	pkg:npm/pkg-up@3.1.0
434	web.cdx.json	postcss	8.5.31	MIT	pkg:npm/postcss@8.5.31

#	Context	Name	Version	License	Comment
435	web.cdx.json	postcss-selector-parser	7.1.7	MIT	pkg:npm/postcss-selector-parser@7.1.7
436	web.cdx.json	powershell-utils	0.2.1	MIT	pkg:npm/powershell-utils@0.2.1
437	web.cdx.json	prelude-ls	1.2.1	MIT	pkg:npm/prelude-ls@1.2.1
438	web.cdx.json	prettier	3.9.10	MIT	pkg:npm/prettier@3.9.10
439	web.cdx.json	prettier-plugin-tailwindcss	0.8.1	MIT	pkg:npm/prettier-plugin-tailwindcss@0.8.1
440	web.cdx.json	pretty-ms	9.3.1	MIT	pkg:npm/pretty-ms@9.3.1
441	web.cdx.json	prompts	2.4.2	MIT	pkg:npm/prompts@2.4.2
442	web.cdx.json	proxy-addr	2.0.8	MIT	pkg:npm/proxy-addr@2.0.8
443	web.cdx.json	punycode	2.3.1	MIT	pkg:npm/punycode@2.3.1
444	web.cdx.json	qified	0.10.1	MIT	pkg:npm/qified@0.10.1
445	web.cdx.json	qs	6.16.1	BSD-3-Clause	pkg:npm/qs@6.16.1
446	web.cdx.json	queue-microtask	1.2.3	MIT	pkg:npm/queue-microtask@1.2.3
447	web.cdx.json	range-parser	1.3.0	MIT	pkg:npm/range-parser@1.3.0
448	web.cdx.json	raw-body	3.0.2	MIT	pkg:npm/raw-body@3.0.2
449	web.cdx.json	react	19.3.1	MIT	pkg:npm/react@19.3.1
450	web.cdx.json	react-day-picker	10.0.2	MIT	pkg:npm/react-day-picker@10.0.2
451	web.cdx.json	react-dom	19.3.1	MIT	pkg:npm/react-dom@19.3.1
452	web.cdx.json	react-remove-scroll	2.7.2	MIT	pkg:npm/react-remove-scroll@2.7.2
453	web.cdx.json	react-remove-scroll-bar	2.3.8	MIT	pkg:npm/react-remove-scroll-bar@2.3.8
454	web.cdx.json	react-resizable-panels	4.14.8	MIT	pkg:npm/react-resizable-panels@4.14.8
455	web.cdx.json	react-style-singleton	2.2.3	MIT	pkg:npm/react-style-singleton@2.2.3
456	web.cdx.json	recast	0.23.21	MIT	pkg:npm/recast@0.23.21
457	web.cdx.json	require-from-string	2.0.2	MIT	pkg:npm/require-from-string@2.0.2
458	web.cdx.json	reselect	5.3.0	MIT	pkg:npm/reselect@5.3.0
459	web.cdx.json	restore-cursor	5.1.0	MIT	pkg:npm/restore-cursor@5.1.0
460	web.cdx.json	reusify	1.1.0	MIT	pkg:npm/reusify@1.1.0
461	web.cdx.json	rolldown	1.2.15	MIT	pkg:npm/rolldown@1.2.15
462	web.cdx.json	router	2.2.0	MIT	pkg:npm/router@2.2.0
463	web.cdx.json	run-applescript	7.1.0	MIT	pkg:npm/run-applescript@7.1.0
464	web.cdx.json	run-parallel	1.2.0	MIT	pkg:npm/run-parallel@1.2.0
465	web.cdx.json	safer-buffer	2.1.2	MIT	pkg:npm/safer-buffer@2.1.2
466	web.cdx.json	scheduler	0.28.0	MIT	pkg:npm/scheduler@0.28.0
467	web.cdx.json	semver	6.3.1	ISC	pkg:npm/semver@6.3.1
468	web.cdx.json	semver	7.8.5	ISC	pkg:npm/semver@7.8.5
469	web.cdx.json	send	1.2.1	MIT	pkg:npm/send@1.2.1
470	web.cdx.json	seroval	1.7.0	MIT	pkg:npm/seroval@1.7.0
471	web.cdx.json	seroval-plugins	1.6.12	MIT	pkg:npm/seroval-plugins@1.6.12
472	web.cdx.json	serve-static	2.2.1	MIT	pkg:npm/serve-static@2.2.1

#	Context	Name	Version	License	Comment
473	web.cdx.json	setprototypeof	1.2.0	ISC	pkg:npm/setprototypeof@1.2.0
474	web.cdx.json	shadcn	4.22.1	MIT	pkg:npm/shadcn@4.22.1
475	web.cdx.json	shebang-command	2.0.0	MIT	pkg:npm/shebang-command@2.0.0
476	web.cdx.json	shebang-regex	3.0.0	MIT	pkg:npm/shebang-regex@3.0.0
477	web.cdx.json	side-channel	1.1.1	MIT	pkg:npm/side-channel@1.1.1
478	web.cdx.json	side-channel-list	1.0.1	MIT	pkg:npm/side-channel-list@1.0.1
479	web.cdx.json	side-channel-map	1.0.1	MIT	pkg:npm/side-channel-map@1.0.1
480	web.cdx.json	side-channel-weakmap	1.0.2	MIT	pkg:npm/side-channel-weakmap@1.0.2
481	web.cdx.json	signal-exit	3.0.7	ISC	pkg:npm/signal-exit@3.0.7
482	web.cdx.json	signal-exit	4.1.0	ISC	pkg:npm/signal-exit@4.1.0
483	web.cdx.json	sisteransi	1.0.5	MIT	pkg:npm/sisteransi@1.0.5
484	web.cdx.json	smart-buffer	4.2.0	MIT	pkg:npm/smart-buffer@4.2.0
485	web.cdx.json	socks	2.8.10	MIT	pkg:npm/socks@2.8.10
486	web.cdx.json	source-map	0.6.1	BSD-3-Clause	pkg:npm/source-map@0.6.1
487	web.cdx.json	source-map-js	1.2.2	BSD-3-Clause	pkg:npm/source-map-js@1.2.2
488	web.cdx.json	statuses	2.0.2	MIT	pkg:npm/statuses@2.0.2
489	web.cdx.json	std-env	4.3.0	MIT	pkg:npm/std-env@4.3.0
490	web.cdx.json	stdin-discarder	0.2.2	MIT	pkg:npm/stdin-discarder@0.2.2
491	web.cdx.json	string-width	7.2.0	MIT	pkg:npm/string-width@7.2.0
492	web.cdx.json	stringify-object	5.0.0	BSD-2-Clause	pkg:npm/stringify-object@5.0.0
493	web.cdx.json	strip-ansi	6.0.1	MIT	pkg:npm/strip-ansi@6.0.1
494	web.cdx.json	strip-ansi	7.2.0	MIT	pkg:npm/strip-ansi@7.2.0
495	web.cdx.json	strip-bom	3.0.0	MIT	pkg:npm/strip-bom@3.0.0
496	web.cdx.json	strip-final-newline	2.0.0	MIT	pkg:npm/strip-final-newline@2.0.0
497	web.cdx.json	strip-final-newline	4.0.0	MIT	pkg:npm/strip-final-newline@4.0.0
498	web.cdx.json	systeminformation	5.33.16	MIT	pkg:npm/systeminformation@5.33.16
499	web.cdx.json	tailwindcss	4.3.3	MIT	pkg:npm/tailwindcss@4.3.3
500	web.cdx.json	tapable	2.3.3	MIT	pkg:npm/tapable@2.3.3
501	web.cdx.json	tiny-invariant	1.3.3	MIT	pkg:npm/tiny-invariant@1.3.3
502	web.cdx.json	tinybench	6.2.2	MIT	pkg:npm/tinybench@6.2.2
503	web.cdx.json	tinyexec	1.3.1	MIT	pkg:npm/tinyexec@1.3.1
504	web.cdx.json	tinyglobby	0.2.17	MIT	pkg:npm/tinyglobby@0.2.17
505	web.cdx.json	to-regex-range	5.0.1	MIT	pkg:npm/to-regex-range@5.0.1
506	web.cdx.json	toidentifier	1.0.1	MIT	pkg:npm/toidentifier@1.0.1
507	web.cdx.json	ts-api-utils	2.5.0	MIT	pkg:npm/ts-api-utils@2.5.0
508	web.cdx.json	ts-morph	26.0.0	MIT	pkg:npm/ts-morph@26.0.0
509	web.cdx.json	tsconfig-paths	4.2.0	MIT	pkg:npm/tsconfig-paths@4.2.0
510	web.cdx.json	tslib	2.8.1	BSD 0.00	pkg:npm/tslib@2.8.1

#	Context	Name	Version	License	Comment
511	web.cdx.json	tw-animate-css	1.4.0	MIT	pkg:npm/tw-animate-css@1.4.0
512	web.cdx.json	type-check	0.4.0	MIT	pkg:npm/type-check@0.4.0
513	web.cdx.json	type-fest	4.41.0	MIT	pkg:npm/type-fest@4.41.0
514	web.cdx.json	type-is	2.1.0	MIT	pkg:npm/type-is@2.1.0
515	web.cdx.json	typescript	6.0.3	Apache-2.0	pkg:npm/typescript@6.0.3
516	web.cdx.json	typescript-eslint	8.72.0	MIT	pkg:npm/typescript-eslint@8.72.0
517	web.cdx.json	undici	7.30.1	MIT	pkg:npm/undici@7.30.1
518	web.cdx.json	undici-types	7.24.6	MIT	pkg:npm/undici-types@7.24.6
519	web.cdx.json	unicorn-magic	0.3.0	MIT	pkg:npm/unicorn-magic@0.3.0
520	web.cdx.json	universalify	2.0.1	MIT	pkg:npm/universalify@2.0.1
521	web.cdx.json	unpipe	1.0.0	MIT	pkg:npm/unpipe@1.0.0
522	web.cdx.json	update-browserslist-db	1.3.4	MIT	pkg:npm/update-browserslist-db@1.3.4
523	web.cdx.json	uri-js	4.4.1	BSD-2-Clause	pkg:npm/uri-js@4.4.1
524	web.cdx.json	use-callback-ref	1.3.3	MIT	pkg:npm/use-callback-ref@1.3.3
525	web.cdx.json	use-sidecar	1.1.3	MIT	pkg:npm/use-sidecar@1.1.3
526	web.cdx.json	use-sync-external-store	1.7.0	MIT	pkg:npm/use-sync-external-store@1.7.0
527	web.cdx.json	util-deprecate	1.0.2	MIT	pkg:npm/util-deprecate@1.0.2
528	web.cdx.json	validate-npm-package-name	7.0.2	ISC	pkg:npm/validate-npm-package-name@7.0.2
529	web.cdx.json	vary	1.1.2	MIT	pkg:npm/vary@1.1.2
530	web.cdx.json	vite	8.3.5	MIT	pkg:npm/vite@8.3.5
531	web.cdx.json	vitest	5.0.5	MIT	pkg:npm/vitest@5.0.5
532	web.cdx.json	which	2.0.2	ISC	pkg:npm/which@2.0.2
533	web.cdx.json	which	4.0.0	ISC	pkg:npm/which@4.0.0
534	web.cdx.json	why-is-node-running	3.2.1	MIT	pkg:npm/why-is-node-running@3.2.1
535	web.cdx.json	word-wrap	1.2.5	MIT	pkg:npm/word-wrap@1.2.5
536	web.cdx.json	wrappy	1.0.2	ISC	pkg:npm/wrappy@1.0.2
537	web.cdx.json	wsl-utils	1.0.1	MIT	pkg:npm/wsl-utils@1.0.1
538	web.cdx.json	yallist	3.1.1	ISC	pkg:npm/yallist@3.1.1
539	web.cdx.json	yocto-queue	0.1.0	MIT	pkg:npm/yocto-queue@0.1.0
540	web.cdx.json	yocto-spinner	1.2.2	MIT	pkg:npm/yocto-spinner@1.2.2
541	web.cdx.json	yoctocolors	2.2.0	MIT	pkg:npm/yoctocolors@2.2.0
542	web.cdx.json	zod	4.6.7	MIT	pkg:npm/zod@4.6.7
543	web.cdx.json	zod-to-json-schema	3.25.2	ISC	pkg:npm/zod-to-json-schema@3.25.2
544	web.cdx.json	zod-validation-error	4.0.2	MIT	pkg:npm/zod-validation-error@4.0.2
545	api.cdx.json	alembic	1.20.0	MIT	pkg:pypi/alembic@1.20.0
546	api.cdx.json	annotated-doc	0.0.5	MIT	pkg:pypi/annotated-doc@0.0.5
547	api.cdx.json	annotated-types	0.8.0	MIT	pkg:pypi/annotated-types@0.8.0
548	api.cdx.json	anyio	4.15.1	MIT	pkg:pypi/anyio@4.15.1

#	Context	Name	Version	License	Comment
549	api.cdx.json	boto3	1.43.116	Apache-2.0	pkg:pypi/boto3@1.43.116
550	api.cdx.json	botocore	1.43.116	Apache-2.0	pkg:pypi/botocore@1.43.116
551	api.cdx.json	click	8.5.0	BSD-3-Clause	pkg:pypi/click@8.5.0
552	api.cdx.json	fastapi	0.156.8	MIT	pkg:pypi/fastapi@0.156.8
553	api.cdx.json	h11	0.16.0	MIT	pkg:pypi/h11@0.16.0
554	api.cdx.json	httptools	0.9.0	MIT	pkg:pypi/httptools@0.9.0
555	api.cdx.json	idna	3.2	BSD-3-Clause	pkg:pypi/idna@3.20
556	api.cdx.json	jmespath	1.1.0	MIT	pkg:pypi/jmespath@1.1.0
557	api.cdx.json	mako	1.4.3	MIT	pkg:pypi/mako@1.4.3
558	api.cdx.json	markupsafe	3.0.4	BSD-3-Clause	pkg:pypi/markupsafe@3.0.4
559	api.cdx.json	opentelemetry-api	1.45.1	Apache-2.0	pkg:pypi/opentelemetry-api@1.45.1
560	api.cdx.json	psycopg	3.3.6	LGPL-3.0-only	pkg:pypi/psycopg@3.3.6
561	api.cdx.json	psycopg-binary	3.3.6	LGPL-3.0-only	pkg:pypi/psycopg-binary@3.3.6
562	api.cdx.json	pydantic	2.14.1	MIT	pkg:pypi/pydantic@2.14.1
563	api.cdx.json	pydantic-core	2.50.1	MIT	pkg:pypi/pydantic-core@2.50.1
564	api.cdx.json	pydantic-settings	2.16.1	MIT	pkg:pypi/pydantic-settings@2.16.1
565	api.cdx.json	python-dateutil	2.9.0.post0		pkg:pypi/python-dateutil@2.9.0.post0
566	api.cdx.json	python-dotenv	1.2.4	BSD-3-Clause	pkg:pypi/python-dotenv@1.2.4
567	api.cdx.json	pyyaml	6.0.3	MIT	pkg:pypi/pyyaml@6.0.3
568	api.cdx.json	s3transfer	0.19.3	Apache-2.0	pkg:pypi/s3transfer@0.19.3
569	api.cdx.json	six	1.17.0	MIT	pkg:pypi/six@1.17.0
570	api.cdx.json	sqlalchemy	2.1.5	MIT	pkg:pypi/sqlalchemy@2.1.5
571	api.cdx.json	starlette	1.9.0	BSD-3-Clause	pkg:pypi/starlette@1.9.0
572	api.cdx.json	typing-extensions	4.16.0	PSF-2.0	pkg:pypi/typing-extensions@4.16.0
573	api.cdx.json	typing-inspection	0.4.4	MIT	pkg:pypi/typing-inspection@0.4.4
574	api.cdx.json	tzdata	2026.5	Apache-2.0	pkg:pypi/tzdata@2026.5
575	api.cdx.json	urllib3	2.8.0	MIT	pkg:pypi/urllib3@2.8.0
576	api.cdx.json	uvicorn	0.54.0	BSD-3-Clause	pkg:pypi/uvicorn@0.54.0
577	api.cdx.json	uvloop	0.23.0		pkg:pypi/uvloop@0.23.0
578	api.cdx.json	watchfiles	1.3.0	MIT	pkg:pypi/watchfiles@1.3.0
579	api.cdx.json	websockets	17.3	BSD-3-Clause	pkg:pypi/websockets@17.3

#	Context	Name	Version	License	Comment

#	Context	Name	Version	License	Comment

Last Name	First Name	Value					
Pohl	**Christian**	0		**0.00**	**OK**		
Drobischevskiy	**Leonid**	0					
Nadwornik	**Jost**	0					
Tenepo	**Franklin**	0					
Khan	**Gulbaz**	0		0	No size		
Pasewaldt	**Felix**	0		1	Trivial size		
Wendlinger	**Tom**	0		2	Small size		
Medeiros da Cruz	**Yan**	0		3	Medium size		
Best	**Lisabeth**	0		5	Large size		
				8	Very large size		
				13	Too large (size)		
How to play planning poker							
1. Everyone type their number into their value field, don't hit return yet							
2. Someone, perhaps a product owner, count down 3.. 2.. 1..							
3. Then, everyone hit return to submit their value							