## QUIZ 1 - MATH 308 G - OCTOBER 12, 2016

## **SOLUTION TYPE 1**

Maria works for an IT company who is running a series of simulations for improving the traffic flow in Seattle. She is studying a simplify map of an intersection of three one-way roads that looks as follows:

$$\begin{array}{c|c}
& & \downarrow 20 \\
& & \downarrow 20 \\
& & A \xrightarrow{x_2} B \xrightarrow{100} \\
& & \downarrow x_3 \\
& & \downarrow x_3
\end{array}$$

The goal of Maria is to balance the graph, i.e. find the values of  $x_1$ ,  $x_2$ ,  $x_3$  and  $x_4$  such that at each node A, B and C the sum of the incoming traffic (arrows pointing to the node) equal the sum of the outgoing traffic (arrow pointing away from the node).

**2 pt.** Write down a linear system that represents the problem Maria is trying to solve; *Solution:* 

- Node A:  $20 + 30 = x_1 + x_2$ ;
- Node B:  $x_2 = 100 + x_3$ ;
- Node C:  $x_4 + x_1 + x_3 = 10 + 10$

Therefore the corresponding linear system is

$$x_1 + x_2 = 50$$
  
 $x_2 - x_3 = 100$   
 $x_1 + x_3 + x_4 = 20$ 

**5 pt.** Using the Gauss-Jordan algorithm solve the system. *Solution:* 

The augmented matrix representing the system is

$$\begin{pmatrix}
1 & 1 & 0 & 0 & | & 50 \\
0 & 1 & -1 & 0 & | & 100 \\
1 & 0 & 1 & 1 & | & 20
\end{pmatrix}$$

The Gauss-Jordan algorithm then gives:

$$\begin{pmatrix} 1 & 1 & 0 & 0 & | & 50 \\ 0 & 1 & -1 & 0 & | & 100 \\ 1 & 0 & 1 & 1 & | & 20 \end{pmatrix} \stackrel{III-I}{\sim} \begin{pmatrix} 1 & 1 & 0 & 0 & | & 50 \\ 0 & 1 & -1 & 0 & | & 100 \\ 0 & -1 & 1 & 1 & | & -30 \end{pmatrix} \stackrel{I-II}{\sim} \begin{pmatrix} 1 & 0 & 1 & 0 & | & -50 \\ 0 & 1 & -1 & 0 & | & 100 \\ 0 & 1 & -1 & 0 & | & 100 \\ 0 & 0 & 0 & 1 & | & 70 \end{pmatrix}$$

The last matrix is in Reduced Echelon Form and the corresponding linear system reads as follows:

$$x_1 + x_3 = -50$$
  
 $x_2 - x_3 = 100$   
 $x_4 = 70$ 

We can therefore conclude that  $x_3$  is a free variable, and after setting  $x_3 = s_1$  we obtain that the solution of the system is

$$x_1 = -50 - s_1$$
  
 $x_2 = 100 + s_1$   
 $x_3 = s_1$   
 $x_4 = 70$ 

**1 pt.** What is the dimension of the solution set? Why? *Solution:* 

The solution set is the set

$$\{(-50 - s_1, 100 + s_1, s_1, 70) : s_1 \in \mathbb{R}\}$$

Since there is one free parameter the solution set is a LINE in  $\mathbb{R}^4$  and therefore it has dimension 1.

**1 pt.** Write down the solution set for the problem in vector form. *Solution:* 

Taking the solution set as written in the previous answer we can rewrite it in vector form as

$$\begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{pmatrix} = \begin{pmatrix} -50 - s_1 \\ 100 + s_1 \\ s_1 \\ 70 \end{pmatrix} = \begin{pmatrix} -50 \\ 100 \\ 0 \\ 70 \end{pmatrix} + s_1 \begin{pmatrix} -1 \\ 1 \\ 1 \\ 0 \end{pmatrix}$$

**1pt.** If there is a free parameter, for which values the solutions make sense for the problem.

*Solution:* 

Since the map represents traffic flow, each of the variable must attain a positive value. This translates into the conditions

$$\begin{cases}
-50 - s_1 \ge 0 \\
100 + s_1 \ge 0 \\
s_1 \ge 0
\end{cases}$$

Since the first equations gives  $s_1 \le -50$  and the third is  $s_1 \ge 0$  we see that there are no values of the free parameter  $s_1$  for which the solution make sense. This will tell Maria that her model of the traffic flow cannot work, and she should consider inverting the direction of one road.