


## Gulpfile: External Plugins

To minify your external plugins you can include them in the **plugins.js** file located at the root of the Rubix directory and run the following command:

```
$ gulp --gulpfile plugins.js
```

It concatenates all your external plugins and minifies them to a single file located at **public/js/minified/external.min.js** This is a screenshot of the output:

A screenshot of a terminal window with a dark background and a space-themed border. The window title is "2. gulp --gulpfile plugins.js (node)". The prompt is "rubix" with a blue arrow pointing to a "master x" branch. The command "gulp --gulpfile plugins.js" has been executed. The output shows the following steps: "Minifying plugins. Please wait...", "Using gulpfile /Library/WebServer/Documents/tf/sketchpixy/projects/slush-rubix/rubix/plugins.js", "Starting 'default'...", "Starting 'minifyplugins'...", "Finished 'minifyplugins' after 32 ms", and "Finished 'default' after 35 ms". A large pink bar at the bottom of the terminal output reads "[ COMPLETED MINIFICATION ]".

```
2. gulp --gulpfile plugins.js (node)
rubix master x ➤ gulp --gulpfile plugins.js
[22:16:52] Minifying plugins. Please wait...
[22:16:52] Using gulpfile /Library/WebServer/Documents/tf/sketchpixy/projects/slush-rubix/rubix/plugins.js
[22:16:52] Starting 'default'...
[22:16:52] Starting 'minifyplugins'...
[22:16:52] Finished 'minifyplugins' after 32 ms
[22:16:52] Finished 'default' after 35 ms
[22:16:52] [ COMPLETED MINIFICATION ]
```

© 2014 SketchPixy Creative - v3.0.0