

Bootstrap: Headings

All HTML headings, `<h1>` through `<h6>` , are available. `.h1` through `.h6` classes are also available, for when you want to match the font styling of a heading but still want your text to be displayed inline.

h1. Bootstrap heading Secondary text

h2. Bootstrap heading Secondary text

h3. Bootstrap heading Secondary text

h4. Bootstrap heading Secondary text

h5. Bootstrap heading Secondary text

h6. Bootstrap heading Secondary text

```
<h1>h1. Bootstrap heading <small>Secondary text</small></h1>
<h2>h2. Bootstrap heading <small>Secondary text</small></h2>
<h3>h3. Bootstrap heading <small>Secondary text</small></h3>
<h4>h4. Bootstrap heading <small>Secondary text</small></h4>
<h5>h5. Bootstrap heading <small>Secondary text</small></h5>
<h6>h6. Bootstrap heading <small>Secondary text</small></h6>
```

Bootstrap: Body Copy

A sample of default body copy. Note the handy lorem ipsum generator :)

Tellus rutrum tellus pellentesque eu tincidunt. Mi bibendum neque egestas congue quisque egestas diam.

Amet tellus cras adipiscing enim eu turpis egestas pretium aenean. Duis at tellus at urna condimentum mattis pellentesque id nibh. Gravida dictum fusce ut placerat.

Elementum curabitur vitae nunc sed. Sed viverra ipsum nunc aliquet bibendum enim.

```
<p>
  <LoremIpsum query='2s' />
</p>
<p>
  <LoremIpsum query='3s' />
</p>
<p>
  <LoremIpsum query='2s' />
</p>
```

Bootstrap: Lead Body Copy

Make a paragraph stand out by using the Lead component.

Malesuada nunc vel risus commodo viverra maecenas accumsan lacus vel. Lorem donec massa sapien faucibus et molestie ac.

```
<Lead>
  <LoremIpsum query='2s' />
</Lead>
```

Bootstrap: Inline text elements

Marked text

For highlighting a run of text due to its relevance in another context, use the `<mark>` tag.

You can use the mark tag to highlight text.

```
You can use the mark tag to <mark>highlight</mark> text.
```

Deleted text

For indicating blocks of text that have been deleted use the `` tag.

~~This line of text is meant to be treated as deleted text.~~

```
<del>This line of text is meant to be treated as deleted text.</del>
```

Strikethrough text

For indicating blocks of text that are no longer relevant use the `<s>` tag.

~~This line of text is meant to be treated as no longer accurate.~~

```
<s>This line of text is meant to be treated as no longer accurate.</s>
```

Inserted text

For indicating additions to the document use the `<ins>` tag.

This line of text is meant to be treated as an addition to the document.

```
<ins>This line of text is meant to be treated as an addition to the document.</ins>
```

Underlined text

To underline text use the `<u>` tag.

```
This line of text will render as underlined
```

```
<u>This line of text will render as underlined</u>
```

Small text

For de-emphasizing inline or blocks of text, use the `<small>` tag to set text at 85% the size of the parent. Heading elements receive their own font-size for nested `<small>` elements.

You may alternatively use an inline element with `.small` in place of any `<small>`.

```
This line of text is meant to be treated as fine print.
```

```
<small>This line of text is meant to be treated as fine print.</small>
```

Bold text

For emphasizing a snippet of text with a heavier font-weight.

```
The following snippet of text is rendered as bold text.
```

```
The following snippet of text is <strong>rendered as bold text</strong>.
```

Italics

For emphasizing a snippet of text with italics.

```
The following snippet of text is rendered as italicized text.
```

```
The following snippet of text is <em>rendered as italicized text</em>.
```

Bootstrap: Alignment classes

Easily realign text to components with text alignment classes. NOTE: React uses `className` instead of `class`.

Left aligned text.

Center aligned text.

Right aligned text.

Justified text.

No wrap text.

```
<p className='text-left'>Left aligned text.</p>
<p className='text-center'>Center aligned text.</p>
<p className='text-right'>Right aligned text.</p>
<p className='text-justify'>Justified text.</p>
<p className='text-nowrap'>No wrap text.</p>
```

Bootstrap: Transformation classes

Transform text in components with text capitalization classes. NOTE: React uses `className` instead of `class`.

lowercased text.

UPPERCASED TEXT.

Capitalized Text.

```
<p className='text-lowercase'>Lowercased text.</p>
<p className='text-uppercase'>Uppercased text.</p>
<p className='text-capitalize'>capitalized text.</p>
```

Bootstrap: Abbreviations

Stylized implementation of HTML's `<abbr>` element for abbreviations and acronyms to show the expanded version on hover.

An abbreviation of the word attribute is attr (attribute).

```
<abbr title='attribute'>attr</abbr>
```

Initialism

Add `.initialism` to an abbreviation for a slightly smaller font-size.

HTML (HYPERTEXT MARKUP LANGUAGE) is the best thing since sliced bread.

```
<abbr title='HyperText Markup Language' className='initialism'>HTML</abbr>
```

Bootstrap: Addresses

Present contact information for the nearest ancestor or the entire body of work. Preserve formatting by ending all lines with `
` .

Twitter, Inc.

795 Folsom Ave, Suite 600

San Francisco, CA 94107

P: (Phone) (123) 456-7890

Full Name

support@sketchpixon.com (mailto:support@sketchpixon.com)

```
<address>
  <strong>Twitter, Inc.</strong><br/>
  795 Folsom Ave, Suite 600<br/>
  San Francisco, CA 94107<br/>
  <abbr title='Phone'>P:</abbr> (123) 456-7890
</address>
<address>
  <strong>Full Name</strong><br/>
  <a href='mailto:support@sketchpixon.com'>support@sketchpixon.com</a>
</address>
```

Bootstrap: Blockquotes

Default blockquote

Wrap `<blockquote>` around any HTML as the quote. For straight quotes, we recommend a `
` .

Gravida rutrum quisque non tellus.

```
<blockquote>
  <p><LoremIpsum query='1s' /></p>
</blockquote>
```

Naming a source

Add a `<footer>` for identifying the source. Wrap the name of the source work in `<cite>` .


Quis enim lobortis scelerisque fermentum dui faucibus in ornare quam.

– Someone famous in *Source Title*

```
<blockquote>
  <p><LoremIpsum query='1s' /></p>
  <footer>Someone famous in <cite title='Source Title'>Source Title</cite></footer>
</blockquote>
```

Alternate displays

Add `.blockquote-reverse` for a blockquote with right-aligned content. NOTE: React uses `className` instead of the `class` property.




```
<blockquote className='blockquote-reverse'>
  <p><LoremIpsum query='1s' /></p>
  <footer>Someone famous in <cite title='Source Title'>Source Title</cite></footer>
</blockquote>
```

Bootstrap: Lists

Unordered

A list of items in which the order does not explicitly matter.



```
<ul>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li>
    <LoremIpsum query='1s' />
    <ul>
      <li><LoremIpsum query='1s' /></li>
      <li><LoremIpsum query='1s' /></li>
      <li><LoremIpsum query='1s' /></li>
      <li><LoremIpsum query='1s' /></li>
    </ul>
  </li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
</ul>
```

Ordered

A list of items in which the order does explicitly matter.

1. Cursus risus at ultrices mi tempus imperdiet.
2. Tincidunt ornare massa eget egestas purus viverra accumsan in nisl.
3. Elementum integer enim neque volutpat ac tincidunt vitae semper.
4. Lacinia quis vel eros donec ac odio tempor orci dapibus.
5. Platea dictumst vestibulum rhoncus est pellentesque elit ullamcorper dignissim cras.
6. Quam elementum pulvinar etiam non quam.
7. Arcu felis bibendum ut tristique et.
8. In aliquam sem fringilla ut morbi.

```
<ol>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
</ol>
```

Unstyled

Remove the default list-style and left margin on list items (immediate children only). This only applies to immediate children list items, meaning you will need to add the class for any nested lists as well.

Ut enim blandit volutpat maecenas volutpat.

Tortor dignissim convallis aenean et tortor at risus viverra.

Ornare suspendisse sed nisi lacus sed viverra tellus.

Aliquam sem et tortor consequat id porta nibh venenatis.

Mi sit amet mauris commodo.

- Donec enim diam vulputate ut pharetra.
- Magna ac placerat vestibulum lectus mauris ultrices eros.
- Enim blandit volutpat maecenas volutpat blandit aliquam.
- Elit duis tristique sollicitudin nibh sit amet commodo nulla.

Tincidunt vitae semper quis lectus nulla at volutpat diam.

Egestas tellus rutrum tellus pellentesque eu.

Rhoncus urna neque viverra justo.

```
<ul className='list-unstyled'>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li>
    <LoremIpsum query='1s' />
    <ul>
      <li><LoremIpsum query='1s' /></li>
      <li><LoremIpsum query='1s' /></li>
      <li><LoremIpsum query='1s' /></li>
      <li><LoremIpsum query='1s' /></li>
    </ul>
  </li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
  <li><LoremIpsum query='1s' /></li>
</ul>
```

Inline

Place all list items on a single line with display: inline-block; and some light padding.

massa sapien enim facilisis euismod lacinia

```
<ul className='list-inline'>
  <li><LoremIpsum query='2w' /></li>
  <li><LoremIpsum query='2w' /></li>
  <li><LoremIpsum query='2w' /></li>
</ul>
```

Description

A list of terms with their associated descriptions.

Description lists
A description list is perfect for defining terms.

Euismod
Vestibulum id ligula porta felis euismod semper eget lacinia odio sem nec elit.
Donec id elit non mi porta gravida at eget metus.

Malesuada porta
Etiam porta sem malesuada magna mollis euismod.

```
<dl>
  <dt>Description lists</dt>
  <dd>A description list is perfect for defining terms.</dd>
  <dt>Euismod</dt>
  <dd>Vestibulum id ligula porta felis euismod semper eget lacinia odio sem nec elit.</dd>
  <dt>Donec id elit non mi porta gravida at eget metus.</dt>
  <dd>Donec id elit non mi porta gravida at eget metus.</dd>
  <dt>Malesuada porta</dt>
  <dd>Etiam porta sem malesuada magna mollis euismod.</dd>
</dl>
```


Make terms and descriptions in <dl> line up side-by-side. Starts off stacked like default <dl>s, but when the navbar expands, so do these.

A description list is perfect for defining terms.

Vestibulum id ligula porta felis euismod semper eget lacinia odio sem nec elit.

Donec id elit non mi porta gravida at eget metus.

Etiam porta sem malesuada magna mollis euismod.

Fusce dapibus, tellus ac cursus commodo, tortor mauris condimentum nibh, ut fermentum massa justo sit amet risus.

```
<dl className='dl-horizontal'>
  <dt>Description lists</dt>
  <dd>A description list is perfect for defining terms.</dd>
  <dt>Euismod</dt>
  <dd>Vestibulum id ligula porta felis euismod semper eget lacinia odio sem nec elit.</dd>
  <dt>Malesuada porta</dt>
  <dd>Etiam porta sem malesuada magna mollis euismod.</dd>
  <dt>Felis euismod semper eget lacinia</dt>
  <dd>Fusce dapibus, tellus ac cursus commodo, tortor mauris condimentum nibh, ut fermentum massa justo sit amet risus.</dd>
</dl>
```