Bootstrap: Tables

Basic example

For basic styling—light padding and only horizontal dividers use the <Table> component.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table>
  <thead>
    <tr>
      <th>#</th>
      <th>First Name</th>
      <th>Last Name</th>
      <th>Username</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>1</td>
      <td>Mark</td>
      <td>Otto</td>
      <td>@mdo</td>
    </tr>
    <tr>
      <td>2</td>
      <td>Jacob</td>
      <td>Thornton</td>
      <td>@fat</td>
    </tr>
    <tr>
      <td>3</td>
      <td>Larry</td>
      <td>the Bird</td>
      <td>@twitter</td>
    </tr>
  </tbody>
</Table>
```

Striped rows

Use `striped` option to add zebra-striping to any table row within the <tbody>.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table striped>
  ...
</Table>
```

Bordered rows

Add `bordered` option for borders on all sides of the table and cells.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
	Mark	Otto	@TwBootstrap
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table bordered>
  ...
</Table>
```

Hover rows

Add `hover` to enable a hover state on table rows within a <tbody>.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table hover>
  ...
</Table>
```

Condensed table

Add `condensed` to make tables more compact by cutting cell padding in half.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table condensed>
  ...
</Table>
```

Contextual classes

Use contextual classes to color table rows or individual cells.

#	Column heading	Column heading	Column heading
1	Column content	Column content	Column content
2	Column content	Column content	Column content
3	Column content	Column content	Column content
4	Column content	Column content	Column content
5	Column content	Column content	Column content
6	Column content	Column content	Column content
7	Column content	Column content	Column content
8	Column content	Column content	Column content
9	Column content	Column content	Column content

```
<!-- On rows -->
<tr className='active'>...</tr>
<tr className='success'>...</tr>
<tr className='warning'>...</tr>
<tr className='danger'>...</tr>
<tr className='info'>...</tr>

<!-- On cells (`td` or `th`) -->
<tr>
  <td className='active'>...</td>
  <td className='success'>...</td>
  <td className='warning'>...</td>
  <td className='danger'>...</td>
  <td className='info'>...</td>
</tr>
```

Responsive tables

Create responsive tables by adding responsive option to any <Table> to make them scroll horizontally on small devices.

#	Table heading	Table heading	Table heading	Table heading	Table heading	Table heading
1	Table cell	Table cell	Table cell	Table cell	Table cell	Table cell
2	Table cell	Table cell	Table cell	Table cell	Table cell	Table cell
3	Table cell	Table cell	Table cell	Table cell	Table cell	Table cell

```
<Table responsive>
  ...
</Table>
```

Bootstrap: Rubix Enhancements

Collapsed

<Table> component with zero margins

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table collapsed>
  ...
</Table>
```

Align Top/Middle/Bottom

<Table> alignment (alignTop/alignMiddle/alignBottom)

#	First Name	Last Name	Username
1	Et leo duis ut diam quam nulla porttitor. Dolor sit amet consectetur adipiscing. Iaculis urna id volutpat lacus laoreet non curabitur gravida.	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<Table alignBottom>
  ...
</Table>
```

© 2014 SketchPixy Creative - v3.0.0