

Paradise Pleasure Products

APPLICATION INTERFACE & FUNCTIONAL BLUEPRINT

A comprehensive structural teardown of user flows, hardware management, and teledildonic control systems.

Identify: PARADISE PLEASURE PRODUCTS — Establishes core brand identity.

Input Credentials: Username or Email & Password — Standard authentication fields featuring a visibility toggle for password masking.

Bypass with SSO: Or continue with Apple / Google — Single sign-on alternatives for frictionless entry.



Recover Access: Forgot password? — Direct pathway to reset user credentials.

Authenticate: Log In — Primary conversion button for existing users.

Onboard: Create a Paradise Account — Bottom anchor pathway for new user registration.



Prompt Action: Connect to your toys — Red alert icon indicates an immediate actionable step required for hardware use.

Preview Hardware: My devices — Displays L-WAND-B-FA62 status as DISCONNECTED alongside current battery state (71%).

Tease Features: Control Link & My Patterns — Modules are visible to demonstrate app value, though functional depth is restricted.

Convert User: Log in to use more features — A persistent bottom banner with a prominent Log In button teaches the user that authentication is the gatekeeper to the full suite.



Global Actions: Home header features a '+' button for rapid addition of devices or links. Bottom global navigation routes to Home, Rooms, and Me.

Zone 1: Device State — "My devices" displays known hardware (L-WAND-B-FA62) and its immediate telemetry (71% Battery, Disconnected).

Zone 2: Remote Hub — "Control Link" card prompts users to "Control and chat anonymously." Displays current link state ("No control Links.") and a "+' for generation.

Zone 3: Quick Sensation — "My Patterns" surfaces an active playback interface (Mode 1), standard media controls (Previous, Play, Next), and a direct intensity slider (Low, Medium, High).

Navigate: “Device List” header with a back arrow to return to the Command Center.

Monitor Status: “0 ACTIVE CONNECTIONS” provides immediate situational awareness.

Manage Known Hardware: Card for “L-WAND-B-FA62” detailing its offline state (DISCONNECTED), remaining power (71%), and providing a direct power/activation toggle.

Expand Ecosystem: "Add New Device" — A distinct card with a "+" instructing the app to "Search for a device,' acting as the gateway to hardware discovery.





Shop/Browse: 'Toys' header includes a shopping bag icon, seamlessly linking the utility interface to a commercial storefront.

Scan Environment: 'Searching . .' paired with a dynamic pulse graphic indicates active Bluetooth low-energy polling.

Initiate Pairing: Discovered hardware populates dynamically. The list item 'L-BLLT-B-042A' (a bullet device) features a direct 'Connect' text action to execute the pairing handshake.



Confirm Hardware

Visual hero image of the wand, Model designation (L-WAND-B), active state (DISCONNECTED), and power (71% Battery).

Execute Management

Rename Device: Customize the default “L-WAND-B-FA62” string.

Remove Device: Unpair and delete the hardware profile.

Review Specifications

Read-only telemetry for troubleshooting:

Device ID: D2:E6:81:79:FA:62 (MAC address).
Firmware: Version 1.0.0.3.
Signal Strength: Low.

Switch Contexts: Top tabs allow toggling between 'Patterns', user-curated 'Playlist', and remote links (chain icon).

Select Presets: A horizontal carousel offers systemic defaults from 'Mode 1' through 'Mode 5', using distinct visual waveform thumbnails to imply sensation type.

Review Custom Library: 'No Patterns' empty state indicates the user's localized custom sequence library is currently empty.

Author Content: Two distinct creation pathways:

- 'Create Pattern': Indicated by a touch gesture icon (freehand drawing/tapping).

- 'Mixer': Indicated by a D-pad/ geometry icon (likely structed or multi-track generation).





Identify Sequence
'Mode 1', generated by the 'System', running at 'Speed Normal'.

Track Progress
Scrubber bar showing playback from 00:00 to 00:20.

Control Playback
Standardized media deck: Loop/Repeat, Rewind, Play, Fast Forward, and a Menu/List toggle to access the queue.



Trigger Adjustment: Tapping the 'Speed' indicator on the primary playback deck summons this bottom-anchored modal sheet.



Scale Sensation: Text options provide exact multipliers to compress or expand the pattern's execution speed:
– **Accelerate:** 4x, 2x
– **Baseline:** Normal 1.0x
– **Decelerate:** 0.5x, 0.25x

Establish Intent:
Control Link explainer text:
"Generate a link for anonymous toy control."



Navigate Modes:
Primary actions split between "Create Control Link" (generation) and "Browse Active Links" (management).



1-on-1 Link:
Start a session between you and one other person.
(Peer-to-peer architecture).



Group Link:
Allow up to 10 people to join the session.
(One-to-many broadcast).

Read Session Metadata:

- **Topology**: Group session established.
- **Capacity**: 3 members actively connected.
- **Hardware**: Confirms the specific device mapped to the broadcast.
- **Identifier**: Session ID 101.
- **Permissions**: Set to Private.
- **Duration**: 22:10:00 remaining or elapsed.



Manage Hub: Footer actions feature a Refresh state to update active members and a distinct Filter button to sort complex multi-link hubs.

Manage Account: 'My Account' (showing hashed username 'rmfhvhpyjaztmp') and 'Linked Accounts' for SSO management.

Localize & Alert: 'Language' (English). Notification management is split between OS-level 'Push Notifications' and internal 'In-app Notifications'.



Control Data & System:
- Auto - Sync Patterns: Toggle switch (currently ON) for cloud backup of custom sequences.
- Chat: Global settings for the anonymous messaging feature.
- Keep the Screen Awake: Toggle switch (currently ON) to prevent OS sleep during active play sessions.