

Oski Lab

Link of Completion: <https://cyberdefenders.org/blueteam-ctf-challenges/achievements/sPo0f1ng/oski/>

Q1. Determining the creation time of the malware can provide insights into its origin. What was the time of malware creation?

to determine the creation time of the account, i used a virustotal app, on a details section

History ⓘ	
Creation Time	2022-09-28 17:40:46 UTC
First Seen In The Wild	2023-09-23 22:33:33 UTC
First Submission	2023-09-23 22:02:55 UTC
Last Submission	2025-09-29 02:35:54 UTC
Last Analysis	2026-05-25 16:46:24 UTC
Names ⓘ	

ANSWER: 2022-09-28 17:40

Q2. Identifying the command and control (C2) server that the malware communicates with can help trace back to the attacker. Which C2 server does the malware in the PPT file communicate with?

still, i used the virustotal app. i check the relations tab, on the section of contacted URLs

Contacted URLs (2) ⓘ			
Scanned	Detections	Status	URL
2026-05-28	14 / 92	-	http://171.22.28.221/5c06c05b7b34e8e6.php
2025-06-23	11 / 97	-	http://171.22.28.221/9e226a84ec50246d/sqlite3.dll
Contacted Domains (5) ⓘ			

ANSWER: <http://171.22.28.221/5c06c05b7b34e8e6.php>

Q3. Identifying the initial actions of the malware post-infection can provide insights into its primary objectives. What is the first library that the malware requests post-infection?

i go to the Behavior tab and on the section of a Files Dropped, i found this..

Files Dropped

+ /9e226a84ec50246d/sqlite3.dll

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0\Crashpad

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0\Crashpad\attachments

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0\Crashpad\metadata

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0\Crashpad\reports

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0\uninstall.cmd

C:\Program Files (x86)\Google\GoogleUpdater\136.0.7079.0\updater.exe

C:\Program Files (x86)\Google\GoogleUpdater\137.0.7115.0

C:\Program Files (x86)\Google\GoogleUpdater\137.0.7115.0\Crashpad

▼

ANSWER: sqlite3.dll

Q4.By examining the provided Any.run report, what RC4 key is used by the malware to decrypt its base64-encoded string?

in this question, there is already hint to find the answer by finding the r4 on a provided link

so here is the answer:

Malware configuration

Stealc

(PID) Process	(3484) VPN.exe
C2	http://171.22.28.221/5c06c05b7b34e8e6.php
Keys	
RC4	5329514621441247975720749009
Strings (298)	" & del "C:\ProgramData*.dll" & exit
	%08IX%04IX%lu

ANSWER: 5329514621441247975720749009

Q5.By examining the MITRE ATT&CK techniques displayed in the Any.run sandbox report, identify the main MITRE technique (not sub-techniques) the malware uses to steal the user's password.

for this part i investigated the provided link to the question

Danger 9

[T1070.004](#) File Deletion (1)

- Starts CMD.EXE for self-deleting

Loads dropped or rewritten executable

[T1555.003](#) Credentials from Web Browsers (1)

[T1552.001](#) Credentials In Files (3)

- Steals credentials from Web Browsers
- Steals credentials
- Actions looks like stealing of personal data

STEALC detected by memory dumps

OSKI detected by memory dumps

[T1071](#) Application Layer Protocol (1)

- Connects to the CnC server

STEALC was detected

[T1518](#) Software Discovery (1)

- Actions looks like stealing of personal data

after checking the execution that has been made here, i double check what is the main rules by going to the mitre attack page.


Credential Access		17 techniques	
n		Adversary-in-the-Middle (4)	
		Brute Force (4)	
(6)		Credentials from Password Stores (6)	
2)		Exploitation for Credential Access	

T1555

ANSWER: T1555

Q6.By examining the child processes displayed in the Any.run sandbox report, which directory does the malware target for the deletion of all DLL files?

i examine the process details under the app any run app to find the answer and look for the keyword that i am looking for



ANSWER: C:\ProgramData

Q7. Understanding the malware's behavior post-data exfiltration can give insights into its evasion techniques. By analyzing the child processes, after successfully exfiltrating the user's data, **how many seconds does** it take for the malware to **self-delete**?

Behavior activities

(PID: 2780) cmd.exe

Details

AI Sigma Rule new

Source: process First seen: 29062 ms



Warning / General

Uses TIMEOUT.EXE to delay execution

Image:

C:\Windows\System32\timeout.exe

Cmdline:

timeout /t 5

ANSWER: 5