

Agent Module - Guide Manual

Team Agents, Agent Management, Payouts, Bonuses and Weekly Referral Invoices

Generated 5 September 2026 · Source: docs/ · Internal documentation

ATSS 2.0 · Sidebar → **Agent**

This manual covers every screen in the Agent group, the exact fields each form asks for, what each field means, and how the money an agent earns is produced. It is written for the person who sets up agents and signs off payouts.

1. The screens in this module

Sidebar entry	Screen	Source file	Permission key
Team Agents	Agent teams (the list of teams)	<code>frontend/src/pages/teamAgent.tsx</code>	<code>team-agent</code>
Agent Management	Agent user accounts	<code>frontend/src/pages/UserManagement.tsx</code> (<code>agentOnly</code>)	<code>agent-management</code>
Agent Payout	Earnings + payout records	<code>frontend/src/pages/AgentPayout.tsx</code>	<code>agent-payout</code> , <code>agent-payout.approve</code>
Invoices	Weekly referral invoices	<code>frontend/src/pages/AgentInvoice.tsx</code>	<code>agent-invoices</code> , <code>.generate</code> , <code>.status</code> , <code>.payout</code>
Bonus History	Bonus records raised against agents	<code>frontend/src/pages/BonusHistory.tsx</code>	<code>bonus-history</code> , <code>bonus-history.payout</code>

A signed-in AGENT does not see the group. They get two entries instead:

- **History** — the same `BonusHistory` page, reading *their own* row of `agent_commission_history` (payouts, incentives, bonuses, achievements).
- **Invoices** — the same `AgentInvoice` page, scoped server-side to their team, or to themselves when they are a solo agent.

2. Set-up order

Do it in this order, or the later steps have nothing to work with:

1. **Team Agents** → create the team.

2. **Agent Management** → create the agent's user account, attach it to the team, and set Commission / Quota / Incentives.
3. Referrals are then recorded on applications and job orders through the **Referred By** picker (see §5.1).
4. `cron:process-agent-incentives` awards completed quotas.
5. `cron:generate-agent-invoices` bills the week (Monday 00:00).
6. **Agent Payout / Bonus History** → raise and approve the money out.

3. Screen — Team Agents

The team is only a grouping. It carries no rates of its own; every peso figure lives on the agent account (§4).

Fields — Add / Edit Agent modal (`modals/AgentModal.tsx`)

Field	Required	Type	Stored as	Notes
Team Name	Yes	text, max 255	<code>agents.team_name</code>	The only field on the form. Shown wherever a team is picked.
Created By	auto	text	<code>agents.created_by</code>	The signed-in user's email, taken from <code>authData</code> ; falls back to <code>system</code> .
Organization	auto	bigint	<code>agents.organization_id</code>	Copied from the signed-in user. Cannot be changed on edit — the API strips it from the payload.
Created At	auto	datetime	<code>agents.created_at</code>	Set on insert; the model has <code>timestamps = false</code> .

Actions

- **Add / Edit / Delete** (trash icon).
- **Commission Payout** (banknote icon on a row) — opens `modals/CommissionPayoutModal.tsx`, see §6.3.

Rules to know

- The list is filtered by organization on the client **and** the server. A team belonging to another organization is never shown, and updating or deleting one returns 403.
- Delete has **no dependency check**. Deleting a team whose agents still point at it leaves those agents with a dangling `users.agent_id`. Move the agents first.

4. Screen — Agent Management

This is `User Management` rendered with `agentOnly`, so: the Role field is locked to **Agent**, the Organization picker is hidden (the account inherits the creator's organization), and the agent money fields are always shown.

Fields — Add / Edit User drawer (`modals/UserModal.tsx`)

Account details

Field	Required	Type	Stored as	Notes
First Name	Yes	text	<code>users.first_name</code>	
Last Name	Yes	text	<code>users.last_name</code>	
Middle Initial	No	1 character	<code>users.middle_initial</code>	<code>maxLength = 1</code> .
Username	Yes	text	<code>users.username</code>	Unique — a 422 is shown as <i>"already existed"</i> .
Email Address	Yes	email	<code>users.email_address</code>	Unique. The sign-in identity and the notification address.
Contact Number	No	text	<code>users.contact_number</code>	
Organization	hidden here	select	<code>users.organization_id</code>	Inherited from the creator in agent mode.
Role	locked	—	<code>users.role_id</code>	Read-only Agent (<code>role_id = 4</code>).
Password	Yes on create	password, min 8	<code>users.password</code>	On edit , leave blank to keep the current one.
Confirm Password	Yes on create	password	—	Must match exactly. Not shown when editing.

Agent terms — shown whenever the role is Agent

Field	Required	Type	Stored as	Default on a new account
Team	No	select of <code>agents</code>	<code>users.agent_id</code>	blank = solo agent (still earns, still invoiced, on their own invoice)
Commission	Yes	decimal ₱	<code>agent_balance.commission</code>	100.00
Quota	Yes	integer count	<code>agent_balance.quota</code>	10
Incentives	Yes	decimal ₱	<code>agent_balance.incentives_value</code>	100.00
Remarks	No	textarea	<code>agent_balance.remarks</code>	empty

The three defaults live in `AGENT_DEFAULTS` at the top of `modals/UserModal.tsx`. They are only pre-filled values for a **new** account — they can be overwritten before saving, and editing an existing agent always shows that agent's own stored figures. Change the agreed standard terms there.

What the three money fields actually mean

- **Commission** — pesos earned **per completed referral**. It is also the **unit price** printed on each customer line of that agent's weekly invoice, so a mixed-rate team prices every line at the rate of the agent who brought that

customer in.

- **Quota** — a **count of completed referrals**, not a peso amount. Reaching it completes one *batch*.
- **Incentives** — pesos credited **per completed quota batch**:

```
incentive earned = number of completed quota batches × incentives_value
```

Quota 10 with Incentives 100 → ₱100 each time 10 referrals complete. The referrals inside a batch are not separately paid by this figure; commission is the per-referral part of the scheme.

5. How an agent earns

5.1 What counts as *their* referral

Attribution runs off the single `referred_by` varchar on applications, customers and service orders (`app/Support/AgentReferral.php`):

- The **Referred By picker** writes the agent's **bare user id** (`37`), which names exactly one account.
- A number only counts as an id when it resolves to a user **whose role is Agent**. Anything else — mobile numbers, account numbers, values with leading zeros — stays free text and is displayed exactly as stored.
- Legacy free-text values (agent names, team names, "Walk in") are still matched tolerantly by name.
- Known ambiguous legacy values, worth checking if a referral ever shows the wrong name: `000201`, `699`, `1840`.

5.2 Commission — per referral

Earned once the referral's job order is approved, at the agent's own `agent_balance.commission` rate.

5.3 Incentive — per completed quota batch

Awarded by `cron:process-agent-incentives` (`AgentIncentiveService`):

- A job order counts when its **onsite status is Done or Completed**, or it carries the **pre-install marker** and has not since been abandoned (Failed / Cancelled).
- Progress is **never reset** by a run. Uncounted referrals accumulate until a full quota completes; any remainder carries over to the next run.
- On completion, every job order in the batch is written to `agent_incentive_history` with that cycle's `batch_number` and is **consumed permanently** — a `UNIQUE` key on `job_order_id` makes double payment impossible even across concurrent runs.
- 20 completed referrals on a quota of 10 award **2 batches in one run**.
- A batch is undone by `reverseAbandonedBatches()` if one of its referrals later turns out to have been abandoned.

5.4 Achievements — per period (`config/achievements.php`)

Tier	Target (onboarded referrals)	Reward	Period
------	------------------------------	--------	--------

Weekly Achievement	25	₱1,000	resets every ISO week (Mon–Sun)
Monthly Achievement	100	₱15,000	resets every calendar month

Tunable via `ACHIEVEMENT_WEEKLY_TARGET` / `ACHIEVEMENT_WEEKLY_REWARD` and `ACHIEVEMENT_MONTHLY_TARGET` / `ACHIEVEMENT_MONTHLY_REWARD`. A tier is claimable **once per period**. Closed periods are recorded in `agent_achievement_periods`, claims in `agent_achievement_claims`.

5.5 Bonus — manual

Raised by an administrator from **Bonus History** (\$6.4). Nothing computes it.

5.6 Programme start date

`config/agent.php` → `start_date` (env `AGENT_START_DATE`) is currently **null** = an agent's whole history counts. Setting a date makes earlier referrals earn nothing — for incentives **and** achievements alike, so the two can never disagree.

IMPORTANT: If you set it, you must set the matching `AGENT_JOB_ORDER_START_DATE` in the `agentReferral` helper of **both** frontends (`ATSS2_0/frontend` and `MOBILEAPP/frontend`). A date on the server alone hides nothing on the clients; a date on the clients alone shows referrals that earn nothing.

5.7 The balance buckets (`agent_balance`)

`balance`, `incentives`, `bonus` and `achievement` are **independent columns**, alongside `commission_value`. A payout of type **All Balance** cashes out every bucket at once — which is why the amount is not typed by hand.

6. Money out — the payout forms

6.1 Agent Payout screen

Two tables:

Earnings — `Transaction ID` · `Customer Name` · `Service Type` · `Date` · `Status` · `Amount`

Payout history — `ID` · `Type` · `Ref Number` · `Total Amount` · `Job Orders` · `Created By` · `Status` · `Approved By`

Column order is drag-arrangeable and remembered per browser; columns added later are appended to a saved arrangement rather than lost.

Payout statuses: **Pending** → **Approved** (`agent_commission_history.status`, default `Pending`; rows predating the column were backfilled as `Approved`).

6.2 Fields — *Agent Payout modal* (`modals/AgentPayoutModal.tsx`)

Field	Required	Behaviour
Agent	Yes	Searchable picker grouped by team (solo agents under <i>No Team</i>). Pre-filled when opened from a row.

Field	Required	Behaviour
Payout Type	Yes	One option only: All Balance , sent as <code>type: all</code> . Cashes out every bucket, so there is no partial settlement to reconcile later.
Reference Number	Yes	Auto-generated, read-only.
Total Amount	Yes	Locked when raising — filled with the agent's whole balance. Editable when approving : that is where the figure is actually decided, and an agent whose balance already reads zero could otherwise never be approved.
Proof	Yes	Image upload (PNG / JPG / JPEG). Saved to Google Drive under <code>agent-payout - <agent name></code> ; the URL is stored in <code>proof_of_payment</code> .
Remarks	Yes	Free text.

Raised from an invoice (`fromInvoice`): only *Agent* and the read-only *Invoice Number* are asked for — type, amount, proof and remarks are hidden and sent empty, and the API relaxes its own requirement for them. Those four are then entered at **approval** time.

- Raising posts `POST /commissions/history`.
- Approving posts `POST /commissions/history/{id}/approve`, which writes the details onto the record that already exists. Approving through the create endpoint raises a **second** payout beside the first.
- Approval requires `agent-payout.approve`.

6.3 Fields — *Commission Payout* modal (from Team Agents)

The same shape, plus a date range and a read-only list of the agent's completed job orders:

Field	Required	Notes
Agent	Yes	grouped by team
Start / End Date	No	narrows the job orders listed
Job Orders Referred by Agent	read-only	shows the count and <code>P<rate> each</code> ; the ids go out as <code>commission_id_list</code>
Reference Number	Yes	
Total Amount	Yes	
Proof of Payment	Yes	image upload
Remarks	Yes	

6.4 Fields — *Bonus Payout* modal (from Bonus History)

Posts `POST /commissions/bonus-history` → `agent_bonus_history`.

Field	Required
Agent	Yes

Field	Required
Reference Number	Yes
Total Amount	Yes
Proof	Yes (image)
Remarks	Yes

The **Add Bonus** button is only drawn for a user holding `agent-payout` — it is an administrator's act against an agent, so it never appears on an agent's own reading of their history, whatever keys their account happens to hold.

Bonus History columns: `ID` · `Ref Number` · `Type` · `Total Amount` · `Created By` · `Status` · `Approved By` (an agent additionally sees **Job Orders**).

`type` is a loose column — `commission`, `incentives`, `incentives_payout`, `Bonus`, `Bonus_payout`, `all`, `achievement`.

Displayed labels: `incentives_payout` / `Bonus_payout` → **Payout**, `incentives` → **Add Incentives**, `Bonus` → **Add Bonus**; anything unrecognised is shown as stored.

7. Screen — Agent Invoices

One invoice per **team** and one per **solo agent**, for the calendar week that has just ended (Monday 00:00 → Sunday 23:59).

List columns

`Invoice No.` · `Type` · `Team / Agent` · `Invoice Date` · `Billing Period` · `Customers` · `Total Amount` · `Subtotal` · `Status`

A row opens its detail pane; **View PDF**, **Download** and **Pay Out** live there. There is deliberately no Actions column.

Statuses

- Selectable by hand: **Generated**, **Paid**, **Unpaid** (needs `agent-invoices.status`). Picking a value saves immediately; a failed save puts the old value back.
- Still accepted, no longer offered: **Sent**, **Cancelled** — invoices already carrying them keep displaying correctly.

How the figures are produced (`config/agent_invoices.php`)

Line on the invoice	Where it comes from
Unit price (per customer line)	the referring agent's own <code>agent_balance.commission</code>
Commission	the sum of those lines
Total amount	the incentives the cron awarded inside that billing week, read from <code>agent_incentive_history</code> ; each completed quota billed exactly once
Subtotal	Total Amount + Commission

Line on the invoice	Where it comes from
Installation fee	a stated figure (<code>AGENT_INVOICE_INSTALLATION_FEE</code> , default 500). Not part of what is owed
Invoice number	ATSS-AGT-000001 — <code>AGENT_INVOICE_PREFIX</code> plus a 6-digit running number

Other keys: `pdf_folder` (`storage/app/public/agent-invoices`), `first_page_rows` (10, team invoice), `first_page_rows_solo` (15), `rows_per_page` (18), `chunk_size` (200). The `unit_price` key is **no longer used by the invoice run** — it survives only as a fallback in `JobOrderAgentPaymentService` for an agent with no rate of their own.

Rendered PDFs live on Google Drive: `pdf_drive_url` / `pdf_drive_id` / `pdf_uploaded_at`. `pdf_path` is only the layout-versioned filename.

Safety

Re-running the generator creates nothing: an owner already invoiced for the week is skipped, and `UNIQUE (owner_key, period_start)` plus `UNIQUE (owner_key, application_id)` stop a customer being billed twice.

8. Scheduled jobs

Command	When	What
<code>cron:generate-agent-invoices</code>	Monday 00:00 (Asia/Manila), in <code>app/Console/Kernel.php</code>	the weekly referral invoices. Log: <code>storage/logs/agent-invoices/Agent_Invoices.log</code>
<code>cron:process-agent-incentives</code>	not on the Laravel schedule — add it to the system crontab yourself	awards completed quota batches (idempotent)
<code>agents:apply-invoice-status</code>	manual	sets invoice statuses Paid / Unpaid from a per-client CSV of payments
<code>cron:backfill-agent-invoices</code> , <code>cron:diagnose-agent-settlement</code>	manual	backfill and diagnostics

9. Data model reference

agents — `id`, `team_name`, `created_by`, `organization_id`, `created_at`, `updated_at`

users (agent-relevant) — `role_id` (4 = Agent), `agent_id` (team; nullable = solo)

agent_balance — `id`, `agent_id`, `balance`, `commission`, `commission_value`, `incentives`, `incentives_value`, `quota`, `bonus`, `achievement`, `remarks`, `organization_id`, `timestamps`

agent_commission_history — `id`, `agent_id`, `ref_number`, `type`, `total_amount`, `commission_id_list`, `job_order_ids`, `proof_of_payment`, `remarks`, `status`, `created_by`, `updated_by`, `approve_by`, `organization_id`, `timestamps`

agent_bonus_history — id, agent_id, ref_number, type, total_amount, proof_of_payment, remarks, status, created_by, updated_by, approve_by, organization_id, created_at, updated_at

agent_incentive_history — id, agent_id, job_order_id (UNIQUE), quota_reached, batch_number, incentive_value, organization_id, processed_at, timestamps

agent_achievement_periods — id, agent_id, period_type, period_key, period_start, period_end, target, onboarded, reached, claimed, claim_id, reward_paid, carried_over, closed_at, closed_by, organization_id · UNIQUE (agent_id, period_type, period_key)

agent_achievement_claims — id, agent_id → users.id, milestone, amount, period, cycle bounds, job_order_ids, status, approve_by, timestamps

agent_invoices — id, invoice_number (UNIQUE), invoice_type, owner_key, team_id, agent_id, team_name, agent_name, period_start, period_end, invoice_date, total_customers, unit_price, installation_fee, total_amount, commission, subtotal, pdf_path, pdf_drive_url, pdf_drive_id, pdf_uploaded_at, status, organization_id, created_by, updated_by, timestamps

agent_invoice_customers — id, agent_invoice_id → agent_invoices (cascade), application_id, job_order_id, owner_key, customer_name, referred_by_agent_id, referred_by_name, referred_by_raw, installed_date, unit_price, quantity, total

10. API reference

Method	Endpoint
GET / POST / PUT / DELETE	/api/agents (apiResource)
GET	/api/commissions/agent-job-orders
POST	/api/commissions/history · /api/commissions/history/{id}/approve
POST	/api/commissions/bonus-history
GET	/api/agent-invoices · /periods · /archive · /{id} · /{id}/pdf
POST	/api/agent-invoices/generate
PATCH	/api/agent-invoices/{id}/status

Every endpoint is authorised against `backend/app/Support/ApiPermissionMap.php`, whatever the UI happened to draw.

11. Troubleshooting

Symptom	What to check first
An agent earns nothing	No <code>agent_balance</code> row, or Commission / Quota / Incentives were left blank. All three are required on the form for a reason.

Symptom	What to check first
A referral is credited to the wrong agent	Legacy free-text <code>referred_by</code> matched by name, or a numeric legacy value colliding with a real agent id (<code>000201</code> , <code>699</code> , <code>1840</code>).
Incentive never awarded	<code>cron:process-agent-incentives</code> is not on the Laravel schedule — confirm it is in the system crontab.
Quota progress looks reset	It never is. Check whether a batch completed and consumed those job orders into <code>agent_incentive_history</code> .
Web and mobile disagree on referral counts	<code>agent.start_date</code> set on the server without the matching <code>AGENT_JOB_ORDER_START_DATE</code> in both frontends.
Invoice missing a customer	Already billed to that owner (<code>UNIQUE (owner_key, application_id)</code>), or the job order is not Done / Completed.
Two payouts appear for one approval	The approval was posted to <code>/commissions/history</code> instead of <code>/commissions/history/{id}/approve</code> .
"Unauthorized. You can only update agents within your organization."	The team belongs to another organization; <code>organization_id</code> cannot be changed on update.