



ValProbe RT Qualification Detailed Report

Printed on 21-Feb-2020 at 19:40:17 by u5

Study Name: Setup1	Company: KAYE	ValProbe RT Version: 1.0.0.47
SOP / Protocol #: Test1	Run#: 1	ValProbe RT Reports Version: 1.0.0.32
Asset Name: SyncInAsset	Asset ID: 123	BS Firmware Version: 0.6.41
Started By: u5	Date: 21-Feb-2020 19:20:31	Stopped By: u5
Setup Created By: u5	Setup Created Date: 21-Feb-2020 19:11:26	Study File Comments: Test 1 done
Setup Comments:	Setup Description:	

Comments

Lethality has been selected with the following criteria: Base Temperature : 90 °C D Value : 1.00 Z Value : 10.0 TimeScale : Minutes
Lethality Calculated: During Entire Cycle

Calculations in the report is based on 1 Second sampling rate. Report content is based on 1 Seconds printing rate.

Groups included in report

G3 - Include sensor inputs, statistical calculations, Lethality

G2 - Include sensor inputs, statistical calculations, Lethality

G1 - Include sensor inputs, statistical calculations, Lethality

Base Station Details

Name: VPRT_Basestation	Location: Anywhere	Hardware Version: 2.4.0	IP Address: 10.17.17.49
Serial No: Sudheera_BS2	Model No: VPRT_BS_1	Firmware Version: 0.6.41	

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

Loggers Included in Study

Serial No	Logger Type	Model No	MFG Cal Date	FW Version	Battery Life (%) at Start
ZE11	2 Ch Temp-Bendable	XSDBVP12-12G-RT	31-Jan-2020	1.3.8	78
ZA44	1 Ch Temp-Bendable	XSBVP12G-RT	05-Feb-2020	1.3.8	90

Sensor/Group Definitions

Group Name	Sensor Label	Sensor Type	Sensor SN-Probe ID	Description
G3	TC3	Temperature	ZA44-A	
G2	TC2	Temperature	ZE11-B	
G1	TC1	Temperature	ZE11-A	

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C)

Time Stamp TC3
ZA44-A

21-Feb-2020

19:20:31 ***** Study Start *****

19:20:31 *****Qual*****

19:20:31 90.35

19:20:32 90.34

19:20:33 90.35

19:20:34 90.35

19:20:35 90.34

19:20:36 90.34

19:20:37 90.34

19:20:38 90.34

19:20:39 90.34

19:20:40 90.33

19:20:41 90.34

19:20:42 90.34

19:20:43 90.33

19:20:44 90.34

19:20:45 90.33

19:20:46 90.33

19:20:47 90.34

19:20:48 90.33

19:20:49 90.34

19:20:50 90.33

19:20:51 90.33

19:20:52 90.33

19:20:53 90.33

19:20:54 90.33

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C)

Time Stamp TC3
ZA44-A

21-Feb-2020

19:20:55 90.33

19:20:56 90.33

19:20:57 90.33

19:20:58 90.33

19:20:59 90.32

19:21:00 90.32

19:21:01 90.32

19:21:02 90.32

19:21:03 90.32

19:21:04 90.32

19:21:05 90.33

19:21:06 90.32

19:21:07 90.32

19:21:08 90.31

19:21:09 90.33

19:21:10 90.34

19:21:11 90.35

19:21:12 90.37

19:21:13 90.40

19:21:14 90.42

19:21:15 90.47

19:21:16 90.52

19:21:17 90.57

19:21:18 90.63

19:21:19 90.69

19:21:20 90.75

19:21:21 90.83

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C)

Time Stamp TC3
ZA44-A

21-Feb-2020

19:21:22 90.91

19:21:23 91.00

19:21:24 91.08

19:21:25 91.18

19:21:26 91.27

19:21:27 91.37

19:21:28 91.47

19:21:29 91.58

19:21:30 91.70

19:21:31 91.82

19:21:32 91.94

19:21:33 92.06

19:21:34 92.19

19:21:35 92.32

19:21:36 92.45

19:21:37 92.59

19:21:38 92.73

19:21:39 92.87

19:21:40 93.01

19:21:41 93.16

19:21:42 93.31

19:21:43 93.46

19:21:44 93.61

19:21:45 93.76

19:21:46 93.91

19:21:47 94.06

19:21:48 94.22

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3	
Asset ID: 123	SOP / Protocol #: SOP3
Comments: Comm3	Description: Des3

Temperature Data(°C)

Time Stamp TC3
ZA44-A

21-Feb-2020	
19:21:49	94.37
19:21:50	94.51
19:21:51	94.65
19:21:52	94.79
19:21:53	94.94
19:21:54	95.06
19:21:55	95.20
19:21:56	95.33
19:21:57	95.45
19:21:58	95.58
19:21:59	95.70
19:22:00	95.81
19:22:01	95.93
19:22:02	96.05
19:22:03	96.15
19:22:04	96.27
19:22:05	96.37
19:22:06	96.46
19:22:07	96.57
19:22:08	96.66
19:22:09	96.76
19:22:10	96.86
19:22:11	96.95
19:22:12	97.04
19:22:13	97.12
19:22:14	97.21
19:22:15	97.29

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C)

Time Stamp TC3
ZA44-A

21-Feb-2020

19:22:16	97.37
19:22:17	97.44
19:22:18	97.51
19:22:19	97.59
19:22:20	97.66
19:22:21	97.73
19:22:22	97.79
19:22:23	97.86
19:22:24	97.92
19:22:25	97.98
19:22:26	98.04
19:22:27	98.10
19:22:28	98.15
19:22:29	98.20
19:22:30	98.26
19:22:31	98.31
19:22:32	98.37
19:22:33	98.41
19:22:34	98.46
19:22:35	98.51
19:22:36	98.55
19:22:37	98.59
19:22:38	98.64
19:22:39	98.68
19:22:40	98.72
19:22:41	98.76
19:22:42	98.80

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C)

Time Stamp TC3
ZA44-A

21-Feb-2020

19:22:43 98.84

19:22:44 98.87

19:22:45 98.91

19:22:46 98.94

19:22:47 98.97

19:22:48 99.00

19:22:49 99.03

19:22:50 99.08

19:22:51 99.10

19:22:52 99.13

19:22:53 99.16

19:22:54 99.19

19:22:55 99.21

19:22:56 99.24

19:22:57 99.27

19:22:58 99.29

19:22:59 99.32

19:23:00 99.33

19:23:00 ***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

AssetID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:20:31	***** Study Start *****											
19:20:31	*****Qual*****											
19:20:31	90.35	TC3	ZA44-A	90.35	TC3	ZA44-A	0.00	90.35	0.00	0.00	0.00	00:00:00
19:20:32	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:01
19:20:33	90.35	TC3	ZA44-A	90.35	TC3	ZA44-A	0.00	90.35	0.00	0.00	0.00	00:00:02
19:20:34	90.35	TC3	ZA44-A	90.35	TC3	ZA44-A	0.00	90.35	0.00	0.00	0.00	00:00:03
19:20:35	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:04
19:20:36	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:05
19:20:37	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:06
19:20:38	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:07
19:20:39	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:08
19:20:40	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:09
19:20:41	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:10
19:20:42	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:11
19:20:43	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:12
19:20:44	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:13
19:20:45	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:14
19:20:46	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:15
19:20:47	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:16
19:20:48	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:17
19:20:49	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:18
19:20:50	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:19
19:20:51	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:20
19:20:52	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:21
19:20:53	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:22

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

AssetID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:20:54	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:23
19:20:55	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:24
19:20:56	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:25
19:20:57	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:26
19:20:58	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:27
19:20:59	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:28
19:21:00	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:29
19:21:01	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:30
19:21:02	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:31
19:21:03	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:32
19:21:04	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:33
19:21:05	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:34
19:21:06	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:35
19:21:07	90.32	TC3	ZA44-A	90.32	TC3	ZA44-A	0.00	90.32	0.00	0.00	0.00	00:00:36
19:21:08	90.31	TC3	ZA44-A	90.31	TC3	ZA44-A	0.00	90.31	0.00	0.00	0.00	00:00:37
19:21:09	90.33	TC3	ZA44-A	90.33	TC3	ZA44-A	0.00	90.33	0.00	0.00	0.00	00:00:38
19:21:10	90.34	TC3	ZA44-A	90.34	TC3	ZA44-A	0.00	90.34	0.00	0.00	0.00	00:00:39
19:21:11	90.35	TC3	ZA44-A	90.35	TC3	ZA44-A	0.00	90.35	0.00	0.00	0.00	00:00:40
19:21:12	90.37	TC3	ZA44-A	90.37	TC3	ZA44-A	0.00	90.37	0.00	0.00	0.00	00:00:41
19:21:13	90.40	TC3	ZA44-A	90.40	TC3	ZA44-A	0.00	90.40	0.00	0.00	0.00	00:00:42
19:21:14	90.42	TC3	ZA44-A	90.42	TC3	ZA44-A	0.00	90.42	0.00	0.00	0.00	00:00:43
19:21:15	90.47	TC3	ZA44-A	90.47	TC3	ZA44-A	0.00	90.47	0.00	0.00	0.00	00:00:44
19:21:16	90.52	TC3	ZA44-A	90.52	TC3	ZA44-A	0.00	90.52	0.00	0.00	0.00	00:00:45
19:21:17	90.57	TC3	ZA44-A	90.57	TC3	ZA44-A	0.00	90.57	0.00	0.00	0.00	00:00:46
19:21:18	90.63	TC3	ZA44-A	90.63	TC3	ZA44-A	0.00	90.63	0.00	0.00	0.00	00:00:47
19:21:19	90.69	TC3	ZA44-A	90.69	TC3	ZA44-A	0.00	90.69	0.00	0.00	0.00	00:00:48

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

AssetID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:21:20	90.75	TC3	ZA44-A	90.75	TC3	ZA44-A	0.00	90.75	0.00	0.00	0.00	00:00:49
19:21:21	90.83	TC3	ZA44-A	90.83	TC3	ZA44-A	0.00	90.83	0.00	0.00	0.00	00:00:50
19:21:22	90.91	TC3	ZA44-A	90.91	TC3	ZA44-A	0.00	90.91	0.00	0.00	0.00	00:00:51
19:21:23	91.00	TC3	ZA44-A	91.00	TC3	ZA44-A	0.00	91.00	0.00	0.00	0.00	00:00:52
19:21:24	91.08	TC3	ZA44-A	91.08	TC3	ZA44-A	0.00	91.08	0.00	0.00	0.00	00:00:53
19:21:25	91.18	TC3	ZA44-A	91.18	TC3	ZA44-A	0.00	91.18	0.00	0.00	0.00	00:00:54
19:21:26	91.27	TC3	ZA44-A	91.27	TC3	ZA44-A	0.00	91.27	0.00	0.00	0.00	00:00:55
19:21:27	91.37	TC3	ZA44-A	91.37	TC3	ZA44-A	0.00	91.37	0.00	0.00	0.00	00:00:56
19:21:28	91.47	TC3	ZA44-A	91.47	TC3	ZA44-A	0.00	91.47	0.00	0.00	0.00	00:00:57
19:21:29	91.58	TC3	ZA44-A	91.58	TC3	ZA44-A	0.00	91.58	0.00	0.00	0.00	00:00:58
19:21:30	91.70	TC3	ZA44-A	91.70	TC3	ZA44-A	0.00	91.70	0.00	0.00	0.00	00:00:59
19:21:31	91.82	TC3	ZA44-A	91.82	TC3	ZA44-A	0.00	91.82	0.00	0.00	0.00	00:01:00
19:21:32	91.94	TC3	ZA44-A	91.94	TC3	ZA44-A	0.00	91.94	0.00	0.00	0.00	00:01:01
19:21:33	92.06	TC3	ZA44-A	92.06	TC3	ZA44-A	0.00	92.06	0.00	0.00	0.00	00:01:02
19:21:34	92.19	TC3	ZA44-A	92.19	TC3	ZA44-A	0.00	92.19	0.00	0.00	0.00	00:01:03
19:21:35	92.32	TC3	ZA44-A	92.32	TC3	ZA44-A	0.00	92.32	0.00	0.00	0.00	00:01:04
19:21:36	92.45	TC3	ZA44-A	92.45	TC3	ZA44-A	0.00	92.45	0.00	0.00	0.00	00:01:05
19:21:37	92.59	TC3	ZA44-A	92.59	TC3	ZA44-A	0.00	92.59	0.00	0.00	0.00	00:01:06
19:21:38	92.73	TC3	ZA44-A	92.73	TC3	ZA44-A	0.00	92.73	0.00	0.00	0.00	00:01:07
19:21:39	92.87	TC3	ZA44-A	92.87	TC3	ZA44-A	0.00	92.87	0.00	0.00	0.00	00:01:08
19:21:40	93.01	TC3	ZA44-A	93.01	TC3	ZA44-A	0.00	93.01	0.00	0.00	0.00	00:01:09
19:21:41	93.16	TC3	ZA44-A	93.16	TC3	ZA44-A	0.00	93.16	0.00	0.00	0.00	00:01:10
19:21:42	93.31	TC3	ZA44-A	93.31	TC3	ZA44-A	0.00	93.31	0.00	0.00	0.00	00:01:11
19:21:43	93.46	TC3	ZA44-A	93.46	TC3	ZA44-A	0.00	93.46	0.00	0.00	0.00	00:01:12
19:21:44	93.61	TC3	ZA44-A	93.61	TC3	ZA44-A	0.00	93.61	0.00	0.00	0.00	00:01:13
19:21:45	93.76	TC3	ZA44-A	93.76	TC3	ZA44-A	0.00	93.76	0.00	0.00	0.00	00:01:14

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

AssetID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:21:46	93.91	TC3	ZA44-A	93.91	TC3	ZA44-A	0.00	93.91	0.00	0.00	0.00	00:01:15
19:21:47	94.06	TC3	ZA44-A	94.06	TC3	ZA44-A	0.00	94.06	0.00	0.00	0.00	00:01:16
19:21:48	94.22	TC3	ZA44-A	94.22	TC3	ZA44-A	0.00	94.22	0.00	0.00	0.00	00:01:17
19:21:49	94.37	TC3	ZA44-A	94.37	TC3	ZA44-A	0.00	94.37	0.00	0.00	0.00	00:01:18
19:21:50	94.51	TC3	ZA44-A	94.51	TC3	ZA44-A	0.00	94.51	0.00	0.00	0.00	00:01:19
19:21:51	94.65	TC3	ZA44-A	94.65	TC3	ZA44-A	0.00	94.65	0.00	0.00	0.00	00:01:20
19:21:52	94.79	TC3	ZA44-A	94.79	TC3	ZA44-A	0.00	94.79	0.00	0.00	0.00	00:01:21
19:21:53	94.94	TC3	ZA44-A	94.94	TC3	ZA44-A	0.00	94.94	0.00	0.00	0.00	00:01:22
19:21:54	95.06	TC3	ZA44-A	95.06	TC3	ZA44-A	0.00	95.06	0.00	0.00	0.00	00:01:23
19:21:55	95.20	TC3	ZA44-A	95.20	TC3	ZA44-A	0.00	95.20	0.00	0.00	0.00	00:01:24
19:21:56	95.33	TC3	ZA44-A	95.33	TC3	ZA44-A	0.00	95.33	0.00	0.00	0.00	00:01:25
19:21:57	95.45	TC3	ZA44-A	95.45	TC3	ZA44-A	0.00	95.45	0.00	0.00	0.00	00:01:26
19:21:58	95.58	TC3	ZA44-A	95.58	TC3	ZA44-A	0.00	95.58	0.00	0.00	0.00	00:01:27
19:21:59	95.70	TC3	ZA44-A	95.70	TC3	ZA44-A	0.00	95.70	0.00	0.00	0.00	00:01:28
19:22:00	95.81	TC3	ZA44-A	95.81	TC3	ZA44-A	0.00	95.81	0.00	0.00	0.00	00:01:29
19:22:01	95.93	TC3	ZA44-A	95.93	TC3	ZA44-A	0.00	95.93	0.00	0.00	0.00	00:01:30
19:22:02	96.05	TC3	ZA44-A	96.05	TC3	ZA44-A	0.00	96.05	0.00	0.00	0.00	00:01:31
19:22:03	96.15	TC3	ZA44-A	96.15	TC3	ZA44-A	0.00	96.15	0.00	0.00	0.00	00:01:32
19:22:04	96.27	TC3	ZA44-A	96.27	TC3	ZA44-A	0.00	96.27	0.00	0.00	0.00	00:01:33
19:22:05	96.37	TC3	ZA44-A	96.37	TC3	ZA44-A	0.00	96.37	0.00	0.00	0.00	00:01:34
19:22:06	96.46	TC3	ZA44-A	96.46	TC3	ZA44-A	0.00	96.46	0.00	0.00	0.00	00:01:35
19:22:07	96.57	TC3	ZA44-A	96.57	TC3	ZA44-A	0.00	96.57	0.00	0.00	0.00	00:01:36
19:22:08	96.66	TC3	ZA44-A	96.66	TC3	ZA44-A	0.00	96.66	0.00	0.00	0.00	00:01:37
19:22:09	96.76	TC3	ZA44-A	96.76	TC3	ZA44-A	0.00	96.76	0.00	0.00	0.00	00:01:38
19:22:10	96.86	TC3	ZA44-A	96.86	TC3	ZA44-A	0.00	96.86	0.00	0.00	0.00	00:01:39
19:22:11	96.95	TC3	ZA44-A	96.95	TC3	ZA44-A	0.00	96.95	0.00	0.00	0.00	00:01:40

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

AssetID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:22:12	97.04	TC3	ZA44-A	97.04	TC3	ZA44-A	0.00	97.04	0.00	0.00	0.00	00:01:41
19:22:13	97.12	TC3	ZA44-A	97.12	TC3	ZA44-A	0.00	97.12	0.00	0.00	0.00	00:01:42
19:22:14	97.21	TC3	ZA44-A	97.21	TC3	ZA44-A	0.00	97.21	0.00	0.00	0.00	00:01:43
19:22:15	97.29	TC3	ZA44-A	97.29	TC3	ZA44-A	0.00	97.29	0.00	0.00	0.00	00:01:44
19:22:16	97.37	TC3	ZA44-A	97.37	TC3	ZA44-A	0.00	97.37	0.00	0.00	0.00	00:01:45
19:22:17	97.44	TC3	ZA44-A	97.44	TC3	ZA44-A	0.00	97.44	0.00	0.00	0.00	00:01:46
19:22:18	97.51	TC3	ZA44-A	97.51	TC3	ZA44-A	0.00	97.51	0.00	0.00	0.00	00:01:47
19:22:19	97.59	TC3	ZA44-A	97.59	TC3	ZA44-A	0.00	97.59	0.00	0.00	0.00	00:01:48
19:22:20	97.66	TC3	ZA44-A	97.66	TC3	ZA44-A	0.00	97.66	0.00	0.00	0.00	00:01:49
19:22:21	97.73	TC3	ZA44-A	97.73	TC3	ZA44-A	0.00	97.73	0.00	0.00	0.00	00:01:50
19:22:22	97.79	TC3	ZA44-A	97.79	TC3	ZA44-A	0.00	97.79	0.00	0.00	0.00	00:01:51
19:22:23	97.86	TC3	ZA44-A	97.86	TC3	ZA44-A	0.00	97.86	0.00	0.00	0.00	00:01:52
19:22:24	97.92	TC3	ZA44-A	97.92	TC3	ZA44-A	0.00	97.92	0.00	0.00	0.00	00:01:53
19:22:25	97.98	TC3	ZA44-A	97.98	TC3	ZA44-A	0.00	97.98	0.00	0.00	0.00	00:01:54
19:22:26	98.04	TC3	ZA44-A	98.04	TC3	ZA44-A	0.00	98.04	0.00	0.00	0.00	00:01:55
19:22:27	98.10	TC3	ZA44-A	98.10	TC3	ZA44-A	0.00	98.10	0.00	0.00	0.00	00:01:56
19:22:28	98.15	TC3	ZA44-A	98.15	TC3	ZA44-A	0.00	98.15	0.00	0.00	0.00	00:01:57
19:22:29	98.20	TC3	ZA44-A	98.20	TC3	ZA44-A	0.00	98.20	0.00	0.00	0.00	00:01:58
19:22:30	98.26	TC3	ZA44-A	98.26	TC3	ZA44-A	0.00	98.26	0.00	0.00	0.00	00:01:59
19:22:31	98.31	TC3	ZA44-A	98.31	TC3	ZA44-A	0.00	98.31	0.00	0.00	0.00	00:02:00
19:22:32	98.37	TC3	ZA44-A	98.37	TC3	ZA44-A	0.00	98.37	0.00	0.00	0.00	00:02:01
19:22:33	98.41	TC3	ZA44-A	98.41	TC3	ZA44-A	0.00	98.41	0.00	0.00	0.00	00:02:02
19:22:34	98.46	TC3	ZA44-A	98.46	TC3	ZA44-A	0.00	98.46	0.00	0.00	0.00	00:02:03
19:22:35	98.51	TC3	ZA44-A	98.51	TC3	ZA44-A	0.00	98.51	0.00	0.00	0.00	00:02:04
19:22:36	98.55	TC3	ZA44-A	98.55	TC3	ZA44-A	0.00	98.55	0.00	0.00	0.00	00:02:05
19:22:37	98.59	TC3	ZA44-A	98.59	TC3	ZA44-A	0.00	98.59	0.00	0.00	0.00	00:02:06

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

AssetID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:22:38	98.64	TC3	ZA44-A	98.64	TC3	ZA44-A	0.00	98.64	0.00	0.00	0.00	00:02:07
19:22:39	98.68	TC3	ZA44-A	98.68	TC3	ZA44-A	0.00	98.68	0.00	0.00	0.00	00:02:08
19:22:40	98.72	TC3	ZA44-A	98.72	TC3	ZA44-A	0.00	98.72	0.00	0.00	0.00	00:02:09
19:22:41	98.76	TC3	ZA44-A	98.76	TC3	ZA44-A	0.00	98.76	0.00	0.00	0.00	00:02:10
19:22:42	98.80	TC3	ZA44-A	98.80	TC3	ZA44-A	0.00	98.80	0.00	0.00	0.00	00:02:11
19:22:43	98.84	TC3	ZA44-A	98.84	TC3	ZA44-A	0.00	98.84	0.00	0.00	0.00	00:02:12
19:22:44	98.87	TC3	ZA44-A	98.87	TC3	ZA44-A	0.00	98.87	0.00	0.00	0.00	00:02:13
19:22:45	98.91	TC3	ZA44-A	98.91	TC3	ZA44-A	0.00	98.91	0.00	0.00	0.00	00:02:14
19:22:46	98.94	TC3	ZA44-A	98.94	TC3	ZA44-A	0.00	98.94	0.00	0.00	0.00	00:02:15
19:22:47	98.97	TC3	ZA44-A	98.97	TC3	ZA44-A	0.00	98.97	0.00	0.00	0.00	00:02:16
19:22:48	99.00	TC3	ZA44-A	99.00	TC3	ZA44-A	0.00	99.00	0.00	0.00	0.00	00:02:17
19:22:49	99.03	TC3	ZA44-A	99.03	TC3	ZA44-A	0.00	99.03	0.00	0.00	0.00	00:02:18
19:22:50	99.08	TC3	ZA44-A	99.08	TC3	ZA44-A	0.00	99.08	0.00	0.00	0.00	00:02:19
19:22:51	99.10	TC3	ZA44-A	99.10	TC3	ZA44-A	0.00	99.10	0.00	0.00	0.00	00:02:20
19:22:52	99.13	TC3	ZA44-A	99.13	TC3	ZA44-A	0.00	99.13	0.00	0.00	0.00	00:02:21
19:22:53	99.16	TC3	ZA44-A	99.16	TC3	ZA44-A	0.00	99.16	0.00	0.00	0.00	00:02:22
19:22:54	99.19	TC3	ZA44-A	99.19	TC3	ZA44-A	0.00	99.19	0.00	0.00	0.00	00:02:23
19:22:55	99.21	TC3	ZA44-A	99.21	TC3	ZA44-A	0.00	99.21	0.00	0.00	0.00	00:02:24
19:22:56	99.24	TC3	ZA44-A	99.24	TC3	ZA44-A	0.00	99.24	0.00	0.00	0.00	00:02:25
19:22:57	99.27	TC3	ZA44-A	99.27	TC3	ZA44-A	0.00	99.27	0.00	0.00	0.00	00:02:26
19:22:58	99.29	TC3	ZA44-A	99.29	TC3	ZA44-A	0.00	99.29	0.00	0.00	0.00	00:02:27
19:22:59	99.32	TC3	ZA44-A	99.32	TC3	ZA44-A	0.00	99.32	0.00	0.00	0.00	00:02:28
19:23:00	99.33	TC3	ZA44-A	99.33	TC3	ZA44-A	0.00	99.33	0.00	0.00	0.00	00:02:29
19:23:00	***** Study End *****											

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3	
Asset ID: 123	SOP / Protocol #: SOP3
Comments: Comm3	Description: Des3

Lethality Data

Time Stamp TC3
ZA44-A

21-Feb-2020

19:20:31 ***** Study Start *****

19:20:31 *****Qual*****

19:20:31 0.00

19:20:32 0.02

19:20:33 0.04

19:20:34 0.05

19:20:35 0.07

19:20:36 0.09

19:20:37 0.11

19:20:38 0.13

19:20:39 0.14

19:20:40 0.16

19:20:41 0.18

19:20:42 0.20

19:20:43 0.22

19:20:44 0.23

19:20:45 0.25

19:20:46 0.27

19:20:47 0.29

19:20:48 0.31

19:20:49 0.32

19:20:50 0.34

19:20:51 0.36

19:20:52 0.38

19:20:53 0.40

19:20:54 0.41

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Lethality Data**Time Stamp** **TC3**
ZA44-A

21-Feb-2020

19:20:55 0.43

19:20:56 0.45

19:20:57 0.47

19:20:58 0.49

19:20:59 0.50

19:21:00 0.52

19:21:01 0.54

19:21:02 0.56

19:21:03 0.58

19:21:04 0.59

19:21:05 0.61

19:21:06 0.63

19:21:07 0.65

19:21:08 0.67

19:21:09 0.68

19:21:10 0.70

19:21:11 0.72

19:21:12 0.74

19:21:13 0.76

19:21:14 0.77

19:21:15 0.79

19:21:16 0.81

19:21:17 0.83

19:21:18 0.85

19:21:19 0.87

19:21:20 0.89

19:21:21 0.91

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Lethality Data

Time Stamp TC3
ZA44-A

21-Feb-2020

19:21:22 0.93

19:21:23 0.95

19:21:24 0.97

19:21:25 0.99

19:21:26 1.01

19:21:27 1.04

19:21:28 1.06

19:21:29 1.08

19:21:30 1.11

19:21:31 1.13

19:21:32 1.16

19:21:33 1.19

19:21:34 1.21

19:21:35 1.24

19:21:36 1.27

19:21:37 1.30

19:21:38 1.33

19:21:39 1.36

19:21:40 1.39

19:21:41 1.43

19:21:42 1.46

19:21:43 1.50

19:21:44 1.54

19:21:45 1.58

19:21:46 1.62

19:21:47 1.66

19:21:48 1.70

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3	
Asset ID: 123	SOP / Protocol #: SOP3
Comments: Comm3	Description: Des3

Lethality Data

Time Stamp TC3
ZA44-A

21-Feb-2020	
19:21:49	1.75
19:21:50	1.79
19:21:51	1.84
19:21:52	1.89
19:21:53	1.94
19:21:54	1.99
19:21:55	2.05
19:21:56	2.10
19:21:57	2.16
19:21:58	2.22
19:21:59	2.28
19:22:00	2.35
19:22:01	2.41
19:22:02	2.48
19:22:03	2.54
19:22:04	2.61
19:22:05	2.68
19:22:06	2.76
19:22:07	2.83
19:22:08	2.91
19:22:09	2.99
19:22:10	3.07
19:22:11	3.15
19:22:12	3.23
19:22:13	3.32
19:22:14	3.40
19:22:15	3.49

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3

Asset ID: 123

SOP / Protocol #: SOP3

Comments: Comm3

Description: Des3

Lethality Data

Time Stamp TC3
ZA44-A

21-Feb-2020

19:22:16	3.58
19:22:17	3.67
19:22:18	3.77
19:22:19	3.86
19:22:20	3.96
19:22:21	4.06
19:22:22	4.16
19:22:23	4.26
19:22:24	4.36
19:22:25	4.46
19:22:26	4.57
19:22:27	4.68
19:22:28	4.78
19:22:29	4.89
19:22:30	5.00
19:22:31	5.12
19:22:32	5.23
19:22:33	5.35
19:22:34	5.46
19:22:35	5.58
19:22:36	5.70
19:22:37	5.82
19:22:38	5.94
19:22:39	6.06
19:22:40	6.19
19:22:41	6.31
19:22:42	6.44

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G3	
Asset ID: 123	SOP / Protocol #: SOP3
Comments: Comm3	Description: Des3

Lethality Data

Time Stamp TC3
ZA44-A

21-Feb-2020	
19:22:43	6.56
19:22:44	6.69
19:22:45	6.82
19:22:46	6.95
19:22:47	7.08
19:22:48	7.21
19:22:49	7.35
19:22:50	7.48
19:22:51	7.62
19:22:52	7.75
19:22:53	7.89
19:22:54	8.03
19:22:55	8.16
19:22:56	8.30
19:22:57	8.44
19:22:58	8.59
19:22:59	8.73
19:23:00	8.87
19:23:00	***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Temperature Data(°C)

Time Stamp TC2
ZE11-B

21-Feb-2020

19:20:31 ***** Study Start *****

19:20:31 *****Qual*****

19:20:31 90.44

19:20:32 90.44

19:20:33 90.43

19:20:34 90.44

19:20:35 90.43

19:20:36 90.43

19:20:37 90.43

19:20:38 90.44

19:20:39 90.43

19:20:40 90.43

19:20:41 90.43

19:20:42 90.43

19:20:43 90.44

19:20:44 90.43

19:20:45 90.43

19:20:46 90.43

19:20:47 90.43

19:20:48 90.43

19:20:49 90.43

19:20:50 90.43

19:20:51 90.42

19:20:52 90.42

19:20:53 90.42

19:20:54 90.42

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Temperature Data(°C)

Time Stamp TC2
ZE11-B

21-Feb-2020	
19:20:55	90.42
19:20:56	90.42
19:20:57	90.42
19:20:58	90.42
19:20:59	90.42
19:21:00	90.41
19:21:01	90.42
19:21:02	90.41
19:21:03	90.41
19:21:04	90.41
19:21:05	90.42
19:21:06	90.41
19:21:07	90.42
19:21:08	90.42
19:21:09	90.42
19:21:10	90.43
19:21:11	90.45
19:21:12	90.47
19:21:13	90.51
19:21:14	90.55
19:21:15	90.60
19:21:16	90.65
19:21:17	90.71
19:21:18	90.78
19:21:19	90.85
19:21:20	90.93
19:21:21	91.02

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

Asset ID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C)

Time Stamp TC2
ZE11-B

21-Feb-2020

19:21:22 91.12

19:21:23 91.21

19:21:24 91.32

19:21:25 91.41

19:21:26 91.53

19:21:27 91.65

19:21:28 91.77

19:21:29 91.89

19:21:30 92.02

19:21:31 92.16

19:21:32 92.30

19:21:33 92.43

19:21:34 92.58

19:21:35 92.72

19:21:36 92.87

19:21:37 93.01

19:21:38 93.17

19:21:39 93.32

19:21:40 93.48

19:21:41 93.64

19:21:42 93.81

19:21:43 93.97

19:21:44 94.13

19:21:45 94.30

19:21:46 94.46

19:21:47 94.61

19:21:48 94.76

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Temperature Data(°C)

Time Stamp TC2
ZE11-B

21-Feb-2020	
19:21:49	94.91
19:21:50	95.06
19:21:51	95.22
19:21:52	95.36
19:21:53	95.49
19:21:54	95.63
19:21:55	95.77
19:21:56	95.89
19:21:57	96.01
19:21:58	96.13
19:21:59	96.24
19:22:00	96.35
19:22:01	96.47
19:22:02	96.58
19:22:03	96.68
19:22:04	96.79
19:22:05	96.89
19:22:06	96.98
19:22:07	97.07
19:22:08	97.16
19:22:09	97.24
19:22:10	97.33
19:22:11	97.40
19:22:12	97.49
19:22:13	97.56
19:22:14	97.63
19:22:15	97.71

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

Asset ID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C)

Time Stamp TC2
ZE11-B

21-Feb-2020

19:22:16 97.78

19:22:17 97.84

19:22:18 97.91

19:22:19 97.98

19:22:20 98.04

19:22:21 98.10

19:22:22 98.16

19:22:23 98.22

19:22:24 98.27

19:22:25 98.32

19:22:26 98.37

19:22:27 98.42

19:22:28 98.47

19:22:29 98.52

19:22:30 98.56

19:22:31 98.60

19:22:32 98.65

19:22:33 98.69

19:22:34 98.73

19:22:35 98.77

19:22:36 98.81

19:22:37 98.84

19:22:38 98.88

19:22:39 98.92

19:22:40 98.95

19:22:41 98.99

19:22:42 99.02

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Temperature Data(°C)

Time Stamp TC2
ZE11-B

21-Feb-2020	
19:22:43	99.04
19:22:44	99.07
19:22:45	99.10
19:22:46	99.13
19:22:47	99.16
19:22:48	99.19
19:22:49	99.21
19:22:50	99.23
19:22:51	99.27
19:22:52	99.29
19:22:53	99.32
19:22:54	99.34
19:22:55	99.36
19:22:56	99.38
19:22:57	99.41
19:22:58	99.42
19:22:59	99.45
19:23:00	99.46
19:23:00 ***** Study End *****	

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

AssetID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:20:31	***** Study Start *****											
19:20:31	*****Qual*****											
19:20:31	90.44	TC2	ZE11-B	90.44	TC2	ZE11-B	0.00	90.44	0.00	0.00	0.00	00:00:00
19:20:32	90.44	TC2	ZE11-B	90.44	TC2	ZE11-B	0.00	90.44	0.00	0.00	0.00	00:00:01
19:20:33	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:02
19:20:34	90.44	TC2	ZE11-B	90.44	TC2	ZE11-B	0.00	90.44	0.00	0.00	0.00	00:00:03
19:20:35	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:04
19:20:36	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:05
19:20:37	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:06
19:20:38	90.44	TC2	ZE11-B	90.44	TC2	ZE11-B	0.00	90.44	0.00	0.00	0.00	00:00:07
19:20:39	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:08
19:20:40	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:09
19:20:41	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:10
19:20:42	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:11
19:20:43	90.44	TC2	ZE11-B	90.44	TC2	ZE11-B	0.00	90.44	0.00	0.00	0.00	00:00:12
19:20:44	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:13
19:20:45	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:14
19:20:46	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:15
19:20:47	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:16
19:20:48	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:17
19:20:49	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:18
19:20:50	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:19
19:20:51	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:20
19:20:52	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:21
19:20:53	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:22

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2												
AssetID: 123						SOP / Protocol #: sop2						
Comments: comm2						Description: desc2						

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:20:54	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:23
19:20:55	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:24
19:20:56	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:25
19:20:57	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:26
19:20:58	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:27
19:20:59	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:28
19:21:00	90.41	TC2	ZE11-B	90.41	TC2	ZE11-B	0.00	90.41	0.00	0.00	0.00	00:00:29
19:21:01	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:30
19:21:02	90.41	TC2	ZE11-B	90.41	TC2	ZE11-B	0.00	90.41	0.00	0.00	0.00	00:00:31
19:21:03	90.41	TC2	ZE11-B	90.41	TC2	ZE11-B	0.00	90.41	0.00	0.00	0.00	00:00:32
19:21:04	90.41	TC2	ZE11-B	90.41	TC2	ZE11-B	0.00	90.41	0.00	0.00	0.00	00:00:33
19:21:05	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:34
19:21:06	90.41	TC2	ZE11-B	90.41	TC2	ZE11-B	0.00	90.41	0.00	0.00	0.00	00:00:35
19:21:07	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:36
19:21:08	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:37
19:21:09	90.42	TC2	ZE11-B	90.42	TC2	ZE11-B	0.00	90.42	0.00	0.00	0.00	00:00:38
19:21:10	90.43	TC2	ZE11-B	90.43	TC2	ZE11-B	0.00	90.43	0.00	0.00	0.00	00:00:39
19:21:11	90.45	TC2	ZE11-B	90.45	TC2	ZE11-B	0.00	90.45	0.00	0.00	0.00	00:00:40
19:21:12	90.47	TC2	ZE11-B	90.47	TC2	ZE11-B	0.00	90.47	0.00	0.00	0.00	00:00:41
19:21:13	90.51	TC2	ZE11-B	90.51	TC2	ZE11-B	0.00	90.51	0.00	0.00	0.00	00:00:42
19:21:14	90.55	TC2	ZE11-B	90.55	TC2	ZE11-B	0.00	90.55	0.00	0.00	0.00	00:00:43
19:21:15	90.60	TC2	ZE11-B	90.60	TC2	ZE11-B	0.00	90.60	0.00	0.00	0.00	00:00:44
19:21:16	90.65	TC2	ZE11-B	90.65	TC2	ZE11-B	0.00	90.65	0.00	0.00	0.00	00:00:45
19:21:17	90.71	TC2	ZE11-B	90.71	TC2	ZE11-B	0.00	90.71	0.00	0.00	0.00	00:00:46
19:21:18	90.78	TC2	ZE11-B	90.78	TC2	ZE11-B	0.00	90.78	0.00	0.00	0.00	00:00:47
19:21:19	90.85	TC2	ZE11-B	90.85	TC2	ZE11-B	0.00	90.85	0.00	0.00	0.00	00:00:48

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

AssetID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:21:20	90.93	TC2	ZE11-B	90.93	TC2	ZE11-B	0.00	90.93	0.00	0.00	0.00	00:00:49
19:21:21	91.02	TC2	ZE11-B	91.02	TC2	ZE11-B	0.00	91.02	0.00	0.00	0.00	00:00:50
19:21:22	91.12	TC2	ZE11-B	91.12	TC2	ZE11-B	0.00	91.12	0.00	0.00	0.00	00:00:51
19:21:23	91.21	TC2	ZE11-B	91.21	TC2	ZE11-B	0.00	91.21	0.00	0.00	0.00	00:00:52
19:21:24	91.32	TC2	ZE11-B	91.32	TC2	ZE11-B	0.00	91.32	0.00	0.00	0.00	00:00:53
19:21:25	91.41	TC2	ZE11-B	91.41	TC2	ZE11-B	0.00	91.41	0.00	0.00	0.00	00:00:54
19:21:26	91.53	TC2	ZE11-B	91.53	TC2	ZE11-B	0.00	91.53	0.00	0.00	0.00	00:00:55
19:21:27	91.65	TC2	ZE11-B	91.65	TC2	ZE11-B	0.00	91.65	0.00	0.00	0.00	00:00:56
19:21:28	91.77	TC2	ZE11-B	91.77	TC2	ZE11-B	0.00	91.77	0.00	0.00	0.00	00:00:57
19:21:29	91.89	TC2	ZE11-B	91.89	TC2	ZE11-B	0.00	91.89	0.00	0.00	0.00	00:00:58
19:21:30	92.02	TC2	ZE11-B	92.02	TC2	ZE11-B	0.00	92.02	0.00	0.00	0.00	00:00:59
19:21:31	92.16	TC2	ZE11-B	92.16	TC2	ZE11-B	0.00	92.16	0.00	0.00	0.00	00:01:00
19:21:32	92.30	TC2	ZE11-B	92.30	TC2	ZE11-B	0.00	92.30	0.00	0.00	0.00	00:01:01
19:21:33	92.43	TC2	ZE11-B	92.43	TC2	ZE11-B	0.00	92.43	0.00	0.00	0.00	00:01:02
19:21:34	92.58	TC2	ZE11-B	92.58	TC2	ZE11-B	0.00	92.58	0.00	0.00	0.00	00:01:03
19:21:35	92.72	TC2	ZE11-B	92.72	TC2	ZE11-B	0.00	92.72	0.00	0.00	0.00	00:01:04
19:21:36	92.87	TC2	ZE11-B	92.87	TC2	ZE11-B	0.00	92.87	0.00	0.00	0.00	00:01:05
19:21:37	93.01	TC2	ZE11-B	93.01	TC2	ZE11-B	0.00	93.01	0.00	0.00	0.00	00:01:06
19:21:38	93.17	TC2	ZE11-B	93.17	TC2	ZE11-B	0.00	93.17	0.00	0.00	0.00	00:01:07
19:21:39	93.32	TC2	ZE11-B	93.32	TC2	ZE11-B	0.00	93.32	0.00	0.00	0.00	00:01:08
19:21:40	93.48	TC2	ZE11-B	93.48	TC2	ZE11-B	0.00	93.48	0.00	0.00	0.00	00:01:09
19:21:41	93.64	TC2	ZE11-B	93.64	TC2	ZE11-B	0.00	93.64	0.00	0.00	0.00	00:01:10
19:21:42	93.81	TC2	ZE11-B	93.81	TC2	ZE11-B	0.00	93.81	0.00	0.00	0.00	00:01:11
19:21:43	93.97	TC2	ZE11-B	93.97	TC2	ZE11-B	0.00	93.97	0.00	0.00	0.00	00:01:12
19:21:44	94.13	TC2	ZE11-B	94.13	TC2	ZE11-B	0.00	94.13	0.00	0.00	0.00	00:01:13
19:21:45	94.30	TC2	ZE11-B	94.30	TC2	ZE11-B	0.00	94.30	0.00	0.00	0.00	00:01:14

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

AssetID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:21:46	94.46	TC2	ZE11-B	94.46	TC2	ZE11-B	0.00	94.46	0.00	0.00	0.00	00:01:15
19:21:47	94.61	TC2	ZE11-B	94.61	TC2	ZE11-B	0.00	94.61	0.00	0.00	0.00	00:01:16
19:21:48	94.76	TC2	ZE11-B	94.76	TC2	ZE11-B	0.00	94.76	0.00	0.00	0.00	00:01:17
19:21:49	94.91	TC2	ZE11-B	94.91	TC2	ZE11-B	0.00	94.91	0.00	0.00	0.00	00:01:18
19:21:50	95.06	TC2	ZE11-B	95.06	TC2	ZE11-B	0.00	95.06	0.00	0.00	0.00	00:01:19
19:21:51	95.22	TC2	ZE11-B	95.22	TC2	ZE11-B	0.00	95.22	0.00	0.00	0.00	00:01:20
19:21:52	95.36	TC2	ZE11-B	95.36	TC2	ZE11-B	0.00	95.36	0.00	0.00	0.00	00:01:21
19:21:53	95.49	TC2	ZE11-B	95.49	TC2	ZE11-B	0.00	95.49	0.00	0.00	0.00	00:01:22
19:21:54	95.63	TC2	ZE11-B	95.63	TC2	ZE11-B	0.00	95.63	0.00	0.00	0.00	00:01:23
19:21:55	95.77	TC2	ZE11-B	95.77	TC2	ZE11-B	0.00	95.77	0.00	0.00	0.00	00:01:24
19:21:56	95.89	TC2	ZE11-B	95.89	TC2	ZE11-B	0.00	95.89	0.00	0.00	0.00	00:01:25
19:21:57	96.01	TC2	ZE11-B	96.01	TC2	ZE11-B	0.00	96.01	0.00	0.00	0.00	00:01:26
19:21:58	96.13	TC2	ZE11-B	96.13	TC2	ZE11-B	0.00	96.13	0.00	0.00	0.00	00:01:27
19:21:59	96.24	TC2	ZE11-B	96.24	TC2	ZE11-B	0.00	96.24	0.00	0.00	0.00	00:01:28
19:22:00	96.35	TC2	ZE11-B	96.35	TC2	ZE11-B	0.00	96.35	0.00	0.00	0.00	00:01:29
19:22:01	96.47	TC2	ZE11-B	96.47	TC2	ZE11-B	0.00	96.47	0.00	0.00	0.00	00:01:30
19:22:02	96.58	TC2	ZE11-B	96.58	TC2	ZE11-B	0.00	96.58	0.00	0.00	0.00	00:01:31
19:22:03	96.68	TC2	ZE11-B	96.68	TC2	ZE11-B	0.00	96.68	0.00	0.00	0.00	00:01:32
19:22:04	96.79	TC2	ZE11-B	96.79	TC2	ZE11-B	0.00	96.79	0.00	0.00	0.00	00:01:33
19:22:05	96.89	TC2	ZE11-B	96.89	TC2	ZE11-B	0.00	96.89	0.00	0.00	0.00	00:01:34
19:22:06	96.98	TC2	ZE11-B	96.98	TC2	ZE11-B	0.00	96.98	0.00	0.00	0.00	00:01:35
19:22:07	97.07	TC2	ZE11-B	97.07	TC2	ZE11-B	0.00	97.07	0.00	0.00	0.00	00:01:36
19:22:08	97.16	TC2	ZE11-B	97.16	TC2	ZE11-B	0.00	97.16	0.00	0.00	0.00	00:01:37
19:22:09	97.24	TC2	ZE11-B	97.24	TC2	ZE11-B	0.00	97.24	0.00	0.00	0.00	00:01:38
19:22:10	97.33	TC2	ZE11-B	97.33	TC2	ZE11-B	0.00	97.33	0.00	0.00	0.00	00:01:39
19:22:11	97.40	TC2	ZE11-B	97.40	TC2	ZE11-B	0.00	97.40	0.00	0.00	0.00	00:01:40

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

AssetID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:22:12	97.49	TC2	ZE11-B	97.49	TC2	ZE11-B	0.00	97.49	0.00	0.00	0.00	00:01:41
19:22:13	97.56	TC2	ZE11-B	97.56	TC2	ZE11-B	0.00	97.56	0.00	0.00	0.00	00:01:42
19:22:14	97.63	TC2	ZE11-B	97.63	TC2	ZE11-B	0.00	97.63	0.00	0.00	0.00	00:01:43
19:22:15	97.71	TC2	ZE11-B	97.71	TC2	ZE11-B	0.00	97.71	0.00	0.00	0.00	00:01:44
19:22:16	97.78	TC2	ZE11-B	97.78	TC2	ZE11-B	0.00	97.78	0.00	0.00	0.00	00:01:45
19:22:17	97.84	TC2	ZE11-B	97.84	TC2	ZE11-B	0.00	97.84	0.00	0.00	0.00	00:01:46
19:22:18	97.91	TC2	ZE11-B	97.91	TC2	ZE11-B	0.00	97.91	0.00	0.00	0.00	00:01:47
19:22:19	97.98	TC2	ZE11-B	97.98	TC2	ZE11-B	0.00	97.98	0.00	0.00	0.00	00:01:48
19:22:20	98.04	TC2	ZE11-B	98.04	TC2	ZE11-B	0.00	98.04	0.00	0.00	0.00	00:01:49
19:22:21	98.10	TC2	ZE11-B	98.10	TC2	ZE11-B	0.00	98.10	0.00	0.00	0.00	00:01:50
19:22:22	98.16	TC2	ZE11-B	98.16	TC2	ZE11-B	0.00	98.16	0.00	0.00	0.00	00:01:51
19:22:23	98.22	TC2	ZE11-B	98.22	TC2	ZE11-B	0.00	98.22	0.00	0.00	0.00	00:01:52
19:22:24	98.27	TC2	ZE11-B	98.27	TC2	ZE11-B	0.00	98.27	0.00	0.00	0.00	00:01:53
19:22:25	98.32	TC2	ZE11-B	98.32	TC2	ZE11-B	0.00	98.32	0.00	0.00	0.00	00:01:54
19:22:26	98.37	TC2	ZE11-B	98.37	TC2	ZE11-B	0.00	98.37	0.00	0.00	0.00	00:01:55
19:22:27	98.42	TC2	ZE11-B	98.42	TC2	ZE11-B	0.00	98.42	0.00	0.00	0.00	00:01:56
19:22:28	98.47	TC2	ZE11-B	98.47	TC2	ZE11-B	0.00	98.47	0.00	0.00	0.00	00:01:57
19:22:29	98.52	TC2	ZE11-B	98.52	TC2	ZE11-B	0.00	98.52	0.00	0.00	0.00	00:01:58
19:22:30	98.56	TC2	ZE11-B	98.56	TC2	ZE11-B	0.00	98.56	0.00	0.00	0.00	00:01:59
19:22:31	98.60	TC2	ZE11-B	98.60	TC2	ZE11-B	0.00	98.60	0.00	0.00	0.00	00:02:00
19:22:32	98.65	TC2	ZE11-B	98.65	TC2	ZE11-B	0.00	98.65	0.00	0.00	0.00	00:02:01
19:22:33	98.69	TC2	ZE11-B	98.69	TC2	ZE11-B	0.00	98.69	0.00	0.00	0.00	00:02:02
19:22:34	98.73	TC2	ZE11-B	98.73	TC2	ZE11-B	0.00	98.73	0.00	0.00	0.00	00:02:03
19:22:35	98.77	TC2	ZE11-B	98.77	TC2	ZE11-B	0.00	98.77	0.00	0.00	0.00	00:02:04
19:22:36	98.81	TC2	ZE11-B	98.81	TC2	ZE11-B	0.00	98.81	0.00	0.00	0.00	00:02:05
19:22:37	98.84	TC2	ZE11-B	98.84	TC2	ZE11-B	0.00	98.84	0.00	0.00	0.00	00:02:06

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

AssetID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:22:38	98.88	TC2	ZE11-B	98.88	TC2	ZE11-B	0.00	98.88	0.00	0.00	0.00	00:02:07
19:22:39	98.92	TC2	ZE11-B	98.92	TC2	ZE11-B	0.00	98.92	0.00	0.00	0.00	00:02:08
19:22:40	98.95	TC2	ZE11-B	98.95	TC2	ZE11-B	0.00	98.95	0.00	0.00	0.00	00:02:09
19:22:41	98.99	TC2	ZE11-B	98.99	TC2	ZE11-B	0.00	98.99	0.00	0.00	0.00	00:02:10
19:22:42	99.02	TC2	ZE11-B	99.02	TC2	ZE11-B	0.00	99.02	0.00	0.00	0.00	00:02:11
19:22:43	99.04	TC2	ZE11-B	99.04	TC2	ZE11-B	0.00	99.04	0.00	0.00	0.00	00:02:12
19:22:44	99.07	TC2	ZE11-B	99.07	TC2	ZE11-B	0.00	99.07	0.00	0.00	0.00	00:02:13
19:22:45	99.10	TC2	ZE11-B	99.10	TC2	ZE11-B	0.00	99.10	0.00	0.00	0.00	00:02:14
19:22:46	99.13	TC2	ZE11-B	99.13	TC2	ZE11-B	0.00	99.13	0.00	0.00	0.00	00:02:15
19:22:47	99.16	TC2	ZE11-B	99.16	TC2	ZE11-B	0.00	99.16	0.00	0.00	0.00	00:02:16
19:22:48	99.19	TC2	ZE11-B	99.19	TC2	ZE11-B	0.00	99.19	0.00	0.00	0.00	00:02:17
19:22:49	99.21	TC2	ZE11-B	99.21	TC2	ZE11-B	0.00	99.21	0.00	0.00	0.00	00:02:18
19:22:50	99.23	TC2	ZE11-B	99.23	TC2	ZE11-B	0.00	99.23	0.00	0.00	0.00	00:02:19
19:22:51	99.27	TC2	ZE11-B	99.27	TC2	ZE11-B	0.00	99.27	0.00	0.00	0.00	00:02:20
19:22:52	99.29	TC2	ZE11-B	99.29	TC2	ZE11-B	0.00	99.29	0.00	0.00	0.00	00:02:21
19:22:53	99.32	TC2	ZE11-B	99.32	TC2	ZE11-B	0.00	99.32	0.00	0.00	0.00	00:02:22
19:22:54	99.34	TC2	ZE11-B	99.34	TC2	ZE11-B	0.00	99.34	0.00	0.00	0.00	00:02:23
19:22:55	99.36	TC2	ZE11-B	99.36	TC2	ZE11-B	0.00	99.36	0.00	0.00	0.00	00:02:24
19:22:56	99.38	TC2	ZE11-B	99.38	TC2	ZE11-B	0.00	99.38	0.00	0.00	0.00	00:02:25
19:22:57	99.41	TC2	ZE11-B	99.41	TC2	ZE11-B	0.00	99.41	0.00	0.00	0.00	00:02:26
19:22:58	99.42	TC2	ZE11-B	99.42	TC2	ZE11-B	0.00	99.42	0.00	0.00	0.00	00:02:27
19:22:59	99.45	TC2	ZE11-B	99.45	TC2	ZE11-B	0.00	99.45	0.00	0.00	0.00	00:02:28
19:23:00	99.46	TC2	ZE11-B	99.46	TC2	ZE11-B	0.00	99.46	0.00	0.00	0.00	00:02:29

19:23:00 ***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Lethality Data

Time Stamp TC2
ZE11-B

21-Feb-2020

19:20:31 ***** Study Start *****

19:20:31 *****Qual*****

19:20:31 0.00

19:20:32 0.02

19:20:33 0.04

19:20:34 0.06

19:20:35 0.07

19:20:36 0.09

19:20:37 0.11

19:20:38 0.13

19:20:39 0.15

19:20:40 0.17

19:20:41 0.18

19:20:42 0.20

19:20:43 0.22

19:20:44 0.24

19:20:45 0.26

19:20:46 0.28

19:20:47 0.29

19:20:48 0.31

19:20:49 0.33

19:20:50 0.35

19:20:51 0.37

19:20:52 0.39

19:20:53 0.40

19:20:54 0.42

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Lethality Data

Time Stamp TC2
ZE11-B

21-Feb-2020	
19:20:55	0.44
19:20:56	0.46
19:20:57	0.48
19:20:58	0.50
19:20:59	0.52
19:21:00	0.53
19:21:01	0.55
19:21:02	0.57
19:21:03	0.59
19:21:04	0.61
19:21:05	0.63
19:21:06	0.64
19:21:07	0.66
19:21:08	0.68
19:21:09	0.70
19:21:10	0.72
19:21:11	0.74
19:21:12	0.75
19:21:13	0.77
19:21:14	0.79
19:21:15	0.81
19:21:16	0.83
19:21:17	0.85
19:21:18	0.87
19:21:19	0.89
19:21:20	0.91
19:21:21	0.93

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

Asset ID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Lethality Data

Time Stamp TC2
ZE11-B

21-Feb-2020

19:21:22	0.95
19:21:23	0.97
19:21:24	1.00
19:21:25	1.02
19:21:26	1.04
19:21:27	1.07
19:21:28	1.09
19:21:29	1.12
19:21:30	1.14
19:21:31	1.17
19:21:32	1.20
19:21:33	1.23
19:21:34	1.26
19:21:35	1.29
19:21:36	1.32
19:21:37	1.35
19:21:38	1.38
19:21:39	1.42
19:21:40	1.46
19:21:41	1.49
19:21:42	1.53
19:21:43	1.57
19:21:44	1.62
19:21:45	1.66
19:21:46	1.71
19:21:47	1.75
19:21:48	1.80

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Lethality Data

Time Stamp TC2
ZE11-B

21-Feb-2020	
19:21:49	1.85
19:21:50	1.91
19:21:51	1.96
19:21:52	2.02
19:21:53	2.07
19:21:54	2.13
19:21:55	2.20
19:21:56	2.26
19:21:57	2.33
19:21:58	2.39
19:21:59	2.46
19:22:00	2.53
19:22:01	2.61
19:22:02	2.68
19:22:03	2.76
19:22:04	2.84
19:22:05	2.92
19:22:06	3.00
19:22:07	3.08
19:22:08	3.17
19:22:09	3.26
19:22:10	3.35
19:22:11	3.44
19:22:12	3.53
19:22:13	3.62
19:22:14	3.72
19:22:15	3.82

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2

Asset ID: 123

SOP / Protocol #: sop2

Comments: comm2

Description: desc2

Lethality Data

Time Stamp TC2
ZE11-B

21-Feb-2020

19:22:16	3.92
19:22:17	4.02
19:22:18	4.12
19:22:19	4.22
19:22:20	4.33
19:22:21	4.44
19:22:22	4.54
19:22:23	4.65
19:22:24	4.76
19:22:25	4.88
19:22:26	4.99
19:22:27	5.11
19:22:28	5.22
19:22:29	5.34
19:22:30	5.46
19:22:31	5.58
19:22:32	5.70
19:22:33	5.82
19:22:34	5.95
19:22:35	6.07
19:22:36	6.20
19:22:37	6.33
19:22:38	6.45
19:22:39	6.58
19:22:40	6.71
19:22:41	6.85
19:22:42	6.98

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G2	
Asset ID: 123	SOP / Protocol #: sop2
Comments: comm2	Description: desc2

Lethality Data

Time Stamp TC2
ZE11-B

21-Feb-2020	
19:22:43	7.11
19:22:44	7.25
19:22:45	7.38
19:22:46	7.52
19:22:47	7.65
19:22:48	7.79
19:22:49	7.93
19:22:50	8.07
19:22:51	8.21
19:22:52	8.35
19:22:53	8.49
19:22:54	8.64
19:22:55	8.78
19:22:56	8.92
19:22:57	9.07
19:22:58	9.21
19:22:59	9.36
19:23:00	9.51
19:23:00	***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Temperature Data(°C)

Time Stamp TC1
ZE11-A

21-Feb-2020

19:20:31 ***** Study Start *****

19:20:31 *****Qual*****

19:20:31 90.40

19:20:32 90.40

19:20:33 90.40

19:20:34 90.40

19:20:35 90.40

19:20:36 90.40

19:20:37 90.39

19:20:38 90.40

19:20:39 90.40

19:20:40 90.39

19:20:41 90.38

19:20:42 90.39

19:20:43 90.39

19:20:44 90.39

19:20:45 90.39

19:20:46 90.39

19:20:47 90.39

19:20:48 90.39

19:20:49 90.38

19:20:50 90.39

19:20:51 90.39

19:20:52 90.38

19:20:53 90.39

19:20:54 90.38

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Temperature Data(°C)

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:20:55	90.38
19:20:56	90.38
19:20:57	90.39
19:20:58	90.38
19:20:59	90.38
19:21:00	90.38
19:21:01	90.38
19:21:02	90.38
19:21:03	90.38
19:21:04	90.37
19:21:05	90.38
19:21:06	90.38
19:21:07	90.38
19:21:08	90.38
19:21:09	90.39
19:21:10	90.40
19:21:11	90.42
19:21:12	90.45
19:21:13	90.49
19:21:14	90.54
19:21:15	90.60
19:21:16	90.67
19:21:17	90.75
19:21:18	90.83
19:21:19	90.92
19:21:20	91.02
19:21:21	91.12

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Temperature Data(°C)

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:21:22	91.23
19:21:23	91.34
19:21:24	91.47
19:21:25	91.58
19:21:26	91.71
19:21:27	91.84
19:21:28	91.99
19:21:29	92.12
19:21:30	92.26
19:21:31	92.40
19:21:32	92.56
19:21:33	92.70
19:21:34	92.86
19:21:35	93.01
19:21:36	93.17
19:21:37	93.32
19:21:38	93.48
19:21:39	93.66
19:21:40	93.82
19:21:41	93.98
19:21:42	94.15
19:21:43	94.32
19:21:44	94.48
19:21:45	94.65
19:21:46	94.81
19:21:47	94.96
19:21:48	95.12

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Temperature Data(°C)

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:21:49	95.27
19:21:50	95.41
19:21:51	95.55
19:21:52	95.69
19:21:53	95.81
19:21:54	95.94
19:21:55	96.06
19:21:56	96.17
19:21:57	96.28
19:21:58	96.39
19:21:59	96.49
19:22:00	96.59
19:22:01	96.70
19:22:02	96.80
19:22:03	96.88
19:22:04	96.97
19:22:05	97.05
19:22:06	97.13
19:22:07	97.21
19:22:08	97.29
19:22:09	97.36
19:22:10	97.43
19:22:11	97.49
19:22:12	97.56
19:22:13	97.62
19:22:14	97.68
19:22:15	97.74

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Temperature Data(°C)

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:22:16	97.80
19:22:17	97.86
19:22:18	97.91
19:22:19	97.97
19:22:20	98.03
19:22:21	98.07
19:22:22	98.12
19:22:23	98.17
19:22:24	98.22
19:22:25	98.26
19:22:26	98.30
19:22:27	98.34
19:22:28	98.38
19:22:29	98.42
19:22:30	98.46
19:22:31	98.49
19:22:32	98.53
19:22:33	98.57
19:22:34	98.60
19:22:35	98.63
19:22:36	98.67
19:22:37	98.70
19:22:38	98.73
19:22:39	98.76
19:22:40	98.79
19:22:41	98.82
19:22:42	98.85

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Temperature Data(°C)

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:22:43	98.87
19:22:44	98.90
19:22:45	98.93
19:22:46	98.95
19:22:47	98.98
19:22:48	99.00
19:22:49	99.02
19:22:50	99.05
19:22:51	99.07
19:22:52	99.09
19:22:53	99.12
19:22:54	99.14
19:22:55	99.15
19:22:56	99.18
19:22:57	99.20
19:22:58	99.22
19:22:59	99.24
19:23:00	99.25
19:23:00	***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1

AssetID: 123

SOP / Protocol #: sop1

Comments: comm1

Description: desc1

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:20:31	***** Study Start *****											
19:20:31	*****Qual*****											
19:20:31	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:00
19:20:32	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:01
19:20:33	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:02
19:20:34	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:03
19:20:35	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:04
19:20:36	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:05
19:20:37	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:06
19:20:38	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:07
19:20:39	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:08
19:20:40	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:09
19:20:41	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:10
19:20:42	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:11
19:20:43	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:12
19:20:44	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:13
19:20:45	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:14
19:20:46	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:15
19:20:47	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:16
19:20:48	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:17
19:20:49	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:18
19:20:50	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:19
19:20:51	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:20
19:20:52	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:21
19:20:53	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:22

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1												
AssetID: 123						SOP / Protocol #: sop1						
Comments: comm1						Description: desc1						

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:20:54	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:23
19:20:55	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:24
19:20:56	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:25
19:20:57	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:26
19:20:58	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:27
19:20:59	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:28
19:21:00	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:29
19:21:01	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:30
19:21:02	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:31
19:21:03	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:32
19:21:04	90.37	TC1	ZE11-A	90.37	TC1	ZE11-A	0.00	90.37	0.00	0.00	0.00	00:00:33
19:21:05	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:34
19:21:06	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:35
19:21:07	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:36
19:21:08	90.38	TC1	ZE11-A	90.38	TC1	ZE11-A	0.00	90.38	0.00	0.00	0.00	00:00:37
19:21:09	90.39	TC1	ZE11-A	90.39	TC1	ZE11-A	0.00	90.39	0.00	0.00	0.00	00:00:38
19:21:10	90.40	TC1	ZE11-A	90.40	TC1	ZE11-A	0.00	90.40	0.00	0.00	0.00	00:00:39
19:21:11	90.42	TC1	ZE11-A	90.42	TC1	ZE11-A	0.00	90.42	0.00	0.00	0.00	00:00:40
19:21:12	90.45	TC1	ZE11-A	90.45	TC1	ZE11-A	0.00	90.45	0.00	0.00	0.00	00:00:41
19:21:13	90.49	TC1	ZE11-A	90.49	TC1	ZE11-A	0.00	90.49	0.00	0.00	0.00	00:00:42
19:21:14	90.54	TC1	ZE11-A	90.54	TC1	ZE11-A	0.00	90.54	0.00	0.00	0.00	00:00:43
19:21:15	90.60	TC1	ZE11-A	90.60	TC1	ZE11-A	0.00	90.60	0.00	0.00	0.00	00:00:44
19:21:16	90.67	TC1	ZE11-A	90.67	TC1	ZE11-A	0.00	90.67	0.00	0.00	0.00	00:00:45
19:21:17	90.75	TC1	ZE11-A	90.75	TC1	ZE11-A	0.00	90.75	0.00	0.00	0.00	00:00:46
19:21:18	90.83	TC1	ZE11-A	90.83	TC1	ZE11-A	0.00	90.83	0.00	0.00	0.00	00:00:47
19:21:19	90.92	TC1	ZE11-A	90.92	TC1	ZE11-A	0.00	90.92	0.00	0.00	0.00	00:00:48

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1

AssetID: 123

SOP / Protocol #: sop1

Comments: comm1

Description: desc1

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:21:20	91.02	TC1	ZE11-A	91.02	TC1	ZE11-A	0.00	91.02	0.00	0.00	0.00	00:00:49
19:21:21	91.12	TC1	ZE11-A	91.12	TC1	ZE11-A	0.00	91.12	0.00	0.00	0.00	00:00:50
19:21:22	91.23	TC1	ZE11-A	91.23	TC1	ZE11-A	0.00	91.23	0.00	0.00	0.00	00:00:51
19:21:23	91.34	TC1	ZE11-A	91.34	TC1	ZE11-A	0.00	91.34	0.00	0.00	0.00	00:00:52
19:21:24	91.47	TC1	ZE11-A	91.47	TC1	ZE11-A	0.00	91.47	0.00	0.00	0.00	00:00:53
19:21:25	91.58	TC1	ZE11-A	91.58	TC1	ZE11-A	0.00	91.58	0.00	0.00	0.00	00:00:54
19:21:26	91.71	TC1	ZE11-A	91.71	TC1	ZE11-A	0.00	91.71	0.00	0.00	0.00	00:00:55
19:21:27	91.84	TC1	ZE11-A	91.84	TC1	ZE11-A	0.00	91.84	0.00	0.00	0.00	00:00:56
19:21:28	91.99	TC1	ZE11-A	91.99	TC1	ZE11-A	0.00	91.99	0.00	0.00	0.00	00:00:57
19:21:29	92.12	TC1	ZE11-A	92.12	TC1	ZE11-A	0.00	92.12	0.00	0.00	0.00	00:00:58
19:21:30	92.26	TC1	ZE11-A	92.26	TC1	ZE11-A	0.00	92.26	0.00	0.00	0.00	00:00:59
19:21:31	92.40	TC1	ZE11-A	92.40	TC1	ZE11-A	0.00	92.40	0.00	0.00	0.00	00:01:00
19:21:32	92.56	TC1	ZE11-A	92.56	TC1	ZE11-A	0.00	92.56	0.00	0.00	0.00	00:01:01
19:21:33	92.70	TC1	ZE11-A	92.70	TC1	ZE11-A	0.00	92.70	0.00	0.00	0.00	00:01:02
19:21:34	92.86	TC1	ZE11-A	92.86	TC1	ZE11-A	0.00	92.86	0.00	0.00	0.00	00:01:03
19:21:35	93.01	TC1	ZE11-A	93.01	TC1	ZE11-A	0.00	93.01	0.00	0.00	0.00	00:01:04
19:21:36	93.17	TC1	ZE11-A	93.17	TC1	ZE11-A	0.00	93.17	0.00	0.00	0.00	00:01:05
19:21:37	93.32	TC1	ZE11-A	93.32	TC1	ZE11-A	0.00	93.32	0.00	0.00	0.00	00:01:06
19:21:38	93.48	TC1	ZE11-A	93.48	TC1	ZE11-A	0.00	93.48	0.00	0.00	0.00	00:01:07
19:21:39	93.66	TC1	ZE11-A	93.66	TC1	ZE11-A	0.00	93.66	0.00	0.00	0.00	00:01:08
19:21:40	93.82	TC1	ZE11-A	93.82	TC1	ZE11-A	0.00	93.82	0.00	0.00	0.00	00:01:09
19:21:41	93.98	TC1	ZE11-A	93.98	TC1	ZE11-A	0.00	93.98	0.00	0.00	0.00	00:01:10
19:21:42	94.15	TC1	ZE11-A	94.15	TC1	ZE11-A	0.00	94.15	0.00	0.00	0.00	00:01:11
19:21:43	94.32	TC1	ZE11-A	94.32	TC1	ZE11-A	0.00	94.32	0.00	0.00	0.00	00:01:12
19:21:44	94.48	TC1	ZE11-A	94.48	TC1	ZE11-A	0.00	94.48	0.00	0.00	0.00	00:01:13
19:21:45	94.65	TC1	ZE11-A	94.65	TC1	ZE11-A	0.00	94.65	0.00	0.00	0.00	00:01:14

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1												
AssetID: 123						SOP / Protocol #: sop1						
Comments: comm1						Description: desc1						

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:21:46	94.81	TC1	ZE11-A	94.81	TC1	ZE11-A	0.00	94.81	0.00	0.00	0.00	00:01:15
19:21:47	94.96	TC1	ZE11-A	94.96	TC1	ZE11-A	0.00	94.96	0.00	0.00	0.00	00:01:16
19:21:48	95.12	TC1	ZE11-A	95.12	TC1	ZE11-A	0.00	95.12	0.00	0.00	0.00	00:01:17
19:21:49	95.27	TC1	ZE11-A	95.27	TC1	ZE11-A	0.00	95.27	0.00	0.00	0.00	00:01:18
19:21:50	95.41	TC1	ZE11-A	95.41	TC1	ZE11-A	0.00	95.41	0.00	0.00	0.00	00:01:19
19:21:51	95.55	TC1	ZE11-A	95.55	TC1	ZE11-A	0.00	95.55	0.00	0.00	0.00	00:01:20
19:21:52	95.69	TC1	ZE11-A	95.69	TC1	ZE11-A	0.00	95.69	0.00	0.00	0.00	00:01:21
19:21:53	95.81	TC1	ZE11-A	95.81	TC1	ZE11-A	0.00	95.81	0.00	0.00	0.00	00:01:22
19:21:54	95.94	TC1	ZE11-A	95.94	TC1	ZE11-A	0.00	95.94	0.00	0.00	0.00	00:01:23
19:21:55	96.06	TC1	ZE11-A	96.06	TC1	ZE11-A	0.00	96.06	0.00	0.00	0.00	00:01:24
19:21:56	96.17	TC1	ZE11-A	96.17	TC1	ZE11-A	0.00	96.17	0.00	0.00	0.00	00:01:25
19:21:57	96.28	TC1	ZE11-A	96.28	TC1	ZE11-A	0.00	96.28	0.00	0.00	0.00	00:01:26
19:21:58	96.39	TC1	ZE11-A	96.39	TC1	ZE11-A	0.00	96.39	0.00	0.00	0.00	00:01:27
19:21:59	96.49	TC1	ZE11-A	96.49	TC1	ZE11-A	0.00	96.49	0.00	0.00	0.00	00:01:28
19:22:00	96.59	TC1	ZE11-A	96.59	TC1	ZE11-A	0.00	96.59	0.00	0.00	0.00	00:01:29
19:22:01	96.70	TC1	ZE11-A	96.70	TC1	ZE11-A	0.00	96.70	0.00	0.00	0.00	00:01:30
19:22:02	96.80	TC1	ZE11-A	96.80	TC1	ZE11-A	0.00	96.80	0.00	0.00	0.00	00:01:31
19:22:03	96.88	TC1	ZE11-A	96.88	TC1	ZE11-A	0.00	96.88	0.00	0.00	0.00	00:01:32
19:22:04	96.97	TC1	ZE11-A	96.97	TC1	ZE11-A	0.00	96.97	0.00	0.00	0.00	00:01:33
19:22:05	97.05	TC1	ZE11-A	97.05	TC1	ZE11-A	0.00	97.05	0.00	0.00	0.00	00:01:34
19:22:06	97.13	TC1	ZE11-A	97.13	TC1	ZE11-A	0.00	97.13	0.00	0.00	0.00	00:01:35
19:22:07	97.21	TC1	ZE11-A	97.21	TC1	ZE11-A	0.00	97.21	0.00	0.00	0.00	00:01:36
19:22:08	97.29	TC1	ZE11-A	97.29	TC1	ZE11-A	0.00	97.29	0.00	0.00	0.00	00:01:37
19:22:09	97.36	TC1	ZE11-A	97.36	TC1	ZE11-A	0.00	97.36	0.00	0.00	0.00	00:01:38
19:22:10	97.43	TC1	ZE11-A	97.43	TC1	ZE11-A	0.00	97.43	0.00	0.00	0.00	00:01:39
19:22:11	97.49	TC1	ZE11-A	97.49	TC1	ZE11-A	0.00	97.49	0.00	0.00	0.00	00:01:40

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1

AssetID: 123

SOP / Protocol #: sop1

Comments: comm1

Description: desc1

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:22:12	97.56	TC1	ZE11-A	97.56	TC1	ZE11-A	0.00	97.56	0.00	0.00	0.00	00:01:41
19:22:13	97.62	TC1	ZE11-A	97.62	TC1	ZE11-A	0.00	97.62	0.00	0.00	0.00	00:01:42
19:22:14	97.68	TC1	ZE11-A	97.68	TC1	ZE11-A	0.00	97.68	0.00	0.00	0.00	00:01:43
19:22:15	97.74	TC1	ZE11-A	97.74	TC1	ZE11-A	0.00	97.74	0.00	0.00	0.00	00:01:44
19:22:16	97.80	TC1	ZE11-A	97.80	TC1	ZE11-A	0.00	97.80	0.00	0.00	0.00	00:01:45
19:22:17	97.86	TC1	ZE11-A	97.86	TC1	ZE11-A	0.00	97.86	0.00	0.00	0.00	00:01:46
19:22:18	97.91	TC1	ZE11-A	97.91	TC1	ZE11-A	0.00	97.91	0.00	0.00	0.00	00:01:47
19:22:19	97.97	TC1	ZE11-A	97.97	TC1	ZE11-A	0.00	97.97	0.00	0.00	0.00	00:01:48
19:22:20	98.03	TC1	ZE11-A	98.03	TC1	ZE11-A	0.00	98.03	0.00	0.00	0.00	00:01:49
19:22:21	98.07	TC1	ZE11-A	98.07	TC1	ZE11-A	0.00	98.07	0.00	0.00	0.00	00:01:50
19:22:22	98.12	TC1	ZE11-A	98.12	TC1	ZE11-A	0.00	98.12	0.00	0.00	0.00	00:01:51
19:22:23	98.17	TC1	ZE11-A	98.17	TC1	ZE11-A	0.00	98.17	0.00	0.00	0.00	00:01:52
19:22:24	98.22	TC1	ZE11-A	98.22	TC1	ZE11-A	0.00	98.22	0.00	0.00	0.00	00:01:53
19:22:25	98.26	TC1	ZE11-A	98.26	TC1	ZE11-A	0.00	98.26	0.00	0.00	0.00	00:01:54
19:22:26	98.30	TC1	ZE11-A	98.30	TC1	ZE11-A	0.00	98.30	0.00	0.00	0.00	00:01:55
19:22:27	98.34	TC1	ZE11-A	98.34	TC1	ZE11-A	0.00	98.34	0.00	0.00	0.00	00:01:56
19:22:28	98.38	TC1	ZE11-A	98.38	TC1	ZE11-A	0.00	98.38	0.00	0.00	0.00	00:01:57
19:22:29	98.42	TC1	ZE11-A	98.42	TC1	ZE11-A	0.00	98.42	0.00	0.00	0.00	00:01:58
19:22:30	98.46	TC1	ZE11-A	98.46	TC1	ZE11-A	0.00	98.46	0.00	0.00	0.00	00:01:59
19:22:31	98.49	TC1	ZE11-A	98.49	TC1	ZE11-A	0.00	98.49	0.00	0.00	0.00	00:02:00
19:22:32	98.53	TC1	ZE11-A	98.53	TC1	ZE11-A	0.00	98.53	0.00	0.00	0.00	00:02:01
19:22:33	98.57	TC1	ZE11-A	98.57	TC1	ZE11-A	0.00	98.57	0.00	0.00	0.00	00:02:02
19:22:34	98.60	TC1	ZE11-A	98.60	TC1	ZE11-A	0.00	98.60	0.00	0.00	0.00	00:02:03
19:22:35	98.63	TC1	ZE11-A	98.63	TC1	ZE11-A	0.00	98.63	0.00	0.00	0.00	00:02:04
19:22:36	98.67	TC1	ZE11-A	98.67	TC1	ZE11-A	0.00	98.67	0.00	0.00	0.00	00:02:05
19:22:37	98.70	TC1	ZE11-A	98.70	TC1	ZE11-A	0.00	98.70	0.00	0.00	0.00	00:02:06

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1

AssetID: 123

SOP / Protocol #: sop1

Comments: comm1

Description: desc1

Temperature Data(°C) - Statistical Calculations

Time Stamp	MIN			MAX			Max-Min	Avg	Std Dev	Max-Avg	Avg-Min	CycleTime
	Value	Label	S/N	Value	Label	S/N						
21-Feb-2020												
19:22:38	98.73	TC1	ZE11-A	98.73	TC1	ZE11-A	0.00	98.73	0.00	0.00	0.00	00:02:07
19:22:39	98.76	TC1	ZE11-A	98.76	TC1	ZE11-A	0.00	98.76	0.00	0.00	0.00	00:02:08
19:22:40	98.79	TC1	ZE11-A	98.79	TC1	ZE11-A	0.00	98.79	0.00	0.00	0.00	00:02:09
19:22:41	98.82	TC1	ZE11-A	98.82	TC1	ZE11-A	0.00	98.82	0.00	0.00	0.00	00:02:10
19:22:42	98.85	TC1	ZE11-A	98.85	TC1	ZE11-A	0.00	98.85	0.00	0.00	0.00	00:02:11
19:22:43	98.87	TC1	ZE11-A	98.87	TC1	ZE11-A	0.00	98.87	0.00	0.00	0.00	00:02:12
19:22:44	98.90	TC1	ZE11-A	98.90	TC1	ZE11-A	0.00	98.90	0.00	0.00	0.00	00:02:13
19:22:45	98.93	TC1	ZE11-A	98.93	TC1	ZE11-A	0.00	98.93	0.00	0.00	0.00	00:02:14
19:22:46	98.95	TC1	ZE11-A	98.95	TC1	ZE11-A	0.00	98.95	0.00	0.00	0.00	00:02:15
19:22:47	98.98	TC1	ZE11-A	98.98	TC1	ZE11-A	0.00	98.98	0.00	0.00	0.00	00:02:16
19:22:48	99.00	TC1	ZE11-A	99.00	TC1	ZE11-A	0.00	99.00	0.00	0.00	0.00	00:02:17
19:22:49	99.02	TC1	ZE11-A	99.02	TC1	ZE11-A	0.00	99.02	0.00	0.00	0.00	00:02:18
19:22:50	99.05	TC1	ZE11-A	99.05	TC1	ZE11-A	0.00	99.05	0.00	0.00	0.00	00:02:19
19:22:51	99.07	TC1	ZE11-A	99.07	TC1	ZE11-A	0.00	99.07	0.00	0.00	0.00	00:02:20
19:22:52	99.09	TC1	ZE11-A	99.09	TC1	ZE11-A	0.00	99.09	0.00	0.00	0.00	00:02:21
19:22:53	99.12	TC1	ZE11-A	99.12	TC1	ZE11-A	0.00	99.12	0.00	0.00	0.00	00:02:22
19:22:54	99.14	TC1	ZE11-A	99.14	TC1	ZE11-A	0.00	99.14	0.00	0.00	0.00	00:02:23
19:22:55	99.15	TC1	ZE11-A	99.15	TC1	ZE11-A	0.00	99.15	0.00	0.00	0.00	00:02:24
19:22:56	99.18	TC1	ZE11-A	99.18	TC1	ZE11-A	0.00	99.18	0.00	0.00	0.00	00:02:25
19:22:57	99.20	TC1	ZE11-A	99.20	TC1	ZE11-A	0.00	99.20	0.00	0.00	0.00	00:02:26
19:22:58	99.22	TC1	ZE11-A	99.22	TC1	ZE11-A	0.00	99.22	0.00	0.00	0.00	00:02:27
19:22:59	99.24	TC1	ZE11-A	99.24	TC1	ZE11-A	0.00	99.24	0.00	0.00	0.00	00:02:28
19:23:00	99.25	TC1	ZE11-A	99.25	TC1	ZE11-A	0.00	99.25	0.00	0.00	0.00	00:02:29

19:23:00 ***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Lethality Data

Time Stamp TC1
ZE11-A

21-Feb-2020

19:20:31 ***** Study Start *****

19:20:31 *****Qual*****

19:20:31 0.00

19:20:32 0.02

19:20:33 0.04

19:20:34 0.05

19:20:35 0.07

19:20:36 0.09

19:20:37 0.11

19:20:38 0.13

19:20:39 0.15

19:20:40 0.16

19:20:41 0.18

19:20:42 0.20

19:20:43 0.22

19:20:44 0.24

19:20:45 0.26

19:20:46 0.27

19:20:47 0.29

19:20:48 0.31

19:20:49 0.33

19:20:50 0.35

19:20:51 0.36

19:20:52 0.38

19:20:53 0.40

19:20:54 0.42

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Lethality Data

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:20:55	0.44
19:20:56	0.46
19:20:57	0.47
19:20:58	0.49
19:20:59	0.51
19:21:00	0.53
19:21:01	0.55
19:21:02	0.57
19:21:03	0.58
19:21:04	0.60
19:21:05	0.62
19:21:06	0.64
19:21:07	0.66
19:21:08	0.67
19:21:09	0.69
19:21:10	0.71
19:21:11	0.73
19:21:12	0.75
19:21:13	0.77
19:21:14	0.78
19:21:15	0.80
19:21:16	0.82
19:21:17	0.84
19:21:18	0.86
19:21:19	0.88
19:21:20	0.90
19:21:21	0.93

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Lethality Data

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:21:22	0.95
19:21:23	0.97
19:21:24	0.99
19:21:25	1.02
19:21:26	1.04
19:21:27	1.07
19:21:28	1.09
19:21:29	1.12
19:21:30	1.15
19:21:31	1.17
19:21:32	1.20
19:21:33	1.23
19:21:34	1.27
19:21:35	1.30
19:21:36	1.33
19:21:37	1.37
19:21:38	1.40
19:21:39	1.44
19:21:40	1.48
19:21:41	1.52
19:21:42	1.57
19:21:43	1.61
19:21:44	1.66
19:21:45	1.70
19:21:46	1.75
19:21:47	1.80
19:21:48	1.86

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Lethality Data

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:21:49	1.91
19:21:50	1.97
19:21:51	2.03
19:21:52	2.09
19:21:53	2.15
19:21:54	2.22
19:21:55	2.28
19:21:56	2.35
19:21:57	2.42
19:21:58	2.49
19:21:59	2.57
19:22:00	2.64
19:22:01	2.72
19:22:02	2.80
19:22:03	2.88
19:22:04	2.96
19:22:05	3.04
19:22:06	3.13
19:22:07	3.21
19:22:08	3.30
19:22:09	3.39
19:22:10	3.48
19:22:11	3.58
19:22:12	3.67
19:22:13	3.77
19:22:14	3.86
19:22:15	3.96

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Lethality Data

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:22:16	4.06
19:22:17	4.16
19:22:18	4.27
19:22:19	4.37
19:22:20	4.48
19:22:21	4.58
19:22:22	4.69
19:22:23	4.80
19:22:24	4.91
19:22:25	5.02
19:22:26	5.13
19:22:27	5.24
19:22:28	5.36
19:22:29	5.47
19:22:30	5.59
19:22:31	5.71
19:22:32	5.83
19:22:33	5.95
19:22:34	6.07
19:22:35	6.19
19:22:36	6.31
19:22:37	6.43
19:22:38	6.56
19:22:39	6.68
19:22:40	6.81
19:22:41	6.93
19:22:42	7.06

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

G1	
Asset ID: 123	SOP / Protocol #: sop1
Comments: comm1	Description: desc1

Lethality Data

Time Stamp TC1
ZE11-A

21-Feb-2020	
19:22:43	7.19
19:22:44	7.32
19:22:45	7.45
19:22:46	7.58
19:22:47	7.71
19:22:48	7.84
19:22:49	7.97
19:22:50	8.11
19:22:51	8.24
19:22:52	8.38
19:22:53	8.51
19:22:54	8.65
19:22:55	8.79
19:22:56	8.92
19:22:57	9.06
19:22:58	9.20
19:22:59	9.34
19:23:00	9.48
19:23:00	***** Study End *****

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____

Study Name: Setup1

Comments

System Messages

21-Feb-2020 19:20:31	***Study Start***	Manual	u5
21-Feb-2020 19:20:31	ZE11_Start	Manual	
21-Feb-2020 19:20:31	ZA44_Start	Manual	
21-Feb-2020 19:23:00	ZE11_End	Manual	
21-Feb-2020 19:23:00	ZA44_End	Manual	
21-Feb-2020 19:23:00	***Study End***	Manual	u5

Performed By: _____

Date: _____

Reviewed By: _____

Date: _____