# user listing

```
GET /api/v1/users
```

#### Example

```
[
    "id": 1,
    "name": "razum2um",
    "surname": "Marley"
    }
]
```

# Request Schema

• additionalProperties: false

• limit

Required: noType: stringExample: "1"

# Response Schema

Type: array

Items

Required: no

additionalProperties: false

• id

Required: noType: integerExample: 1

• name

Required: noType: string

• Example: "razum2um"

• surname

Required: noType: stringExample: "Marley"

# user creation

```
POST /api/v1/users
```

#### Example

```
{
  "id": 1,
  "name": "Bob"
}
```

# Request Schema

• additionalProperties: false

• user

Required: no

additionalProperties: false

• name

Required: noType: stringExample: "Bob"

# Response Schema

· additionalProperties: false

• id

Required: noType: integerExample: 1

• name

Required: noType: stringExample: "Bob"

# user deletion

```
DELETE /api/v1/users/:id
```

#### Example

{ }

# Request Schema

• additionalProperties: false

• id

Required: noType: integerExample: 1

# Response Schema

· additionalProperties: false

# user

```
GET /api/v1/users/:id
```

# Example

```
"id": 1,
   "name": "razum2um",
   "surname": "Marley"
}
```

#### Request Schema

• additionalProperties: false

# Response Schema

· additionalProperties: false

• id

Required: noType: integerExample: 1

name

```
Required: no
Type: string
Example: "razum2um"
surname
Required: no
Type: string
Example: "Marley"
```

# user updating

```
PATCH /api/v1/users/:id
```

# Example

```
"id": 1,
   "name": "Bob",
   "surname": "Marley"
}
```

### Request Schema

· additionalProperties: false

• id

Required: noType: integerExample: 1

• user

Required: no

o additionalProperties: false

• name

Required: noType: stringExample: "Bob"

# Response Schema

• additionalProperties: false

• id

Required: noType: integer

```
• Example: 1
```

• name

Required: noType: stringExample: "Bob"

• surname

Required: noType: string

• Example: "Marley"

# repo listing

```
GET /api/v1/users/:user_id/repos
```

# Example

```
[
    "id": 1,
    "name": "lurker",
    "user_id": 1
    }
]
```

# Request Schema

· additionalProperties: false

• limit

Required: noType: integerExample: 1

# Response Schema

• Type: array

Items

• Required: no

o additionalProperties: false

• id

Required: noType: integer

```
• Example: 1
```

- name
  - Required: no
  - Type: string
  - Example: "lurker"
- user id
  - Required: no
  - Type: integer
  - Example: 1

# repo creation

```
POST /api/v1/users/:user_id/repos
```

### Example

```
"id": 1,
"name": "new-gem",
"user": {
    "id": 1,
    "name": "razum2um",
    "surname": "Unknown"
}
```

# Request Schema

- · additionalProperties: false
- user id
  - · Required: no
  - Type: string
  - Example: 1
- repo
  - · Required: no
  - additionalProperties: false
  - name
    - Required: no
    - Type: string
    - Example: "new-gem"

#### Response Schema

- additionalProperties: false
- id
- Required: no
- Type: integer
- Example: 1
- name
  - · Required: no
  - Type: string
  - Example: "new-gem"
- user
  - · Required: no
  - additionalProperties: false
  - id
- Required: no
- Type: integer
- Example: 1
- name
  - Required: no
  - Type: string
  - Example: "razum2um"
- surname
  - Required: no
  - Type: string
  - Example: "Unknown"

# repo descruction

DELETE /api/v1/users/:user id/repos/:id

#### Example

{ }

#### Request Schema

· additionalProperties: false

# Response Schema

· additionalProperties: false

# repo

```
GET /api/v1/users/:user_id/repos/:id
```

# Example

```
"id": 1,
   "name": "lurker",
   "user_id": 1
}
```

# Request Schema

• additionalProperties: false

# Response Schema

• additionalProperties: false

• id

Required: no

· Type: integer

• Example: 1

• name

· Required: no

Type: string

• Example: "lurker"

• user id

· Required: no

o Type: integer

• Example: 1

# repo updating

```
PATCH /api/v1/users/:user_id/repos/:id
```

#### Example

```
"id": 1,
   "name": "updated-name",
   "user_id": 1
}
```

# Request Schema

· additionalProperties: false

• id

Required: noType: stringExample: 1

• user\_id

Required: noType: string

• Example: "razum2um"

• repo

• Required: no

additionalProperties: false

• name

Required: noType: string

• Example: "updated-name"

# Response Schema

• additionalProperties: false

• id

Required: noType: integerExample: 1

name

Required: noType: string

• Example: "updated-name"

• user id

Required: noType: integerExample: 1

# failed repo updating

```
PATCH /api/v1/users/:user_id/repos/:id-failed
```

# Example

```
{
  "errors": {
     "name": [
        "can't be blank"
     ]
  }
}
```

#### Request Schema

· additionalProperties: false

• id

· Required: no

Type: string

• Example: 1

• user id

· Required: no

Type: string

• Example: "razum2um"

• repo

· Required: no

o additionalProperties: false

• name

Required: no

Type: string

■ Example: ""

# Response Schema

• additionalProperties: false

• errors

· Required: no

• Example: 1

additionalProperties: false

• name

- Required: no
- Type: array
- Items
  - Required: noType: string
  - Example: "can't be blank"

# user updating

```
PATCH /api/v2/users/:id
```

### Example

```
"id": 1,
   "name": "razum2um",
   "surname": "Unknown"
}
```

#### Request Schema

- · additionalProperties: false
- user
  - Required: no
  - o additionalProperties: false
  - name
    - Required: no
    - Type: string
    - Example: "Bob"
  - surname
    - Required: no
    - Type: string
    - Example: "Marley"

# Response Schema

- · additionalProperties: false
- id
- Required: no
- · Type: integer
- Example: 1

- name
  - Required: noType: string
  - Example: "razum2um"
- surname
  - Required: noType: string
  - Example: "Unknown"

# user updating

```
PATCH /api/v3/users/:id
```

# Example

```
"id": 1,
    "name": "razum2um",
    "surname": "Unknown"
}
```

# Request Schema

- · additionalProperties: false
- user
  - Required: no
  - o additionalProperties: false
  - name
    - Required: no
    - Type: string
    - Example: "Bob"
  - surname
    - Required: no
    - Type: string
    - Example: "Marley"

# Response Schema

- additionalProperties: false
- id
- Required: no

Type: integerExample: 1

#### • name

Required: noType: string

• Example: "razum2um"

#### • surname

Required: noType: string

• Example: "Unknown"