

RETAIL to MAIL Transfer Technical Specification

This document provides information about RETAIL to MAIL transfer flow

[Process Flow](#)

[Back end work](#)

[Schema.gql](#)

[LINKS API - Mock Request](#)

[LINKS API - Mock Response](#)


[Inactivate Rx](#)

[Domain service API \(rxretail-ice-external-rx-transfer\)](#)

[References](#)

[Questions](#)

Process Flow



Back end work

- Create a new Mutation in transfer capability for the RETAIL to MAIL flow with the request as below
- Update schema.gql to add new mutation and its request and response entities
- In the domain, create a new endpoint to handle the submit transfer flow
- Existing endpoints for RETAIL to RETAIL external transfer need not be modified

- We will handle only “Interaction 1 - Eligibility” and “Interaction 2 - Eligibility & Transfer”, “Interaction 3 - Transfer” is not needed from capability for now
 - Interaction 1 - Eligibility
 - Interaction 2 - Eligibility & Transfer
- After successful response status is received from submit transfer, we need to call Inactivate Rx experience to inactivate the Rx in RxC. The inactivate reason should be “Customer Requested - Transferred to Mail”

Schema.gql

```

1  type Query {
2    """Query to get the eligibility for RETAIL to MAIL flow"""
3    getRetailToMailRxTransferEligibility(
4      retailToMailTransferInput: RetailToMailRxTransferInput!):
5      RetailToMailRxTransferResponse!
6  }
7
8  type Mutation {
9    """Submit Transfer for RETAIL to MAIL flow"""
10   submitRetailToMailTransfer(id: id!,
11     idType: PatientIdTypeEnum!,
12     profile: Profile,
13     retailToMailTransferInput: [RetailToMailTransferInput!]!):
14     [RetailToMailTransferResponse!]!
15  }
16
17  input RetailToMailRxTransferInput {
18    """Information about the member for the transfer"""
19    memberInfo: RetailToMailTransferMemberInfoInput!
20
21    """Details about the prescription being transferred"""
22    prescriptionInfo: RetailToMailPrescriptionInfoInput!
23
24    """Information about the prescriber of the prescription"""
25    prescriberInfo: RetailToMailPrescriberInput!
26
27    """Information about the pharmacy involved in the transfer"""
28    pharmacyInfo: RetailToMailPharmacyInfoInput!
29  }
30
31  input RetailToMailTransferMemberInfoInput {
32    """Unique identifier for the member."""
33    memberId: String!
34
35    """Unique identifier for the cardholder associated with the member."""
36    cardholderId: Float!
37
38    """Unique identifier for the patient associated with the member."""
39    patientId: Float!
40  }
41
42  input RetailToMailPrescriptionInfoInput {

```

```

43  ""Key used to look up the prescription.""
44  prescriptionLookupKey: String
45
46  ""Optional patient identifier.""
47  patientId: Float
48
49  ""Optional prescription number.""
50  prescriptionNumber: String
51
52  ""Prescribed drug information.""
53  prescribedDrug: RetailToMailPrescribedDrugInput!
54
55  ""Dispensed drug information.""
56  dispensedDrug: RetailToMailDispensedDrugInput!
57 }
58
59 input RetailToMailPrescribedDrugInput {
60   ""Unique identifier for the prescribed drug.""
61   pbrNdcId: String!
62
63   ""Name of the prescribed drug (optional).""
64   pbrDrugName: String
65
66   ""Strength of the prescribed drug (optional).""
67   pbrDrugStrength: String
68
69   ""Dosage format of the prescribed drug (optional).""
70   pbrDosageFormat: String
71
72   ""Prescription status of the drug (optional).""
73   pbrRxStatus: String
74
75   ""Date when the prescription was written.""
76   pbrWrittenDate: String!
77
78   ""Maximum quantity allowed for refills.""
79   pbrRefillmaxqty: Float!
80
81   ""Quantity prescribed (optional).""
82   prescribedQuantity: String
83 }
84
85 input RetailToMailDispensedDrugInput {
86   ""The NDC (National Drug Code) identifier for the dispensed drug.""
87   dispNdcId: String!
88
89   ""The name of the dispensed drug.""
90   dispDrugName: String
91
92   ""The strength of the dispensed drug (e.g., 500mg).""
93   dispDrugStrength: String
94
95   ""The dosage format of the dispensed drug (e.g., tablet, capsule).""
96   dispDosageFormat: String
97
98   ""The quantity of the drug that was dispensed.""
99   dispensedQuantity: String!
100

```

```

101     ""
102     The number of days the dispensed quantity is expected to last (days supply).
103     ""
104     daysSupply: Float!
105
106     ""The date of the last fill for this drug, if applicable.""
107     lastFillDate: String
108
109     ""The unit of measure for the dispensed quantity (e.g., mg, mL).""
110     unitOfMeasure: String
111
112     ""The remaining quantity of the drug after dispensing.""
113     remainingQty: String!
114
115     ""The date the drug was discontinued, if applicable.""
116     discontinueDate: String
117
118     ""Instructions for taking or administering the dispensed drug.""
119     instructions: String!
120
121     ""The number of refills dispensed.""
122     nbOfDispensedRefills: Float!
123
124     ""The number of refills remaining for the prescription.""
125     remainingRefills: Float!
126
127     ""The DAW (Dispense As Written) code for the prescription.""
128     daw: String!
129
130     ""Indicates if the drug is a compound.""
131     compoundInd: String!
132
133     ""The fill status code for the dispensed drug.""
134     fillStatus: Float!
135
136     ""The date the drug was first filled.""
137     firstFillDate: String!
138 }
139
140 input RetailToMailPrescriberInput {
141     ""The unique SPI (Service Provider Identifier) for the prescriber.""
142     spiId: String!
143
144     ""The last name of the prescriber.""
145     pbrLastName: String!
146
147     ""The first name of the prescriber.""
148     pbrFirstName: String!
149
150     ""The phone number of the prescriber.""
151     pbrPhone: String!
152
153     ""The NPI (National Provider Identifier) of the prescriber.""
154     pbrNpiId: String!
155
156     ""The DEA (Drug Enforcement Administration) number of the prescriber.""
157     pbrDea: String!
158 }

```

```

159
160 input RetailToMailPharmacyInfoInput {
161     ""
162     The pharmacy that is sending the prescription for the retail-to-mail transfer.
163     ""
164     sendingPharmacy: RetailToMailSendingPharmacyInput!
165
166     ""The pharmacist responsible for the retail-to-mail transfer.""
167     pharmacist: RetailToMailPharmacistInput!
168 }
169
170 input RetailToMailSendingPharmacyInput {
171     ""Name of the sending pharmacy""
172     pharmacyName: String!
173
174     ""First line of the pharmacy address""
175     phmAddressLine1: String!
176
177     ""Second line of the pharmacy address (optional)""
178     phmAddressLine2: String
179
180     ""City where the pharmacy is located""
181     phmCity: String!
182
183     ""State where the pharmacy is located""
184     phmState: String!
185
186     ""ZIP code of the pharmacy""
187     phmZipCode: String!
188
189     ""ZIP code suffix of the pharmacy (optional)""
190     phmZipCodeSuffix: String
191
192     ""Phone number of the pharmacy""
193     phmPhone: String!
194
195     ""
196     National Council for Prescription Drug Programs (NCPDP) ID of the pharmacy
197     ""
198     phmNcpdpId: String!
199
200     ""DEA (Drug Enforcement Administration) number of the pharmacy""
201     phmDea: String
202
203     ""NPI (National Provider Identifier) ID of the pharmacy""
204     phmNpiId: String!
205
206     ""License number of the pharmacy""
207     phmLicense: String!
208 }
209
210 input RetailToMailPharmacistInput {
211     ""Full name""
212     phmFullName: String!
213 }
214
215 ""Reusing from graphql-common""
216 type Address {

```

```

217     ""Change Reason Code""
218     changeReasonCode: String
219     ""Address City""
220     city: String
221     ""Address Country""
222     country: String
223     ""County""
224     county: String
225     ""First Name""
226     firstName: String
227     ""Address Identity""
228     id: String
229     ""Is Default""
230     isDefault: Boolean
231     ""Is Verified""
232     isVerified: Boolean
233     ""Last Name""
234     lastName: String
235     ""Address Line""
236     line: [String]
237     ""Nick Name""
238     nickName: String
239     ""Address Start and End Date""
240     period: String
241     ""Phone Number""
242     phoneNumber: String
243     ""Address Postal Code""
244     postalCode: String
245     ""Address Postal Code Suffix""
246     postalCodeSuffix: String
247     ""Address State""
248     state: String
249     ""Address type""
250     type: AddressTypeEnum
251     ""Address use""
252     use: String
253 }
254
255 type RetailToMailTransferFault {
256     ""The type or category of the fault.""
257     type: String
258
259     ""A short, human-readable summary of the fault.""
260     title: String
261
262     ""Additional information or details about the fault.""
263     moreInfo: String
264 }
265
266 type RetailToMailRxTransferResponse {
267     ""The status code indicating the result of the transfer operation.""
268     statusCode: String!
269
270     ""A human-readable description of the transfer operation status.""
271     statusDescription: String!
272
273     ""Details of any fault that occurred during the transfer operation.""
274     fault: RetailToMailTransferFault

```

LINKS API - Mock Request

```

1  {
2    "requestHeader": {
3      "transactionId": "1234567890",
4      "operationName": "3" // Only 1 and 3 are needed. 2 is not needed
5    },
6    "requestBody": {
7      "memberInfo": {
8        "memberID": "M123456789",
9        "cardholderID": 123456,
10       "patientID": 987654,
11       "relationshipCode": 1234
12     },
13     "prescriptionInfo": {
14       "prescriptionNumber": "RX123456789",
15       "prescribedDrug": {
16         "ndcId": "12345678901",
17         "writtendate": "06-01-2025",
18         "refillmaxqty": 3.0
19       },
20       "dispensedDrug": {
21         "ndcId": "12345678901",
22         "dispensedQuantity": "30",
23         "dispensedQuantitywritten": "30",
24         "daysSupply": 30,
25         "lastDispensingDate": "05-01-2025",
26         "lastFillDate": "05-01-2025",
27         "totalDispensedQty": "30",
28         "remainingQty": "0",
29         "instructions": "None",
30         "nbOfDispensedRefills": 1,
31         "remainingRefills": 0,
32         "daw": "",
33         "compoundInd": ""
34       }
35     },
36     "prescriberInfo": {
37       "spiID": "12345"
38       "lastName": "Smith",
39       "firstName": "Emily",
40       "addressLine1": "123 Main St",
41       "city": "Phoenix",
42       "state": "AZ",
43       "zipCode": "85001",
44       "phone": {
45         "areaCode": "602",
46         "phoneNb": "5551234"
47       },
48       "dea": "AB1234567",
49       "npiId": "1234567890"
50     },
51     "pharmacyInfo": {
52       "sendingPharmacy": {

```

```

53     "name": "Good Health Pharmacy",
54     "addressLine1": "456 Wellness Blvd",
55     "city": "Chandler",
56     "state": "AZ",
57     "zipCode": "85224",
58     "phone": {
59         "areaCode": "480",
60         "phoneNb": "5556789"
61     },
62     "nabpId": "1234567",
63     "dea": "CD9876543",
64     "npiId": "0987654321",
65     "license": "AZPH123456"
66 },
67 "pharmacist": {
68     "lastName": "Johnson",
69     "firstName": "Mark"
70 }
71 },
72 "clientcode": "CLIENT123"
73 }
74 }
75

```

LINKS API - Mock Response

```

1  {
2    "responseHeader": {
3      "transactionId": "1234567890",
4      "operationName": "3",
5      "statusCode": "0",
6      "statusDescription": "SUCCESSFUL"
7    },
8    "responseBody": {
9      "eligibilityStatus": 1,
10     "eligibilityStatusReason": "EL01",
11     "transferStatus": 1,
12     "transferStatusReason": "TS01"
13   }
14 }

```

Inactivate Rx

```

1  {
2    "data": {
3      "placeorderinput": {
4        "prescriptionFills": [{
5          "prescription": {
6            "id": "0155027",
7            "idType": "RXC_RX_PRESCRIPTION_ID_TYPE",
8            "fillNumber": "0",
9            "fillRequestType": "INACTIVATE_PRESCRIPTION",
10           "patient": {
11             "id": "11213082036",

```



```

12         "idType": "RXC_RX_PATIENT_ID_TYPE"
13     },
14     "dispensingStore": {
15         "facilityId": "68544"
16     }
17 }
18 }
19 },
20 "id": "11213082036",
21 "idType": "RXC_RX_PATIENT_ID_TYPE"
22 }
23 }

```

Domain service API (rxretail-ice-external-rx-transfer)

Swagger page:

SIT2: <https://qa2.digital-ice-qa.cvshealth.com/microservices/external-rx-transfer/externalrxtransfer/swagger/swagger-ui/index.html>

RKE: <https://prodservices-west.corp.cvscaremark.com/microservices/external-rx-transfer/externalrxtransfer/swagger/swagger-ui/index.html>

GKE: <https://digital-ice-prod.internal.cvshealth.com/microservices/external-rx-transfer/externalrxtransfer/swagger/swagger-ui/index.html>

Sample submit request:

```

1 curl --request POST \
2   --url https://qa2.digital-ice-qa.cvshealth.com/microservices/external-rx-
transfer/externalrxtransfer/retailtomail \
3   --header 'accept: application/json' \
4   --header 'content-type: application/json' \
5   --header 'x-grid: 12345' \
6   --data '{
7     "prescriptionLookupKey": {
8       "pat": {
9         "id": "11213031930",
10        "idType": "RXC_RX_PATIENT_ID_TYPE"
11      },
12      "rx": "18964874139",
13      "store": "68544",
14      "fill": "0"
15    },
16    "requestPayload": {
17      "transactionId": "Test12dd367",
18      "operationName": "2",
19      "memberInfo": {
20        "memberId": "SR074914901",
21        "cardholderId": 14932760,
22        "patientId": 14932760
23      },
24      "prescriptionInfo": {
25        "prescriptionNumber": "968964879139",

```

```
26     "prescribedDrug": {
27         "pbrNdcId": "71015523",
28         "pbrDrugName": "Lipitor",
29         "pbrDrugStrength": "40",
30         "pbrDosageFormat": "tformat",
31         "pbrWrittenDate": "05-01-2025",
32         "pbrRefillmaxqty": 1,
33         "prescribedQuantity": "90",
34         "pbrRxStatus": "Active"
35     },
36     "dispensedDrug": {
37         "dispNdcId": "71015523",
38         "dispDrugName": "Lipitor",
39         "dispDrugStrength": "40",
40         "dispDosageFormat": "tformat",
41         "dispensedQuantity": "90",
42         "daysSupply": 90,
43         "lastFillDate": "05-18-2025",
44         "unitOfMeasure": "EA",
45         "remainingQty": "90",
46         "discontinueDate": "12-31-2025",
47         "instructions":
    "Take one tablet by mouth once daily with food. May cause drowsiness. Do not operate heavy machinery while taking this medication.",
48         "nbOfDispensedRefills": 0,
49         "remainingRefills": 1,
50         "daw": "0",
51         "compoundInd": "0",
52         "firstFillDate": "05-10-2025",
53         "fillStatus": 7
54     }
55 },
56 "prescriberInfo": {
57     "spiId": "8741932433002",
58     "pbrLastName": "MCTAVISH",
59     "pbrFirstName": "TARQUIN",
60     "pbrPhone": "8475451245",
61     "pbrNpiId": "2888888882",
62     "pbrDea": "AZ123"
63 },
64 "pharmacyInfo": {
65     "sendingPharmacy": {
66         "pharmacyName": "CVS Pharmacy",
67         "phmAddressLine1": "456 Main Street",
68         "phmAddressLine2": "",
69         "phmCity": "Boston",
70         "phmState": "PA",
71         "phmZipCode": "02110",
72         "phmZipCodeSuffix": "5678",
73         "phmPhone": "5515559876",
74         "phmNabpId": "1234567",
75         "phmDea": "BJ1234567",
76         "phmNpiId": "1234567890",
77         "phmLicense": "12345678901234567890"
78     },
79     "pharmacist": {
80         "phmFullName": "Garcia Maria"
81     }
82 }
```

```
82     }
83   }
84 }'
```

Sample submit response:

```
1 {
2   "statusCode": "0000",
3   "statusDescription": "Success"
4 }
```

References

Links Specification - [LINKS API Interface Spec.xlsx](#)

 <https://github.com/cvs-health-source-code/enterprise-capability-retail2mail> Connect your GitHub account

Questions

- Can we trigger inactivate rx after submit transfer response is received as an asynchronous request ?
- How to handle the situation where submit transfer is successful but inactivate rx failed ?