


Payment Consent Capability

When a PBM order is on hold due to the requirement of getting payment consent, Patient will provide the consent in digital experience using this capability. This payment hold reasons could be due to high cost drug in order, high co-pay etc..



Summary:

- New resolver and domain API will be created to record the Payment Consent from patients.
- OrderLookup Key is used as input to capture the Order Number and Rx number from UI along with Payment Consent for each Rx in the order.
- Domain API will invoke the ESL getOrderInfo to fetch below details needed to form the request payload for resolveOnHoldIssue.
 - getOrderInfoReply/rxFill[]/lineItemNumber → Mapped to → rxLevelArray[]/LineItemNumber
 - getOrderInfoReply/rxFill[]/prescription/reFillCode → Mapped to → rxLevelArray[]/nrcCD
- After successful update domain api will clear the digital transient cache.

Mutation Schema:

Variation 1: (MVP - Q2 2024)

This variation uses order lookup key and saves the consent in backend domain system.

```
1 mutation SavePaymentConsentWithLookupKey($savePaymentConsentRequest: [SavePaymentConsentRequest!]!,
2   $id: String,
3   $idType: PatientIdTypeEnum) {
4   SavePaymentConsentWithLookupKey(
5     savePaymentConsentRequest: $savePaymentConsentRequest,
6     id: $id,
7     idType: $idType) {
8     statusCode
9     statusDescription
10  }
11 }
```

```
1 {
2   "savePaymentConsentRequest": [
3     {
4       "orderLookupKey":
5       "U2FsdGVkX1+3cdEPWXMsbjot4+BiM906dh4z5RwR/tnpF+t2XES5QZ7u8CBKZiKbv8QcNHbtJar0nHA8d7W0ek4AKZp9HLoiqiccdJLk1gkb2EvknwQP80G6Uotxf/Pbh5x
6       Vmk/HivW88CCTws2l0vg0NSYfUH4AJVa0gFUp+osSHnLJkNsAwnXwX0Cbe+xKkchAG2PickmDHV2VsAcY10IyrPqtI6p4D0j4dbQ1vNFgZVddb6ukaW5QWp5qxI6jL0SVgpUJ
7       L8jq1o1mLZnr3NjffZAUNN37/NNZ1KdDhf3tmr0Yastjvhv+PQJJ2CI/8Ks+gUtaMBL+9d2E/YLduIdWpQ1p6zR6yAsY+K/eqvhp19mYTiqcGUznxVLeL/eaAF2sJIacIXWUNm
8       givLwMHhrvnj+J+Z7NLRvz8dKB/Vhod5tpc/H0rkNVaPd03YwnDTA9adjCfyWeutTiQttY80vX1SOWtm0tFSfP4Tx3DQc5b+Yu5HoA31ckWSzc8y0nBuXi231fjoJW2cpPD3y
9       mb3cKUBDHL1KDgU1GPD18P3gxuHa15vQ1dqcaAXy9oVshHHthiUHEmY0yNNfywoLFpNyMHH6ArKyGyY8bjbiyX+j7F7Mj/OC9o9jmmZ9Ks3C1gXorVqTvXkoJWkiM5erQkoD31
10      HnyYxdSS25uFE8HCvntK40nJnTB1Y75Mmp4gpLCIf60oG7N+/5IotDZmCSn2agcxu2tXsjeB6kcHcdhxzib40Pb0910fQ37wLTysa0UZKM4+M/80MtAzBSftzi1vqA=="
11      "consentResponse": "Y"
12    },
13    {
14      "orderLookupKey":
15      "U2FsdGVkX1+3cdEPWXMsbjot4+BiM906dh4z5RwR/tnpF+t2XES5QZ7u8CBKZiKbv8QcNHbtJar0nHA8d7W0ek4AKZp9HLoiqiccdJLk1gkb2EvknwQP80G6Uotxf/Pbh5x
16      Vmk/HivW88CCTws2l0vg0NSYfUH4AJVa0gFUp+osSHnLJkNsAwnXwX0Cbe+xKkchAG2PickmDHV2VsAcY10IyrPqtI6p4D0j4dbQ1vNFgZVddb6ukaW5QWp5qxI6jL0SVgpUJ
17      L8jq1o1mLZnr3NjffZAUNN37/NNZ1KdDhf3tmr0Yastjvhv+PQJJ2CI/8Ks+gUtaMBL+9d2E/YLduIdWpQ1p6zR6yAsY+K/eqvhp19mYTiqcGUznxVLeL/eaAF2sJIacIXWUNm
18      givLwMHhrvnj+J+Z7NLRvz8dKB/Vhod5tpc/H0rkNVaPd03YwnDTA9adjCfyWeutTiQttY80vX1SOWtm0tFSfP4Tx3DQc5b+Yu5HoA31ckWSzc8y0nBuXi231fjoJW2cpPD3y
```

```

mb3cKUBDHLLKDgU16PD18P3gxuHa15vQ1dqcAAXy9oVshHHthiUHEmY0yNNfywoLFpNyMHH6ArKyGyY8bjbiyX+j7F7Mj/0C9ojjmZ9Ks3C1gXorVqTvXkoJWkiM5erQkoD31
HnyYxdSS25uFE8HCvntK40nJnTB1Y75Mmp4gpLCIf60oG7N+/5IotDZmCsn2agcxu2tXsjeB6kcHcdhxzib40Pb0910fQ37wLTysa0UZKM4+M/80MtAzBSftzi1vqA=="
9      "consentResponse": "N"
10    }
11  ],
12  "id": "123455",
13  "idType": "PBM_QL_PARTICIPANT_ID_TYPE"
14 }
15

```

Variation 2: (Post MVP)

This variation accepts PatientID, OrderID & PrescriptionID as mandatory attributes and saves the payment consent in backend domain system.

```

1 mutation SavePaymentConsent($savePaymentConsentRequest: SavePaymentConsentRequest!,
2   $id: String!,
3   $idType: PatientIdTypeEnum!) {
4   savePaymentConsent(savePaymentConsentRequest: $savePaymentConsentRequest) {
5     statusCode
6     statusDescription
7   }
8 }

```

```

1 {
2   "savePaymentConsentRequest": {
3     "id": "2037888002",
4     "idType": "PBM_QL_ORDER_ID_TYPE",
5     "prescriptions": [
6       {
7         "id": "674543192",
8         "idType": "PBM_QL_PRESCRIPTION_ID_TYPE",
9         "consentResponse": "Y"
10      }
11    ]
12  },
13  "id": "123455",
14  "idType": "PBM_QL_PARTICIPANT_ID_TYPE"
15 }

```

Domain API:

```

1 {
2   "savePaymentConsentRequest": {
3     "id": "2037888002",
4     "idType": "PBM_QL_ORDER_ID_TYPE",
5     "prescriptions": [
6       {
7         "id": "674543192",
8         "idType": "PBM_QL_PRESCRIPTION_ID_TYPE",
9         "consentResponse": "Y"
10      }
11    ]
12  },
13  "id": "123455",
14  "idType": "PBM_QL_PARTICIPANT_ID_TYPE"
15 }

```

ESL API:

/PBM/OrderService/v1/resolveOnholdIssue

ESL Request Payload:

```

1 {
2   "application": "PORTAL",
3   "clientAppName": "ESL",
4   "clientTraceLevel": 1,
5   "requesterID": "Portal",
6   "serviceCD": "DOR",
7   "actionCD": "U",
8   "orderNumber": "12345",
9   "processSourceCode": "DPT",
10  "rxLevelArrayCount": 1,
11  "rxLevelArray" : [
12    {
13      "LineItemNumber": 0,

```

```

14         "rxNumber": "",
15         "nrcCD": 0,
16         "pmtPrblmResultCd": ""
17     }
18 ]
19 }

```

Attribute Name	Mapping
application	Constant: PORTAL
clientAppName	Constant: ESL
clientTraceLevel	Constant: 1
requesterID	Constant: Portal
serviceCD	Constant: DOR
actionCD	Constant: U
orderNumber	Request payload
processSourceCode	Constant: DPT
rxLevelArrayCount	Derived: Rx Count
rxLevelArray / LineItemNumber	getOrderInfoReply/rxFill[]/lineItemNumber
rxLevelArray / rxNumber	Request payload
rxLevelArray/nrcCD	getOrderInfoReply/rxFill[]/prescription/reFillCode
rxLevelArray / pmtPrblmResultCd	Request payload: consentResponse