

Prompt Engineering — 100 New Multiple Choice Questions

Foundations of Prompt Engineering & Core Principles of Effective Prompting

Instructions: Choose the best answer for each question. This paper contains a fresh set of questions designed not to repeat the supplied 100-question PDF.

Part A — Foundations of Prompt Engineering (1–50)

1. A prompt for a meeting-summary task says, “Here is a transcript.” What important element is still missing?

- A. The computer brand
- B. The keyboard layout
- C. The purpose or desired action
- D. The model's operating system

Answer: C

2. A student asks an AI to “teach recursion” but gives no learner level. Which uncertainty is most likely?

- A. File extension
- B. Audience and difficulty
- C. Internet speed
- D. Screen resolution

Answer: B

3. Which prompt element tells an AI what successful completion should accomplish?

- A. Device type
- B. Goal
- C. Font size
- D. Browser version

Answer: B

4. A manager wants identical report sections every week. Which prompt design is most suitable?

- A. A prompt containing unrelated examples
- B. A completely different prompt each week
- C. A reusable template with variable fields
- D. A prompt with no output requirements

Answer: C

5. Which situation most clearly benefits from a prompt pack?

- A. A laptop needs a battery replacement
- B. A printer needs a driver
- C. A person asks one unrelated question once
- D. A team performs several related customer-support tasks repeatedly

Answer: D

6. A placeholder such as [PRODUCT_NAME] mainly allows a prompt to:

- A. Hide the task objective
- B. Accept changing task-specific information
- C. Remove the need for instructions
- D. Prevent the prompt from being reused

Answer: B

7. Which practice makes a prompt library easier to reuse across people?

- A. Mixing unrelated prompts together
- B. Keeping every prompt unnamed
- C. Removing examples and usage notes
- D. Giving prompts consistent names and purposes

Answer: D

8. A learning resource contains worked prompt examples and exercises. Its main value is that it:

- A. Guarantees every response is correct
- B. Connects concepts with practical experimentation
- C. Automatically trains every AI model
- D. Removes the need to evaluate outputs

Answer: B

9. Which activity best represents a structured prompt-practice cycle?

- A. Copy prompts without changing them
- B. Avoid comparing outputs
- C. Write, test, inspect the output, and revise
- D. Write once and never inspect the result

Answer: C

10. An academic researcher uses AI to turn notes into possible research questions. This illustrates prompt engineering as:

- A. A hardware configuration task
- B. Support for knowledge-work tasks
- C. A replacement for all research methods
- D. A network administration task

Answer: B

11. A developer asks AI to explain an unfamiliar function using a small code snippet. What makes the request more useful?

- A. Using only the word “explain”
- B. Removing the code from the prompt
- C. Adding unrelated programming languages
- D. Supplying the relevant code context

Answer: D

12. A professional wants three alternative versions of a customer announcement. Which instruction adds useful specificity?

- A. Omit the intended audience
- B. Say only “write something”
- C. Specify the number and purpose of the alternatives
- D. Ask for an unspecified response

Answer: C

13. Which prompt-library feature helps a user quickly select the right prompt?

- A. A short description of when the prompt should be used
- B. Storing unrelated prompts in one entry
- C. Removing the prompt title
- D. A random identifier with no explanation

Answer: A

14. What is a practical reason to keep successful prompts for later use?

- A. They eliminate all human review
- B. They can provide a tested starting point for similar tasks
- C. They guarantee identical facts forever
- D. They make every task identical

Answer: B

15. A reusable prompt contains [LANGUAGE], [AUDIENCE], and [TOPIC]. These fields are best described as:

- A. Variables or placeholders
- B. Contradictions
- C. Counterexamples
- D. Evaluation scores

Answer: A

16. Which approach is most useful when learning prompt engineering from examples?

- A. Avoid changing any example
- B. Study why each instruction affects the requested output
- C. Memorize wording without understanding it
- D. Ignore the output produced

Answer: B

17. A team creates separate prompt collections for sales, coding, and education. This organization mainly improves:

- A. Processor speed
- B. Internet bandwidth
- C. Storage capacity
- D. Task-specific reuse and discovery

Answer: D

18. Which is a reasonable use of a generative AI tool in an academic workflow?

- A. Changing a projector bulb
- B. Increasing hard-drive capacity
- C. Turning lecture notes into practice questions
- D. Physically repairing laboratory equipment

Answer: C

19. Which is a reasonable use in a professional workflow?

- A. Cleaning a monitor
- B. Drafting several versions of a project update
- C. Replacing an office router physically
- D. Installing additional RAM

Answer: B

20. Which is a reasonable use in a technical workflow?

- A. Generating test-case ideas from a stated requirement
- B. Replacing a CPU
- C. Configuring a physical keyboard
- D. Repairing a damaged cable

Answer: A

21. If a prompt is reused for different departments, which field is most likely to be variable?

- A. Screen brightness
- B. Laptop battery level
- C. Keyboard driver
- D. Department name

Answer: D

22. A prompt pack containing onboarding, FAQ, and escalation prompts is organized around:

- A. One programming syntax only
- B. Computer hardware specifications
- C. A related workflow or task domain
- D. A single fixed sentence

Answer: C

23. Which item would be most useful as metadata for a prompt in a shared library?

- A. Purpose and intended use
- B. Mouse sensitivity
- C. CPU temperature
- D. Wallpaper color

Answer: A

24. Why can maintaining versions of prompts be useful?

- A. It helps track changes and compare improved variants
- B. It prevents any future reuse
- C. It removes the need for testing
- D. It makes outputs automatically factual

Answer: A

25. A prompt works well for short product descriptions but poorly for long reports. What should the user do first?

- A. Assume the model is always wrong
- B. Review the prompt against the new task requirements
- C. Delete the entire library
- D. Remove all constraints

Answer: B

26. Which statement best describes a practice environment for prompting?

- A. A setting where prompts can be tried and outputs examined
- B. A storage device for model weights
- C. A replacement for all learning resources
- D. A physical room containing computers only

Answer: A

27. Why might a learner compare two prompts for the same task?

- A. To change the AI's hardware
- B. To increase device memory
- C. To avoid examining results
- D. To observe how different instructions affect the output

Answer: D

28. A prompt resource includes beginner, intermediate, and advanced exercises. This primarily supports:

- A. Hardware upgrades
- B. Network monitoring
- C. Progressive practice
- D. File compression

Answer: C

29. Which choice makes a prompt library more maintainable?

- A. Removing descriptions
- B. Periodically reviewing and updating prompts
- C. Never testing stored prompts
- D. Adding duplicate prompts without labels

Answer: B

30. A prompt is saved with its expected use, inputs, and sample output. This documentation mainly helps:

- A. Remove the need for context
- B. Other users understand how to apply it
- C. Guarantee model behavior
- D. Increase processor speed

Answer: B

31. A user wants AI to transform a supplied paragraph into a checklist. Which task description is clearest?

- A. Do something with this paragraph
- B. Convert the paragraph into an actionable checklist
- C. Improve it
- D. Process the text

Answer: B

32. Which addition most directly narrows the scope of an AI response?

- A. "Tell me everything."
- B. "Focus only on causes and preventive measures."
- C. "Discuss anything related."
- D. "Write freely."

Answer: B

33. A prompt asks for a response suitable for first-year students. The instruction mainly controls:

- A. Hardware configuration
- B. Model version
- C. File format
- D. Audience level

Answer: D

34. Which prompt component can prevent an answer from becoming too lengthy?

- A. An unrelated background story
- B. A random example
- C. A hardware specification
- D. A maximum word or item limit

Answer: D

35. If a user wants information arranged for quick scanning, which output instruction is useful?

- A. Use headings and concise bullet points
- B. Avoid structure
- C. Include every possible detail
- D. Write one uninterrupted paragraph

Answer: A

36. Which instruction gives the model a measurable output requirement?

- A. Give useful recommendations
- B. Answer appropriately
- C. Write something helpful
- D. Provide exactly six recommendations

Answer: D

37. A user supplies a sample input and the desired corresponding output. This is primarily useful for:

- A. Removing all constraints
- B. Showing the expected pattern
- C. Replacing the task goal
- D. Increasing context-window hardware

Answer: B

38. When examples are used to demonstrate a desired response style, they should ideally be:

- A. Contradictory to the goal
- B. Relevant to the requested task
- C. Randomly selected
- D. Completely unrelated

Answer: B

39. What is a potential benefit of using multiple examples in a prompt?

- A. They always reduce prompt length
- B. They eliminate the need for a task description
- C. They can clarify the pattern the model should follow
- D. They guarantee factual accuracy

Answer: C

40. A counterexample is particularly useful when the user wants to communicate:

- A. A network address
- B. A storage limit
- C. A processor requirement
- D. A boundary or undesirable behavior

Answer: D

41. Which pair best distinguishes an example from a counterexample?

- A. Question vs. database
- B. Code vs. hardware
- C. Input vs. output device
- D. Desired pattern vs. pattern to avoid

Answer: D

42. A prompt says, "Use the following sample only to imitate structure, not its facts." This instruction helps control:

- A. How the example should influence the response
- B. Internet access
- C. Computer memory allocation
- D. Model installation

Answer: A

43. Which prompt design is most useful for converting varied inputs into a consistent format?

- A. Change the format for every input
- B. Ask for any format
- C. Define a target schema and provide a representative example
- D. Avoid specifying fields

Answer: C

44. A rubric containing relevance, completeness, and readability can be used after generation to:

- A. Increase the model's CPU speed
- B. Replace the original task
- C. Evaluate the response systematically
- D. Guarantee the answer is true

Answer: C

45. Why is a rubric often more useful than saying "make it better"?

- A. It guarantees perfect reasoning
- B. It removes the need for criteria
- C. It makes the prompt shorter automatically
- D. It provides concrete evaluation dimensions

Answer: D

46. Which criterion would be most appropriate for judging a summary?

- A. Laptop battery life
- B. Screen resolution
- C. Keyboard response time
- D. Coverage of the source's main points

Answer: D

47. If two AI responses are being compared for a report, which instruction makes the comparison more meaningful?

- A. Use the same defined criteria for both responses
- B. Compare them without criteria
- C. Choose the longer response automatically
- D. Select the first response generated

Answer: A

48. Comparison prompting is especially useful when a user wants to:

- A. Remove all options
- B. Avoid identifying differences
- C. Produce a random response
- D. Examine alternatives systematically

Answer: D

49. Which comparison criterion would fit a prompt about two study plans?

- A. Printer speed
- B. Monitor size
- C. Time required
- D. Operating-system version

Answer: C

50. A user asks AI to compare tools but does not define what matters. The main weakness is:

- A. Too much output structure
- B. Too many counterexamples
- C. Unspecified comparison criteria
- D. Excessive audience definition

Answer: C

Part B — Core Principles of Effective Prompting (51–100)

51. What does iteration mean in a prompt-development workflow?

- A. Repeating the exact prompt without inspection
- B. Changing the computer hardware
- C. Making informed changes based on observed results
- D. Deleting every previous version

Answer: C

52. Which evidence is most useful when refining a prompt?

- A. Specific shortcomings in the generated output
- B. The age of the computer
- C. The color of the interface
- D. The user's keyboard model

Answer: A

53. A response is technically correct but too advanced for the audience. Which refinement is most relevant?

- A. Increase the response length
- B. Specify the audience's knowledge level
- C. Add unrelated examples
- D. Remove the task objective

Answer: B

54. A response includes information outside the requested topic. Which refinement is most direct?

- A. Ask for a longer answer
- B. Remove the main goal
- C. State explicit inclusion and exclusion boundaries
- D. Add more unrelated topics

Answer: C

55. A generated list contains duplicate ideas. Which prompt requirement could reduce this?

- A. Request distinct, non-overlapping items
- B. Ask for more repetition
- C. Remove the topic definition
- D. Avoid specifying the output

Answer: A

56. A response uses inconsistent terminology. Which instruction may help?

- A. Remove the audience
- B. Ask for more unrelated examples
- C. Avoid specifying terminology
- D. Define preferred terms and require consistent usage

Answer: D

57. A user wants a report divided into introduction, analysis, and conclusion. This is primarily an instruction about:

- A. Model training
- B. Output structure
- C. Hardware
- D. Internet connectivity

Answer: B

58. Which output specification is most appropriate when data needs to be imported into another system?

- A. Request a decorative paragraph
- B. Request a defined machine-readable structure
- C. Request random formatting
- D. Avoid naming fields

Answer: B

59. A prompt asks for “three causes, followed by two prevention measures.” This combines:

- A. Library management and versioning
- B. Hardware settings and networking
- C. Task requirements and output structure
- D. Examples and counterexamples only

Answer: C

60. Which instruction best controls the tone of a workplace message?

- A. Return JSON
- B. Use exactly 200 words
- C. Use a respectful and concise professional tone
- D. List five causes

Answer: C

61. Which instruction best controls the level of technical detail?

- A. Explain the concept for readers with basic programming knowledge
- B. Use five bullet points
- C. Return a table
- D. Use a formal greeting

Answer: A

62. A prompt requests an answer in a table but does not name the columns. What could improve it?

- A. Ask for any layout
- B. Add unrelated background
- C. Remove the table requirement
- D. Specify the required column headings

Answer: D

63. Which prompt is more testable?

- A. Handle the list
- B. Do whatever is needed
- C. Classify each item as urgent or non-urgent and return a two-column table
- D. Analyze these items appropriately

Answer: C

64. Why are explicit constraints useful in prompts?

- A. They always make responses factually correct
- B. They define boundaries that the output should satisfy
- C. They replace the need for a goal
- D. They eliminate all ambiguity automatically

Answer: B

65. A prompt asks for a five-step procedure and also says “include every possible step.” What issue might arise?

- A. The context is necessarily perfect
- B. The requirements may conflict in scope
- C. The audience is clearly defined
- D. The examples are automatically correct

Answer: B

66. Which is a sensible way to resolve potentially conflicting prompt requirements?

- A. Rewrite the requirements so their priorities and limits are clear
- B. Remove the goal
- C. Ignore the conflict
- D. Add more contradictory instructions

Answer: A

67. Task decomposition is particularly helpful when a task contains:

- A. Only a simple greeting
- B. Several dependent stages
- C. No desired outcome
- D. No intermediate work

Answer: B

68. A workflow first extracts facts, then organizes them, then drafts a response. This is an example of:

- A. Prompt deletion
- B. Random prompting
- C. Sequential task decomposition
- D. Hardware configuration

Answer: C

69. What is one advantage of separating extraction from generation?

- A. It always reduces the number of prompts
- B. Each stage can be checked for errors independently
- C. It removes all need for review
- D. It guarantees every extracted fact is true

Answer: B

70. A complex research workflow is split into “identify sources → extract claims → organize themes → draft.” The arrows mainly represent:

- A. A sequence of subtasks
- B. Output file types
- C. Prompt-library folders
- D. Different hardware devices

Answer: A

71. When decomposing a complex task, subtasks should ideally be:

- A. As vague as possible
- B. Unrelated to each other
- C. Added without considering dependencies
- D. Clearly defined and connected to the overall objective

Answer: D

72. Which workflow is most suitable for improving a generated document?

- A. Draft → delete criteria → stop
- B. Draft → publish immediately
- C. Draft → evaluate against criteria → revise
- D. Draft → ignore the output

Answer: C

73. A prompt asks AI to first identify missing information before drafting. This is an example of:

- A. Avoiding task decomposition
- B. Using an intermediate step to improve task handling
- C. Removing context
- D. Using a counterexample as the final answer

Answer: B

74. Which question is most useful when breaking a task into subtasks?

- A. What distinct steps are required to reach the final result?
- B. How can all instructions be removed?
- C. How can the task become less specific?
- D. Which computer brand is being used?

Answer: A

75. A user wants AI to generate a training module from a syllabus. Which decomposition is most logical?

- A. Generate everything with no stages
- B. Ignore the syllabus and invent a structure
- C. Extract topics → sequence lessons → create activities → review coverage
- D. Start with formatting before identifying topics

Answer: C

76. A reusable prompt should be adapted when:

- A. The monitor is brighter
- B. The user opens a different browser
- C. The computer mouse changes
- D. The task context, audience, or requirements change

Answer: D

77. What is a useful reason to keep both the original and refined versions of a prompt?

- A. They guarantee the newer version is always correct
- B. They prevent further iteration
- C. They eliminate the need for evaluation
- D. They allow the user to examine how changes affected results

Answer: D

78. A prompt produces different quality levels for different inputs. What is a useful next step?

- A. Test it with representative inputs and inspect where it fails
- B. Assume the prompt is universally reliable
- C. Remove all examples
- D. Stop evaluating outputs

Answer: A

79. Why should prompt testing use more than one example when possible?

- A. It guarantees every future case will work
- B. It removes the need for constraints
- C. It can reveal whether the prompt works across varied cases
- D. It makes evaluation unnecessary

Answer: C

80. Which practice supports consistent prompt-based workflows in a team?

- A. Avoiding common criteria
- B. Deleting successful prompts
- C. Each person inventing unrelated formats
- D. Shared templates with documented usage guidance

Answer: D

81. A prompt library contains outdated instructions. What should a team do?

- A. Keep them unchanged forever
- B. Review, test, and revise the affected prompts
- C. Duplicate them repeatedly
- D. Remove all documentation

Answer: B

82. Which factor should be considered when selecting a prompt from a library?

- A. Whether it contains the most words
- B. Whether it was created first
- C. How closely its intended use matches the current task
- D. Whether its title is the longest

Answer: C

83. A learner records the prompt, input, output, and revision notes after each experiment. This mainly supports:

- A. Network configuration
- B. Automatic model retraining
- C. Learning through systematic reflection
- D. Hardware maintenance

Answer: C

84. Which statement about prompt quality is most appropriate?

- A. Shorter prompts are always better
- B. Longer prompts are always better
- C. Prompt wording never affects outputs
- D. Quality depends on how well the instructions support the intended task

Answer: D

85. A very detailed prompt contains irrelevant background information. What is a likely improvement?

- A. Add even more unrelated context
- B. Remove all constraints
- C. Remove irrelevant details while keeping information needed for the task
- D. Delete the task goal

Answer: C

86. Which prompt is best suited to a professional workflow that repeats monthly?

- A. A prompt with no output structure
- B. A prompt containing fixed outdated figures
- C. A vague one-time instruction
- D. A template with fields for month, audience, metrics, and required sections

Answer: D

87. Which practice best supports responsible use of AI-generated material in a workflow?

- A. Assume every generated claim is correct
- B. Skip evaluation when the prompt is detailed
- C. Review outputs against the task requirements before using them
- D. Treat examples as verified facts

Answer: C

88. A user wants to improve a prompt but changes five unrelated elements at once. Why can this be problematic?

- A. It becomes harder to identify which change affected the result
- B. It makes the output automatically consistent
- C. It removes the need for testing
- D. It guarantees faster improvement

Answer: A

89. Which iteration strategy makes learning from prompt changes easier?

- A. Never record the previous version
- B. Change everything randomly
- C. Evaluate only the prompt length
- D. Change a small number of relevant elements and compare results

Answer: D

90. A prompt asks for a recommendation but provides no decision criteria. What addition would make the task more actionable?

- A. Add unrelated examples
- B. Remove the objective
- C. Add decorative formatting
- D. Define the criteria that should guide the comparison

Answer: D

91. Which combination forms a practical prompt specification for a complex task?

- A. Hardware model and screen size
- B. Only a greeting and a topic word
- C. Random examples without a goal
- D. Goal, context, audience, constraints, examples, and output format

Answer: D

92. A prompt template includes a section called "Do not include." Its primary function is to:

- A. Provide processor instructions
- B. Store model weights
- C. Replace the task objective
- D. Define exclusions and prevent unwanted content

Answer: D

93. Which statement best describes prompt engineering as a workflow skill?

- A. It is only the act of typing a question
- B. It eliminates the need for human review
- C. It is exclusively a programming language
- D. It involves designing, testing, evaluating, and refining instructions for useful AI outputs

Answer: D

94. A learner wants to compare three prompt variants fairly. What should remain consistent where possible?

- A. The task, criteria, and input all changing randomly
- B. The underlying task and evaluation criteria
- C. The output goal being different for each variant
- D. The audience being undefined

Answer: B

95. Why can explicit success criteria improve an AI-assisted workflow?

- A. They give the user a basis for judging whether the output meets the need
- B. They make every response identical
- C. They guarantee the model's factual knowledge
- D. They remove the need for iteration

Answer: A

96. A prompt says "write a useful answer" but the user actually needs an executive summary. Which improvement is most important?

- A. Avoid specifying length or structure
- B. Name the intended deliverable explicitly
- C. Add more generic adjectives
- D. Remove the audience

Answer: B

97. Which approach best integrates a prompt library into repeated professional work?

- A. Copy every prompt without adaptation
- B. Avoid documenting successful changes
- C. Select a suitable template, fill its variables, test the output, and refine when needed
- D. Use the same fixed values forever

Answer: C

98. What is the clearest reason to break a large AI task into smaller prompts?

- A. Multiple prompts always cost less
- B. Complex tasks never need context
- C. Decomposition guarantees factual accuracy
- D. Smaller stages can make requirements and evaluation easier to manage

Answer: D

99. Which final check is most useful before adopting a prompt as a reusable template?

- A. Check only how long the prompt is
- B. Confirm that it meets the intended task across representative cases
- C. Check whether it contains technical jargon
- D. Confirm that no requirements are present

Answer: B

100. A team wants a prompt that new members can use with minimal confusion. What should accompany the prompt?

- A. Only the prompt title
- B. An unrelated example
- C. Purpose, required inputs, expected output, and usage guidance
- D. Hardware specifications

Answer: C