distributed in the signs you find the following noteworthy points which will be helpful for detailed readings.

(a) Some stars are wholly situated in a sign (whole stars).

(b) Some are spread half and half in two rasis (equal stars)

(c) Some are unequally spread in two rasis (unequal stars).

(d) Some commence from a *rasi* - (commencing stars)

(e) Some terminate in a *rasi* - (ending stars)

Note : Each one of the above has its own characteristic.

To find the exact position in degrees etc. of a planet work out by proportional method for the birth time taking the period of transit of that pada as denominator.

To find moon's position work out form the span of *the day's star (Birth star) for the birthtime by proportional method,* similarly you get the thithi, yoga and karana for the birth time.

To fix up lagna work as follows :

At the end of the line of the day's details the expired or in some panchangas the remaining portion of the lagna at sunrise (sign occupied by sun, is given in ghatis. Referring to the table of rasi-mana (Spans) for the birth latitude calculate the balance of that rasi-mana at sunrise. Add to this span of succeeding signs till you reach the birth time. You get the lagna. By proportions you can work out its exact position in degrees considering the rasi-mana of that lagna, rasi being equal to 30 degrees.

Note : Planetary positions for all latitudes and longitudes at a particular moment may for our purposes be taken to be same while fixing of lagna depends on both the latitude and longitude.

Till now I have said of Panchanga method; now I will describe ephemeries method.

(b) Ephemeries Method

This is more easy as it gives more details as Siderial time, Declinations (Kranthi), Latitude and other ready made tables of great help. In the ephemeries the positions are given for each day for a particular time. *Raphel* gives *sayana* positions at noon G.M.T. which is 5.30 p.m.; I.S.T. Lahiri gives *Nirayana* positions at 5.30 a.m. from 1941 onwards and at 5.30 p.m. I.S.T. before 1941. Work out by proportions the exact positions of all planets.

To work out Lagna :

Add to the siderial time (at noon) of the day the birth time in L.M.T. measure. If birth before noon (I.S.T.) deduct 12 hours. The nett is the siderial hour of birth. There are other minute rectifications prescribed here. But you may not worry with all that as the difference will be only in seconds which does not affect the lagna point perceptibly as also with all those corrections you may not, for several reasons stated already, arrive at correct lagna point which has to be finally settled by other methods that I narrate later in my chapter on Division Charts. So, for our present purpose this will do. With the aid of Table of Houses for the latitude of the birth place find out the Lagna point and tenth cusp. Then the seventh and fourth bhava cusps will be 180 degrees apart from lagna and tenth cusps respectively. Thus you have struck the four major Redix points-the cusps of 1, 4, 7 and 10 Bhavas. In fixing up the other cusps we have to differ from the western theory and adopt the Hindu system, enunciated in Sripathi Paddathi. Divide the span

of each quarter into 3 equal parts and thus fix up the other cuspal points. As calculation under Sripathi Paddathi is hard a nut to crack for all beginners and also takes a lot of time to work out a horoscope. Those working with Panchanga only may after working out the lagna point find out its equivalent Siderial Birth Hour referring to Table of Houses and then work out the tenth cusp for the said Sederial Hour. This can be done at a glance.

8. Bhava Kundali (Bhava Chart)

You have now understood to fix up Bhava cusps*. The next thing is to establish the Bhava Chart. To do this you must know the total span or spread of a Bhava. Call the middle point between the cusps of the Bhavas in question and of its preceeding and suceeding Bhavas as A and B. Then the spread of this Bhava is from A to B. A is the starting point, the cusp its centre and B the terminating point of that Bhava. Sometimes this span may be located in one, two or three *Rasis.*

Illustrations :

1. A Bhava ranging from 1Deg. of Mithuna to 29 Deg. of Mithuna (case of 1 rasi)
2. A Bhava starting at 20 Deg. of Vrishabha ending at 24 Deg. of Mithuna (case of 2 rasis)
3. A Bhava from 29 Deg. of Mesha to 1 Deg. of Mithuna (case of 3 rasis)


Having thus fixed the commencing, middle and ending points of a Bhava it is now easy to locate the


---

* Editor's Note : Correct nomenclature 'Bhava Madhya' Cusp denotes the starting point of Bhava according to western system.

Bhava positions of planets. *A planet located anywhere witnin the said span falls in that Bhava.*

Here you have to note the significance of cusp of a Bhava and its span. The two are used for two different purposes. *When we want to find the lordships we have to consider cuspal point. The lord of the Rasi containing this point is that Bhava Lord.* The Bhavic positions of planets are to be judged from the Span. To have clear perspective prepare two charts as follows.





Degrees of planets and houses

Lagna	:	2° 48'	Venus	:	20° 16'
Moon	:	23° 38'	Saturn	:	23° 06'
Mars	:	16° 59'	Rahu	:	25° 42'
Mercury	:	13° 48'	Ketu	:	25°42'
Jupiter	:	20° 47'			

Call the first as Cuspal chart and the second as Bhava Chart. In both the Charts retain lagna in the same sign as in Rasi chart. In cuspal chart place the cusps in the concerned signs. Sometimes a Rasi may contain even three cusps and some other time a Rasi may go without even one cusp. Thus a planet may own even 3 or more Bhavas or not own any Bhava. Next in Bhava Chart place the planet in the Rasi as distant from Lagna Rasi equal

to the number of the Bhava in which it is situated. In this chart reckon only the number of Rasis from Lagna Rasi but forget that they are Rasis.

For example, if a planet is found to be in fourth Bhava, place it in fourth Rasi from Lagna Rasi. This gives a ready view of Bhavic positions.

Next is to erect other correlative maps- i.e. from General (Rasi chart) to Species (Division charts) which will be discussed in the Chapter on Division Charts.

Mere Rasi chart is not sufficient for prediction. The Word " Rasi " in Sanskrit means a 'heap'. A Rasi (Bhava) is a heap of many cannotations. All of them may not be simultaneously good, bad or mixed. Some of them may go bad, some good and some mixed. How to discern and differentiate them is a knotty problem. By God's grace I have found a way out, so simple and sure that even a layman can grasp easily. Please read the Chapter on Division charts. After Rasi chart the Bhava chart should also be erected. *Judgement from Rasi chart only of the Lordships of planets or their Bhavic positions merely counting from Lagna Rasi will not always be correct. For real perspective, Cuspal and Bhava charts should be reckoned.* In cases where the Rasi and Bhava charts are similar the Astrologer may be successful even with Rasi prediction. Then that Astrologer must be really running good time. When his bad period rules charts of differences come to him only to pull down his name.

Some times a planet appearing to own a Bhava in Rasi chart may not own it. Sometimes some other planet may own that Bhava. One may own even three or more

Bhavas or none. *Planet appearing to be in a Bhava as per Rasi chart may not be actually there when the Bhava Span is scrutinised. In Gochara reading this is of much significance.* In Rasi a planet may appear to be transitting a Bhava at a particular time while as per Bhava span he may be in any of the abutting Bhavas-one less or one more. That makes a lot of difference.

To make this more lucid, I cite the following chart I have handled. *Birth on 21.1.1931 at 1.19 p.m. at Sialkot (lat 32° 29'N long 74° 35' E) - Male Child*

BHAVA SPUTA

Bhava Bhava Start		Bhava Middle	
01. Aries	- 14:52:55	Taurus	- 2:48:29
02. Taurus	- 14:52:55	Taurus	- 26:57:21
03. Gemini	- 9:1:47	Gemini	- 21:6:13
04. Cancer	- 3:10:39	Cancer	- 15:15:5
05. Leo	- 3:10:39	Leo	- 21:6:13
06. Virgo	- 9:01:47	Virgo	- 26:57:21
07. Libra	- 14:52:55	Scorpio	- 2:48:29
08. Scorpio	- 14:52:55	Scorpio	- 26:57:21
09. Sagittarius	- 9:01:47	Sagittarius	- 21:6:13
10. Capricorn	- 3:10:39	Capricorn	- 15:15:5
11. Aquarius	- 3:10:39	Aquarius	- 21:06:13
12. Pisces	- 9:1:47	Pisces	- 27:57:21

CUSPAL CHART

Bhava Sputa

See the difference between Rasi chart and this chart,; II Bhava falls in Vrishabha instead of Mithuna as in Rasi chart. III falls in Mithuna, IV in Kataka and likewise there are several displacements. For example if you read Budha as lord of 2 and 5 from Rasi chart it goes wrong as really he becomes the lord of 3 and 6 Bhavas (see cuspal chart). Again I and II Bhavas fall in Vrishabha. No Bhavas exist in Mesha and Thula. Thus you see a lot of difference here. Predictions made with such Rasi charts are sure to go wrong.

Bhava Spans

Those marked in small figures are the end points of Bhavas. For example XII Bhavas spread from 9 degrees of Meena to 15 degrees of Mesha. In Rasi, Rahu appears to be in XI Bhava while in reality is in XII Bhava. A planet in transit after 15 degrees of Mesha though appearing in Rasi chart in XII will be actually transitting Lagna Bhava. These subtle differences must be mastered.

Bhava Chart

At the mere glance you can say in what Bhavas, Planets are placed. Beyond this do not touch up any other point in this chart. For example you may read Guru being in III Bhava, but do not say he is in Kataka and exalted. If the variations are not noticed in time the Astrologer will surely get perplexed when he sees effects caused by unconcerned planets who do not appear to have any jurisdiction in the Rasi Chart. Such disappointments are likely to mislead us to resort to some

other rule or even coin a new Rule or resort to a different system of Dasha. That is how this science is actually butchered. Plenty of such novel sayings may be seen in " Uttarakalamrita" supposed to have been written by Kalidasa-evidently and definitely not that famous Kavi Kalidas as may be seen from the poetic composition and mostly miscellaneous matter of various Dictums being compiled. Also no authority is forthcoming on the point of Kavi Kalidasa to have written any book on Astrology.

(9) Finally I deal with DASHA CALCULATION. As explained before I follow Udu-Dasha. (Vimshottari of 120 years). The following table gives the details.

Stars	*Dasha Lord*	*Dasha Years*
Ashwini-Makha-Moola	Ketu	7
Bharani-Pubba- P. Ashada	Sukra	20
Krithika-Uttara- U. Ashada	Sun	6
Rohini-Hasta-Sravana	Moon	10
Mrigasira-Chitra-Dhanista	Kuja	7
Aridra-Swati-Shathabhisha	Rahu	18
Punarvasu-Vishakha-P.Bhadra	Guru	16
Pushyami-Anuradha-U.Bhadra	Sani	19
Aslesha-Jyesta-Revathi	Budha	17

Note : The order of the Dashas are the same as tabled above. *The balance of Dasha at birth is got by Rule of three process in proportion to the balance of span of Birth Star.*

To calculate Bhukti, multiply the Dasha year by Bhukti lord's years and leave off the unit's digit in the product. The rest of the figure represents months. Thrice

the units digit represents days. This is a shorter contrivance of mathematical process of distributing the Dasha years to all the 9 planets in proportion to the Dasha years of the respective Bhukti Lord. By continuance of this process you may work out Anthara, Antharanthara, Sookshma, Prana etc. to minutest parts. For our purposes stage upto Anthara is enough. For example say Guru Dasha-Shani Bhukti : Shani years are 19 and Guru years 16. Multiplying both, (16X19), we get 304. Leaving off the unit's digit 4 the remaining figure is 30 months. Multiplying the unit's digit 4 by 3 we get 12 (days). So, Guru Dasha-Shani Bhukti or Shani Dasha-Guru Bhukti is 2 years, 8 months, 12 days. If unit's digit is Zero, then the number of days is nil.

To make the subject more clear, I illustrate by an example.

BIRTH ON 1-2-1962 at 4 p.m. OR GHATIS 23-23 AT MADRAS. Sun rise is 6-39 A.M.

First Work out From Panchanga: (SHROWTI'S)

The Starry quarters prior to Birth Time are :

Sun Sravan-3	Moon Moola-1	Kuja U-ashad-3	Budha Dhani-2	Guru Dhan-1
Sukra Sravan-4	Shani Sravan-1	Rahu Aslesh-3	Ketu Dhan-1	—

Budha and Shani are Asta (eclipsed).

MOON : on 1-2-62 is Jyesta 21-15 Gh (3-9 p.m.)
on 2-2-62 is Moola 18-14 Gh (1-57 p.m.)

The span of Moola star is roughly 57 Ghatis. So each quarter is 14¼ Ghatis.

Birth being at Gh 23-23 time passed in Moola Star till birth time is (23-23)-(21-15) : Gh. 2-8. This is just the first quarter of Moola. So birth star or the chara of Moon is Moola 1.

To find the Dasha balance :

For 57 Ghatis the birth Dasha of Ketu is 7 years.

For Gh 2-8 (2 2/15) it is 7/57 X 3 $\frac{2}{5}$ yr.; yr. 0-3-4

So the balance of Ketu Dasha at birth is 6-8-26 yrs..

As per this, Moon's position is 30 minutes in Dhanus (8-0-30).

To find Lagna :

On 1-2-62 the balance of Udaya Lagna (Rising Sign Makara) is given as Gh. 1-46. As per Rasi span of Madras Latitude, balance in Makara is 1-46, Kumbha 4-16, Meena 4-10, Mesha 4-28, Vrishabha 5-3 total Gh. 19-43. Birth being at 23-23 Gh., there still remains Gh. 3-40 to pass in Mithuna. Thus Lagna is Mithuna.

To work out the exact degree position of Lagna:

The span of Mithuna is Gh. 5-29 or 329 Vig. for 30 degrees. For Gh. 3-40 Or 220 Vig. the position is (30 x 200) ÷329= Deg. 20-3 [Vig stands for Vighalige]

Hence the exact Lagna point in Mithuna is Deg. 20.3 i.e. (2-20-3)

To workout tenth meridian from Lagna :

On pp. 72 of Lahiris Ephemeries of 1962 in the Table of Houses : against 20-3 of Mithuna in col. 1, the siderial time under Madras (col.4) is 0-35-50.