

## UNIT 4 - ENVIRONMENTAL POLLUTION

### What is Pollution?

*“Pollution is the introduction of substances (or energy) that cause adverse changes in the environment and living entities.”*

Pollution need not always be caused by chemical substances such as particulates (like smoke and dust). Forms of energy such as sound, heat or light can also cause pollution. These substances that cause pollution are called pollutants.

Pollution, even in minuscule amounts, impacts the ecological balance. Pollutants can make their way up the food chain and eventually find their way inside the human body. Read on to explore the types of pollution and their implications.

### Types of Pollution

As stated before, there are different types of pollution, which are either caused by natural events (like forest fires) or by man-made activities (like cars, factories, nuclear wastes, etc.) These are further classified into the following types of pollution:

- Air Pollution
- Water Pollution
- Soil Pollution
- Noise Pollution

Besides these 4 types of pollution, other types exist such as light pollution, thermal pollution and radioactive pollution. The latter is much rarer than other types, but it is the deadliest.

### Air Pollution



Air pollution refers to the release of **contaminants** (chemicals, harmful gases, particulates, biological molecules, etc.) into the atmosphere. These contaminants are quite detrimental, and in some cases, pose serious health issues.

### Air Pollution

**Air pollution** refers to the release of harmful contaminants (chemicals, toxic gases, particulates, biological molecules, etc.) into the earth's atmosphere. These contaminants are quite detrimental and in some cases, pose serious health issues. Some causes that contribute to air pollution are:

- Burning fossil fuels
- Mining operations
- Exhaust gases from industries and factories

The effects of air pollution vary based on the kind of pollutant. But generally, the impact of air pollution ranges from:

- Increased risk of respiratory illness and cardiovascular problems
- Increased risk of skin diseases
- May increase the risk of cancer
- Global warming
- Acid rain
- Ozone depletion
- Hazards to wildlife

Among the other types of pollution, air pollution is theorized to have a planet-wide implication. Scientists have even speculated an apocalypse-like scenario where air pollution if left unchecked, can bring about an extreme form of global warming called the runaway greenhouse effect. Though this is purely speculative, it is a phenomenon that has already occurred on Venus.

## **Types of Air Pollutants**

There are two types of air pollutants:

### **Primary Pollutants**

The pollutants that directly cause air pollution are known as primary pollutants. Sulphur-dioxide emitted from factories is a primary pollutant.

### **Secondary Pollutants**

The pollutants formed by the intermingling and reaction of primary pollutants are known as secondary pollutants. Smog, formed by the intermingling of smoke and fog, is a secondary pollutant.

## **Causes of Air Pollution**

Following are the important causes of air pollution:

### **Burning of Fossil Fuels**

The combustion of fossil fuels emits a large amount of sulphur dioxide. Carbon monoxide released by incomplete combustion of fossil fuels also results in air pollution.

## **Automobiles**

The gases emitted from vehicles such as jeeps, trucks, cars, buses, etc. pollute the environment. These are the major sources of greenhouse gases and also result in diseases among individuals.

## **Agricultural Activities**

Ammonia is one of the most hazardous gases emitted during agricultural activities. The insecticides, pesticides and fertilizers emit harmful chemicals in the atmosphere and contaminate it.

## **Factories and Industries**

Factories and industries are the main source of carbon monoxide, organic compounds, hydrocarbons, and chemicals. These are released into the air, degrading its quality.

## **Mining Activities**

In the mining process, the minerals below the earth are extracted using large pieces of equipment. The dust and chemicals released during the process not only pollute the air, but also deteriorate the health of the workers and people living in the nearby areas.

## **Domestic Sources**

The household cleaning products and paints contain toxic chemicals that are released in the air. The smell from the newly painted walls is the smell of the chemicals present in the paints. It not only pollutes the air but also affects breathing.

## **Effects of Air Pollution**

The hazardous effects of air pollution on the environment include:

### **Diseases**

Air pollution has resulted in several respiratory disorders and heart diseases among humans. The cases of lung cancer have increased in the last few decades. Children living near polluted areas are more prone to pneumonia and asthma. Many people die every year due to the direct or indirect effects of air pollution.

### **Global Warming**

Due to the emission of greenhouse gases, there is an imbalance in the gaseous composition of the air. This has led to an increase in the temperature of the earth. This increase in earth's temperature is known as global warming. This has resulted in the melting of glaciers and an increase in sea levels. Many areas are submerged underwater.

## **Acid Rain**

The burning of fossil fuels releases harmful gases such as nitrogen oxides and sulphur oxides in the air. The water droplets combine with these pollutants, become acidic, and fall as acid rain which damages human, animal and plant life.

## **Ozone Layer Depletion**

The release of chlorofluorocarbons, halons, and hydro chlorofluorocarbons in the atmosphere is the major cause of depletion of the ozone layer. The depleting ozone layer does not prevent the harmful ultraviolet rays coming from the sun and causes skin diseases and eye problems among individuals.

## **Effect on Animals**

The air pollutants suspend on the water bodies and affect the aquatic life. Pollution also compels the animals to leave their habitat and shift to a new place. This renders them stray and has also led to the extinction of a large number of animal species.

## **Air Pollution Control**

Following are the measures one should adopt, to control air pollution:

### **Avoid Using Vehicles**

People should avoid using vehicles for shorter distances. Rather, they should prefer public modes of transport to travel from one place to another. This not only prevents pollution, but also conserves energy.

### **Energy Conservation**

A large number of fossil fuels are burnt to generate electricity. Therefore, do not forget to switch off the electrical appliances when not in use. Thus, you can save the environment at the individual level. Use of energy-efficient devices such CFLs also controls pollution to a greater level.

### **Use of Clean Energy Resources**

The use of solar, wind and geothermal energies reduce air pollution at a larger level. Various countries, including India, have implemented the use of these resources as a step towards a cleaner environment.

### **Other air pollution control measures include:**

1. By minimizing and reducing the use of fire and fire products.
2. Since industrial emissions are one of the major causes of air pollution, the pollutants can be controlled or treated at the source itself to reduce its effects. For example, if the reactions of a certain raw material yield a pollutant, then the raw materials can be substituted with other less polluting materials.

3. Fuel substitution is another way of controlling air pollution. In many parts of India, petrol and diesel are being replaced by CNG – Compressed Natural Gas fueled vehicles. These are mostly adopted by vehicles that aren't fully operating with ideal emission engines.
4. Although there are many practices in India, which focus on repairing the quality of air, most of them are either forgotten or not being enforced properly. There are still a lot of vehicles on roads which haven't been tested for vehicle emissions.
5. Another way of controlling air pollution caused by industries is to modify and maintain existing pieces of equipment so that the emission of pollutants is minimized.
6. Sometimes controlling pollutants at the source is not possible. In that case, we can have process control equipment to control the pollution.
7. A very effective way of controlling air pollution is by diluting the air pollutants.
8. The last and the best way of reducing the ill effects of air pollution is tree plantation. Plants and trees reduce a large number of pollutants in the air. Ideally, planting trees in areas of high pollution levels will be extremely effective.

## Water Pollution



Water pollution occurs when **harmful pollutants and particulate matter** are introduced into a water body. These contaminants are generally introduced by human activities like improper sewage treatment, oil spills. However, even natural processes such as eutrophication can cause water pollution.

## Water Pollution

**Water pollution** is said to occur when toxic pollutants and particulate matter are introduced into water bodies such as lakes, rivers and seas. These contaminants are generally introduced by human activities like improper **sewage treatment** and oil spills. However, even natural processes such as eutrophication can cause water pollution.

Other significant causes of water pollution include:

- Dumping solid wastes in water bodies
- Disposing untreated industrial sewage into water bodies
- Human and animal wastes
- Agricultural runoff containing pesticides and fertilizers

The effects of water pollution are very pronounced in our environment. Furthermore, toxic chemicals can bio accumulate in living beings, and these chemicals can travel their way up the food chain, ultimately reaching humans.

Among the other types of pollution, water pollution has a more disastrous consequences on humans. For instance, in 1932, a grave case of water pollution incapacitated the inhabitants of an entire city in Japan with neurological diseases and mental illness for many decades. However, the immediate cause was not apparent but was eventually attributed to acute mercury poisoning. Methyl mercury was dumped into the surrounding bay and had ultimately bioaccumulated inside the fish. The local population then consumed these fish, and this resulted in the manifestation of ill-effects and neurological diseases.

Other consequences of water pollution include:

- Disruption of the ecosystem
- Threats to marine life
- Increased risk of water-borne diseases
- Increases toxic chemicals (such as mercury) in water bodies
- Eutrophication

### **Sources of Water Pollution**

The key causatives of water pollution in India are:

- Urbanization.
- Deforestation.
- Industrial effluents.
- Social and Religious Practices.
- Use of Detergents and Fertilizers.
- Agricultural run-offs- Use of insecticides and pesticides.

### **Water Pollution – A Modern Epidemic**

One of the primary **causes of water pollution** is the contamination of water bodies by toxic chemicals. As seen in the example mentioned above, the dumped plastic bottles, tins, water cans and other wastes pollute the water bodies. These result in water pollution, which harms not just humans, but the whole ecosystem. Toxins drained from these pollutants, travel up to the food chain and eventually affect humans. In most cases, the outcome is destructive to only local population and species, but it can have an impact on a global scale too.

Nearly 6 billion kilograms of garbage is dumped every year in the oceans. Apart from industrial effluents and untreated sewage, other forms of unwanted materials are dumped into various water bodies. These can range from nuclear waste to oil spills – the latter of which can render vast areas uninhabitable.

### **Effects of Water Pollution**

The effect of water pollution depends upon the type of pollutants and its concentration. Also, the location of water bodies is an important factor to determine the levels of pollution.

- Water bodies in the vicinity of urban areas are extremely polluted. This is the result of dumping garbage and toxic chemicals by industrial and commercial establishments.
- Water pollution drastically affects aquatic life. It affects their metabolism, behaviour, causes illness and eventual death. Dioxin is a chemical that causes a lot of problems from reproduction to uncontrolled cell growth or cancer. This chemical is bioaccumulated in fish, chicken and meat. Chemicals such as this travel up the food chain before entering the human body.
- The effect of water pollution can have a huge impact on the food chain. It disrupts the food-chain. Cadmium and lead are some toxic substances, these pollutants upon entering the food chain through animals (fish when consumed by animals, humans) can continue to disrupt at higher levels.
- Humans are affected by pollution and can contract diseases such as hepatitis through faecal matter in water sources. Poor drinking water treatment and unfit water can always cause an outbreak of **infectious diseases** such as cholera etc.
- The ecosystem can be critically affected, modified and destructured because of water pollution.

## **Minamata Incident**

The Minamata Incident marked one of the worst cases of water pollution

In 1932, a factory in Minamata City, Japan began dumping its industrial effluent – Methyl mercury, into the surrounding bay and the sea. Methylmercury is incredibly toxic to humans and animals alike, causing a wide range of neurological disorders.

Its ill-effects were not immediately noticeable. However, this all changed as methylmercury had started to bio accumulate inside shellfishes and fish in the Minamata Bay. These affected organisms were then caught and consumed by the local population. Soon, the ill-effects of methyl mercury were becoming apparent.

Initially, animals such as cats and dogs were affected by this. The city's cats would often convulse and make strange noises before dying – hence, the term “dancing cat disease” was coined. Soon, the same symptoms were observed in people, though the cause was not apparent at the time.

Other affected people showed symptoms of acute mercury poisoning such as ataxia, muscle weakness, loss of motor coordination, damage to speech and hearing etc. In severe cases, paralysis occurred, which was followed by coma and death. These diseases and deaths continued for almost 36 years before it could be officially acknowledged by the government and the organization.

Since then, various control measures of water pollution have been adopted by the government of Japan to curb such environmental disasters in the future.

## **Control Measures of Water Pollution**

Water pollution, to a larger extent, can be controlled by a variety of methods. Rather than releasing sewage waste into water bodies, it is better to treat them before discharge. Practising this can reduce the initial toxicity and the remaining substances can be degraded and rendered harmless by the water body itself. If the secondary treatment of water has been carried out, then this can be reused in sanitary systems and agricultural fields.

A very special plant, the Water Hyacinth can absorb dissolved toxic chemicals such as cadmium and other such elements. Establishing these in regions prone to such kinds of pollutants will reduce the adverse effects to a large extent.

Some chemical methods that help in the control of water pollution are precipitation, the ion exchange process, **reverse osmosis**, and coagulation. As an individual, reusing, reducing, and recycling wherever possible will advance a long way in overcoming the effects of water pollution.

## Soil Pollution



Soil pollution refers to the degradation of land due to the **presence of chemicals** or other man-made substances in the soil. These can drastically impact life directly or indirectly. For instance, any toxic chemicals present in the soil will get absorbed by the plants.

## Soil Pollution

**Soil pollution**, also called **soil contamination**, refers to the degradation of land due to the presence of chemicals or other man-made substances in the soil. The xenobiotic substances alter the natural composition of soil and affect it negatively. These can drastically impact life directly or indirectly. For instance, any toxic chemicals present in the soil will get absorbed by the plants. Since plants are producers in an environment, it gets passed up through the food chain. Compared to the other types of pollution, the effects of soil pollution are a little more obscured, but their implications are very noticeable.

### Some of the common causes of soil pollution are:

- Improper industrial waste disposal
- Oil Spills
- Acid rain which is caused by air pollution
- Mining activities
- Intensive farming and agrochemicals (like fertilisers and pesticides)
- Industrial accidents

The effects of soil pollution are numerous. Specific wastes, such as radioactive waste become particularly hazardous when they are not well-contained. A well-documented



example is a nuclear accident in Chernobyl, which has left an area of 2,600 km<sup>2</sup> uninhabitable for several thousand years.

Other effects of soil pollution include:

- Loss of soil nutrients, which renders the soil unfit for agriculture
- Impacts the natural flora and fauna residing in the soil
- Degrades vegetation due to the increase of salinity of the soil
- Toxic dust (such as silica dust) can cause respiratory problems or even lung cancer

### What are the Pollutants that Contaminate Soil?

Some of the most hazardous soil pollutants are xenobiotics – substances that are not naturally found in nature and are synthesized by human beings. The term ‘xenobiotic’ has Greek roots – ‘Xenos’ (foreigner), and ‘Bios’ (life). Several xenobiotics are known to be carcinogens. An illustration detailing major soil pollutants is provided below.



The different types of pollutants that are found in contaminated soil are listed in this subsection.

### Heavy Metals

The presence of heavy metals (such as lead and mercury, in abnormally high concentrations) in soils can cause it to become highly toxic to human beings. Some metals that can be classified as soil pollutants are tabulated below.

Toxic Metals that Cause Soil Pollution		
Arsenic	Mercury	Lead
Antimony	Zinc	Nickel

Cadmium	Selenium	Beryllium
Thallium	Chromium	Copper

These metals can originate from several sources such as mining activities, agricultural activities, electronic waste (e-waste), and medical waste.

### **Polycyclic Aromatic Hydrocarbons**

Polycyclic aromatic hydrocarbons (often abbreviated to PAHs) are organic compounds that:

1. Contain only carbon and hydrogen atoms.
2. Contain more than one aromatic ring in their chemical structures.

Common examples of PAHs include naphthalene, anthracene, and phenalene. Exposure to polycyclic aromatic hydrocarbons has been linked to several forms of cancer. These organic compounds can also cause cardiovascular diseases in humans.

Soil pollution due to PAHs can be sourced to coke (coal) processing, vehicle emissions, cigarette smoke, and the extraction of shale oil.

### **Industrial Waste**

The discharge of industrial waste into soils can result in soil pollution. Some common soil pollutants that can be sourced to industrial waste are listed below.

- Chlorinated industrial solvents
- Dioxins produced from the manufacture of pesticides and the incineration of waste.
- Plasticizers/dispersants
- Polychlorinated biphenyls (PCBs)

The petroleum industry creates many petroleum hydrocarbon waste products. Some of these wastes, such as benzene and methylbenzene, are known to be carcinogenic in nature.

### **Pesticides**

Pesticides are substances (or mixtures of substances) that are used to kill or inhibit the growth of pests. Common types of pesticides used in agriculture include:

- Herbicides – used to kill/control weeds and other unwanted plants.
- Insecticides – used to kill insects.
- Fungicides – used to kill parasitic fungi or inhibit their growth.

However, the unintentional diffusion of pesticides into the environment (commonly known as ‘pesticide drift’) poses a variety of environmental concerns such as water pollution and soil pollution. Some important soil contaminants found in pesticides are listed below.

## **Herbicides**

- Triazines
- Carbamates
- Amides
- Phenoxyalkyl acids
- Aliphatic acids

## **Insecticides**

- Organophosphates
- Chlorinated hydrocarbons
- Arsenic-containing compounds
- Pyrethrum

## **Fungicides**

- Mercury-containing compounds
- Thiocarbamates
- Copper sulfate

These chemicals pose several health risks to humans. Examples of health hazards related to pesticides include diseases of the central nervous system, immune system diseases, cancer, and birth defects.

## **What are the Processes that Cause Soil Pollution?**

Soil pollution can be broadly classified into two categories –

- Naturally caused soil pollution
- Anthropogenic soil pollution (caused by human activity)

### **Natural Pollution of Soil**

In some extremely rare processes, some pollutants are naturally accumulated in soils. This can occur due to the differential deposition of soil by the atmosphere. Another manner in which this type of soil pollution can occur is via the transportation of soil pollutants with precipitation water.

An example of natural soil pollution is the accumulation of compounds containing the perchlorate anion ( $\text{ClO}_4^-$ ) in some dry, arid ecosystems. It is important to note that some contaminants can be naturally produced in the soil under the effect of certain environmental conditions. For example, perchlorates can be formed in soils containing chlorine and certain metals during a thunderstorm.

## **Anthropogenic Soil Pollution**

Almost all cases of soil pollution are anthropogenic in nature. A variety of human activities can lead to the contamination of soil. Some such processes are listed below.

- The demolition of old buildings can involve the contamination of nearby soil with asbestos.
- Usage of lead-based paint during construction activities can also pollute the soil with hazardous concentrations of lead.
- Spillage of petrol and diesel during transportation can contaminate soils with the hydrocarbons found in petroleum.
- Activities associated with metal casting factories (foundries) often cause the dispersion of metallic contaminants into the nearby soils.
- Underground mining activities can cause the contamination of land with heavy metals.
- Improper disposal of highly toxic industrial/chemical waste can severely pollute the soil. For example, the storage of toxic wastes in landfills can result in the seepage of the waste into the soil. This waste can go on to pollute groundwater as well.
- Chemical pesticides contain several hazardous substances. Excessive and inefficient use of chemical pesticides can result in severe soil pollution.
- Sewage produced in urbanized areas can also contaminate soil (if not disposed of correctly). These wastes may also contain several carcinogenic substances.

Other forms of waste that can pollute soil include nuclear waste, e-waste, and coal ash.

## **What are the Negative Consequences of Soil Pollution?**

Soil pollution harbours a broad spectrum of negative consequences that affect plants, animals, humans, and the ecosystem as a whole. Since children are more susceptible to diseases, polluted soil poses a greater threat to them. Some important effects of soil pollution are detailed in this subsection.

### **Effects on Human Beings**

Soil contaminants can exist in all three phases (solid, liquid, and gaseous). Therefore, these contaminants can find their way into the human body via several channels such as direct contact with the skin or through the inhalation of contaminated soil dust.

The short term effects of human exposure to polluted soil include:

- Headaches, nausea, and vomiting.
- Coughing, pain in the chest, and wheezing.
- Irritation of the skin and the eyes.
- Fatigue and weakness.

A variety of long-term ailments have been linked to soil pollution. Some such diseases are listed below.

- Exposure to high levels of lead can result in permanent damage to the nervous system. Children are particularly vulnerable to lead.
- Depression of the CNS (Central Nervous System).
- Damage to vital organs such as the kidney and the liver.
- Higher risk of developing cancer.

It can be noted that many soil pollutants such as petroleum hydrocarbons and industrial solvents have been linked to congenital disorders in humans. Thus, soil pollution can have several negative effects on human health.

### **Effects on Plants and Animals**

Since soil pollution is often accompanied by a decrease in the availability of nutrients, plant life ceases to thrive in such soils. Soils contaminated with inorganic aluminium can prove toxic to plants. Also, this type of pollution often increases the salinity of the soil, making it inhospitable for the growth of plant life.

Plants that are grown in polluted soil may accumulate high concentrations of soil pollutants through a process known as bioaccumulation. When these plants are consumed by herbivores, all the accumulated pollutants are passed up the food chain. This can result in the loss/extinction of many desirable animal species. Also, these pollutants can eventually make their way to the top of the food chain and manifest as diseases in human beings.

### **Effects on the Ecosystem**

- Since the volatile contaminants in the soil can be carried away into the atmosphere by winds or can seep into underground water reserves, soil pollution can be a direct contributor to air and water pollution.
- It can also contribute towards acid rain (by releasing huge quantities of ammonia into the atmosphere).
- Acidic soils are inhospitable to several microorganisms that improve soil texture and help in the decomposition of organic matter. Thus, the negative effects of soil pollution also impact soil quality and texture.
- Crop yield is greatly affected by this form of pollution. In China, over 12 million tons of grain (worth approximately 2.6 billion USD) is found to be unfit for human consumption due to contamination with heavy metals (as per studies conducted by the China Dialogue).

### **How can Soil Pollution be controlled?**

Several technologies have been developed to tackle soil remediation. Some important strategies followed for the decontamination of polluted soil are listed below.

- Excavation and subsequent transportation of polluted soils to remote, uninhabited locations.

- Extraction of pollutants via thermal remediation – the temperature is raised in order to force the contaminants into the vapour phase, after which they can be collected through vapour extraction.
- Bioremediation or phytoremediation involves the use of microorganisms and plants for the decontamination of soil.
- Mycoremediation involves the use of fungi for the accumulation of heavy metal contaminants.

## Air pollution

### Noise Pollution



Noise pollution is generally man-made and refers to the excessive amount of noise in the surrounding that disrupts the natural balance. In general, any sound which is over **85 decibels** is considered to be detrimental. Also, the duration an individual is exposed plays an impact on their health.

### Noise Pollution

**Noise pollution** refers to the excessive amount of noise in the surrounding that disrupts the natural balance. Usually, it is man-made, though certain natural calamities like volcanoes can contribute to noise pollution.

In general, any sound which is over 85 decibels is considered to be detrimental. Also, the duration an individual is exposed plays an impact on their health. For perspective, a normal conversation is around 60 decibels, and a jet taking off is around 150 decibels. Consequently, noise pollution is more obvious than the other types of pollution.

Noise pollution has several contributors, which include:

- Industry-oriented noises such as heavy machines, mills, factories, etc.
- Transportation noises from vehicles, aeroplanes, etc.
- Construction noises
- Noise from social events (loudspeakers, firecrackers, etc.)
- Household noises (such as mixers, TV, washing machines, etc.)

Noise pollution has now become very common due to dense urbanisation and industrialisation. Noise pollution can bring about adverse effects such as :

- Hearing loss
- Tinnitus
- Sleeping disorders
- Hypertension (high BP)
- Communication problems

### **Advantages of Dams**

Dams are said to be an important source of water supply and high importance for various other reasons. They supply the water for the various means including domestic use, irrigation purposes and also for the industrial uses.

Dams are also involved in the hydroelectric power generation and in the river navigation. The application of these dams is much more important in daily activities including cooking, cleaning, bathing, and washing, drinking water, for the gardening and for the cultivation purpose.

The big dams and the reservoirs also provide recreational areas for the purpose of fishing and also boating. They also cater the insecurity needs of humans by reducing or by preventing the floods. During the times of excess flow of water, the dams store the water in the reservoir; later they release that water during the times of low flow, also when the natural flows of water are inadequate to meet the demand. When engineer designs and also maintains the dams, they are keenly expected to make sure to keep all purposes in their mind.

### **Advantages of Dams**

Advantages of dams are numerous, that is the reason so much money and work goes into building and maintaining them. Some of the advantages are:

- Electricity is produced at the constant rate with the help of hydroelectricity or hydroelectric power.
- If there is no need for electricity, then the sluice gates can also be closed or stopping the generation of electricity. Water can also be saved for the use of another time as and when the demand for electricity is high hence the usage of water remains judicious.
- Dams are so designed by well-qualified engineers to span many of the decades and also can contribute to the generation of electricity for about many years or even decades to come.

- The lake or reservoir which forms behind the dam can also be used for the irrigation purpose, water sports or even as other forms of pleasurable activities. Few large dams such as the Bhakra Nangal dam present in India is the tourist attractions.
- The buildup of water inside lake means that the energy can also be stored when needed and also when water is released for producing the electricity.
- When used, the produced electricity by the dams does not even produce the greenhouse gases and also hence they do not pollute the atmosphere.

### **Disadvantages of Dams**

Dams are essential for storing and providing sufficient water to the population. Dams are required to fulfill water demand in agriculture, industries and domestic usage. Generating hydroelectric power is one of the most important purposes of building a dam. Other than fulfilling our daily needs, they are also important as a tourist spot and are a site for fishing, boating and other recreational activities. Dams play a significant role in reducing or preventing floods. Dams are a lifeline when there is a water scarcity or in case of drought.

### **Disadvantages of Building a Dam**

There are numerous advantages of building a dam and that is the reason why a government invests so much money in the construction and maintenance of Dams. But there are certain disadvantages related to it.

Some of the **disadvantages** are:

- Building a dam is very expensive, the government needs to ensure that strict guidelines are followed and a very high standard is maintained.
- They must operate for many years in order to become profitable enough to compensate for the high building cost.
- People residing in villages and towns in the nearby area, where there are chances of flooding, have to be relocated. They lose their businesses and farms.
- Sometimes people are removed forcibly to set up hydro-power plant and it poses a serious ethical concern.
- The building of large dams can cause serious changes to the earth's surface and lead to geological damage. It can trigger frequent earthquakes, however, modern planning and design of dams have reduced the possibility of occurrence of certain disasters.

### **Environmental Impact of Infrastructure**

The environmental impact of infrastructure may be positive or negative and can occur during the construction, operation, upgrade and decommissioning or disposal of infrastructure.

While similar environmental impacts such as the use of natural resources, changes in land use and disturbances in the human environment may occur in the construction and operational stages



of most types of infrastructures, some sectors may bring about distinct impacts. Some examples of distinct impacts:

- water infrastructure may result in excessive use of water resources or water pollution (leakages, insufficient treatment of sewage etc.);
- road infrastructure can fragment habitats or cut off migration routes of animals;
- mining can bring about the decline in groundwater levels, mining waste and noise caused by explosions;
- energy production from fossil fuels can be associated with various emissions (greenhouse gases, SO<sub>2</sub>, NO<sub>x</sub>, dust) from fossil fuel combustion as well as ash production.

## **Solid Waste**

Solid waste management starts with the trucks picking up recyclables, delivering them to the recycling. health, economics, engineering, conservation, aesthetics, public attitude and other environmental considerations. Put differently, the SWM processes differ depending on factors such as economic status (e.g., the ratio of wealth created by the production of primary products to that derived from manufactured goods, per capita income, etc.), degree of industrialisation, social development (e.g., education, literacy, healthcare, etc.) and quality of life of a location. In addition, regional, seasonal and economic differences influence the SWM processes

### **Classification of solid waste**

Solid wastes are the organic and inorganic waste materials such as product packaging, grass clippings, furniture, clothing, bottles, kitchen refuse, paper, appliances, paint cans, batteries, etc., produced in a society, which do not generally carry any value to the first user(s). Solid wastes, thus, encompass both a heterogeneous mass of wastes from the urban community as well as a more homogeneous accumulation of agricultural, industrial and mineral wastes. While wastes have little or no value in one setting or to the one who wants to dispose them, the discharged wastes may gain significant value in another setting. Knowledge of the sources and types of solid wastes as well as the information on composition and the rate at which wastes are generated/ disposed is, therefore, essential for the design and operation of the functional elements associated with the management of solid wastes.

### **Source based classification**

- (i) Residential: This refers to wastes from dwellings, apartments, etc., and consists of leftover food, vegetable peels, plastic, clothes, ashes, etc.
- (ii) Commercial: This refers to wastes consisting of leftover food, glasses, metals, ashes, etc., generated from stores, restaurants, markets, hotels, motels, auto-repair shops, medical facilities, etc. plant residual sludge, etc., generated from various municipal activities like construction and demolition, street cleaning, landscaping, etc.
- (iii) Municipal: This includes dust, leafy matter, building debris, treatment

- (iv) **Institutional:** This mainly consists of paper, plastic, glasses, etc., generated from educational, administrative and public buildings such as schools, colleges, offices, prisons, etc.
- (v) **Industrial:** This mainly consists of process wastes, ashes, demolition and construction wastes, hazardous wastes, etc., due to industrial activities.

## CLASSIFICATION OF SOLID WASTES

### Source-based classification

**Agricultural:** This mainly consists of spoiled food grains and vegetables, agricultural remains, litter, etc., generated from fields, orchards, vineyards, farms, etc.

**Open areas:** this includes wastes from areas such as Streets, alleys, parks, vacant lots, playgrounds, beaches, highways, recreational areas, etc.

### Type-based classification

Classification of wastes based on types, i.e., physical, chemical, and biological characteristics of wastes, is as follows.

- (i) **Garbage:** This refers to animal and vegetable wastes resulting from the handling, sale, storage, preparation, cooking and serving of food. Garbage comprising these wastes contains putrescible (rotting) organic matter, which produces an obnoxious odour and attracts rats and other vermin. It, therefore, requires special attention in storage, handling and disposal. Classification of wastes based on types, i.e., physical, chemical, and biological characteristics
- (ii) **Ashes and residues:** These are substances remaining from the burning of wood, coal, charcoal, coke and other combustible materials for cooking and heating in houses, institutions and small industrial establishments. When produced in large quantities, as in power-generation plants and factories, these are classified as industrial wastes. Ashes consist of fine powdery residue, cinders and clinker often mixed with small pieces of metal and glass. Since ashes and residues are almost entirely inorganic, they are valuable in landfills.
- (iii) **Combustible and non-combustible wastes:** These consist of wastes generated from households, institutions, commercial activities, etc., excluding food wastes and other highly putrescible material. Typically, while combustible material consists of paper, cardboard, textile, rubber, garden trimmings, etc., non-combustible material consists of such items as glass, crockery, tin and aluminium cans, ferrous and non-ferrous material and dirt.
- (iv) **Bulky wastes:** These include large household appliances such as refrigerators, washing machines, furniture, crates, vehicle parts, tyres, wood, trees and branches. Since these household wastes cannot be accommodated in normal storage containers, they require a special collection mechanism.
- (v) **Street wastes:** These refer to wastes that are collected from streets, walkways, alleys, parks and vacant plots, and include paper, cardboard, plastics, dirt,

leaves and other vegetable matter. Littering in public places is indeed a widespread and acute problem in many countries including India, and a solid waste management system must address this menace appropriately.

- (vi) **Biodegradable and non-biodegradable wastes:** Biodegradable wastes mainly refer to substances consisting of organic matter such as leftover food, vegetable and fruit peels, paper, textile, wood, etc., generated from various household and industrial activities. Because of the action of micro-organisms, these wastes are degraded from complex to simpler compounds. Nonbiodegradable wastes consist of inorganic and recyclable materials such as plastic, glass, cans, metals, etc.
- (vii) **Dead animals:** With regard to municipal wastes, dead animals are those that die naturally or are accidentally killed on the road. Note that this category does not include carcasses and animal parts from slaughter-houses, which are regarded as industrial wastes. Dead animals are divided into two groups – large and small. Among the large animals are horses, cows, goats, sheep, pigs, etc., and among the small ones are dogs, cats, rabbits, rats, etc. The reason for this differentiation is that large animals require special equipment for lifting and handling when they are removed. If not collected promptly, dead animals pose a threat to public health since they attract flies and other vermin as they decay. Their presence in public places is particularly offensive from the aesthetic point of view as well.
- (viii) **Abandoned vehicles:** This category includes automobiles, trucks and trailers that are abandoned on streets and other public places. However, abandoned vehicles have significant scrap value for their metal, and their value to collectors is highly variable.
- (ix) **Construction and demolition wastes:** These are wastes generated as a result of construction, refurbishment, repair and demolition of houses, commercial buildings and other structures. They consist mainly of earth, stones, concrete, bricks, lumber, roofing and plumbing materials, heating systems and electrical wires and parts of the general municipal waste stream.
- (x) **Farm Wastes:** These wastes result from diverse agricultural activities such as planting, harvesting, production of milk, rearing of animals for slaughter and the operation of feedlots. In many areas, the disposal of animal waste has become a critical problem, especially from feedlots, poultry farms and dairies.
- (xi) **Hazardous wastes:** Hazardous wastes are those defined as wastes of industrial, institutional or consumer origin that are potentially dangerous either immediately or over a period of time to human beings and the environment. This is due to their physical, chemical and biological or radioactive characteristics like ignitability, corrosively, reactivity and toxicity. Note that in some cases, the active agents may be liquid or gaseous hazardous wastes. These are, nevertheless, classified as solid wastes as they are confined in solid containers. Typical examples of hazardous wastes are empty containers of solvents, paints and pesticides, which are frequently mixed with municipal wastes and become part of the urban waste stream. Certain hazardous wastes may cause explosions in incinerators and fires at landfill sites. Others such as pathological wastes from hospitals and radioactive

wastes also require special handling. Effective management practices should ensure that hazardous wastes are stored, collected, transported and disposed of separately, preferably after suitable treatment to render them harmless.

- (xii) **Sewage wastes:** The solid by-products of sewage treatment are classified as sewage wastes. They are mostly organic and derived from the treatment of organic sludge separated from both raw and treated sewages. The inorganic fraction of raw sewage such as grit and eggshells is separated at the preliminary stage of treatment, as it may entrain putrescible organic matter with pathogens and must be buried without delay. The bulk of treated, dewatered sludge is useful as a soil conditioner but is invariably uneconomical. Solid sludge, therefore, enters the stream of municipal wastes, unless special arrangements are made for its disposal.


### **SWM system**

A SWM system refers to a combination of various functional elements associated with the management of solid wastes. The system, when put in place, facilitates the collection and disposal of solid wastes in the community at minimal costs, while preserving public health and ensuring little or minimal adverse impact on the environment.

- (i) **Waste generation:** Wastes are generated at the start of any process, and thereafter, at every stage as raw materials are converted into goods for consumption. For example, wastes are generated from households, commercial areas, industries, institutions, street cleaning and other municipal services. The most important aspect of this part of the SWM system is the identification of waste.
- (ii) **Waste storage:** Storage is a key functional element because collection of wastes never takes place at the source or at the time of their generation. The heterogeneous wastes generated in residential areas must be removed within 8 days due to shortage of storage space and presence of biodegradable material. Onsite storage is of primary importance due to aesthetic consideration, public health and economics involved. Some of the options for storage are plastic containers, conventional dustbins (of households), used oil drums, large storage bins (for institutions and commercial areas or servicing depots), etc.
- (iii) **Waste collection:** This includes gathering of wastes and hauling them to the location, where the collection vehicle is emptied, which may be a transfer station (i.e., intermediate station where wastes from smaller vehicles are transferred to larger ones and also segregated), a processing plant or a disposal site. Collection depends on the number of containers, frequency of collection, types of collection services and routes. Typically, collection is provided under various management arrangements, ranging from municipal services to franchised services, and under various forms of contracts
- (iv) **Transfer and transport:** This functional element involves: The transfer of wastes from smaller collection vehicles, where necessary to overcome the problem of narrow access lanes, to larger ones at transfer stations. The subsequent transport of the wastes, usually over long distances, to disposal

sites. The factors that contribute to the designing of a transfer station include the type of transfer operation, capacity, equipment, accessories and environmental requirements.

- (v) **Processing:** Processing is required to alter the physical and chemical characteristics of wastes for energy and resource recovery and recycling. The important processing techniques include compaction, thermal volume reduction, manual separation of waste components, incineration and composting.
- (vi) **Recovery and recycling:** This includes various techniques, equipment and facilities used to improve both the efficiency of disposal system and recovery of usable material and energy. Recovery involves the separation of valuable resources from the mixed solid wastes, delivered at transfer stations or processing plants. It also involves size reduction and density separation by air classifier, magnetic device for iron and screens for glass. The selection of any recovery process is a function of economics, i.e., costs of separation versus the recovered-material products. Certain recovered materials like glass, plastics, paper, etc., can be recycled as they have economic value.
- (vii) **Waste disposal:** Disposal is the ultimate fate of all solid wastes, be they residential wastes, semi-solid wastes from municipal and industrial treatment plants, incinerator residues, composts or other substances that have no further use to the society. Thus, land use planning becomes a primary determinant in the selection, design and operation of landfill operations. A modern sanitary landfill is a method of disposing solid waste without creating a nuisance and hazard to public health. Generally, engineering principles are followed to confine the wastes to the smallest possible area, reduce them to the lowest particle volume by compaction at the site and cover them after each day's operation to reduce exposure to vermin. One of the most important functional elements of SWM, therefore, relates to the final use of the reclaimed land.



### Effects of industry on environment

- Depletion of natural resources
- Air, water, soil and noise pollution
- Climate change and global warming
- Acid rain
- Degraded land quality
- Disposal problem
- Diseases