



SPECIALITY SHEETS



DIPRA UVIOFAST ROOF LINER



DIPRA UVIOFAST ROOF LINER IS SPECIALLY FORMULATED, UV RESISTANT FABRIC BACKED EXTRUDED PLASTIC SHEETS, DEVELOPED MAINLY TO ENHANCE THE BEAUTY OF THE ROOFS. THESE SHEETS ARE AVAILABLE IN VARIOUS DESIGNS AND PATTERNS.



SALIENT FEATURES :

- Weather resistant • Excellent clarity which improves natural light transmission
- Light in weight and no maintenance required
- Easily cut with saw, nailed and screw • High impact resistant
- UV stabilised • Termite proof and fungus resistant
- High Chemical resistance - Moisture absorption only 0.008%
- Excellent heat and sound insulation

APPLICATIONS

- Indoor and Outdoor roofing applications in farmhouses, domer, terrace, garden, parking lots
- Cladding of Main Gates of the Bungalows

SPECIFICATIONS

THICKNESS : 0.9 & 1.8 MM

WIDTH : 2.5, 3, 4, 5, 6 & 7 Feet

LENGTH : Standard Length 100 Feet

(Other lengths and thickness can be made on order)



BLUE Flower



YELLOW BRANCHES



GREEN YELLOW GARDEN




PINK YELLOW FLOWER



VILOT 56



GREEN BLUE FLOWER



BLUE PINK GULDASTA



PINK JASMINE



PINK BRANCHES





RED ANGOOR



GREEN ANGOOR



ORANGE ANGOOR



DIPRA UVIOFAST ROOF LINER



DIPRA UVIOFAST ADCLEAR

DIPRA UVIOFAST ADCLEAR ARE TRANSPARENT UV STABILISED SHEETS WITH A PROTECTION FILM .THEY ARE USED IN SHEDS FOR PREVENTING RAIN ETC.

SALIENT FEATURES :

- Transparent • Water proof • Weather proof
- Light in weight and no maintenance
- Easily cut with saw, nailed and crew
- High Impact Resistant • UV Stabilised
- Termite proof and fungus resistant
- Economical and competitive in price

SPECIFICATIONS :

COLOUR : Natural, Green, Blue, Orange
THICKNESS : 1.4 - 2 MM
WIDTH : 3,4,5,6,7 Feet
LENGTH : Standard Length 100 Feet
(Other lengths and thickness can be made on order)



DIPRA UVIOFAST DOOR LINER


DIPRA UVIOFAST DOOR LINER ARE EXTRUDED TRANSLUCENT TEXTURED SHEETS FOR LAMINATION OVER WOODEN DOORS

SALIENT FEATURES :

- Water proof • Weather proof • Termite proof
- No painting or polishing required
- High impact resistance
- Moisture absorption nil

SPECIFICATIONS :

COLOUR : Natural, Green, Blue
THICKNESS : 0.9 - 2 MM
WIDTH : 3,4,5 Feet
LENGTH : Standard Length 50 Feet / 15.25 MTR.
(other lengths can be formed on order)



DIPRA UVIOFAST ADGLOW SHEETS



DIPRA UVIOFAST ADGLOW SHEETS ARE SPECIALTY FORMULATED EXTRUDED PLASTIC SHEETS FOR GLOW SIGNS. INDOOR AND OUTDOOR SIGNAGE AND ADVERTISEMENT DANGLERS. THESE SHEETS CAN ALSO BE MADE UV RESISTANT TO PROTECT AGAINST UV RADIATION AND LONG TERM HEAT EXPOSURE DURING EXTREME WEATHER CONDITIONS.

SALIENT FEATURES :

- Easy cut with saw, nailed and screw
- UV Stabilised (optional) • Weather resistant
- High impact strength • High chemical resistance
- Low temperature resistance • Very light and easy install
- It's translucent effect allows light transmission and hide back side fitting.



SPECIFICATIONS :

COLOUR	: White
THICKNESS	: 1.3 - 1.8 MM
WIDTH	: 2,3,4,5,6 and 7 Feet
LENGTH	: Standard Length 100 Feet roll (Other lengths and thickness can be made on order)



DIPRA WUD

DIPRA WUD ARE SPECIALTY FORMULATED SHEETS TO PROVIDE WOOD FINISH OVER PLYWOOD, GYPSUM BOARDS ETC IN OUTDOOR AND INDOOR APPLICATIONS

ADVANTAGES :

- No polishing and painting required
- Termite proof
- Weather proof
- Light weight and zero maintenance
- No moisture absorption
- Can be easily installed by adhesives

SPECIFICATIONS :

THICKNESS	: 0.7 - 1.4 MM
WIDTH	: 2.5, 3, 4 & 5 Feet
LENGTH	: 100 Feet (Other lengths and thickness can be made on order)

KHANNA POLYRIB PVT LTD

24/168 Birhana Road, Kanpur-20800 (U.P.) India, Pin Code - 208001

Tel: + 91-512-3932800 (30 lines), + 91-512-2310146

Mob. : + 919936794816, + 919871199895

Fax: +91-512-2352058 Email: info@polyrib.com