


Plascon products for Cement fibre roofing sheet/Asbestos sheet plants



Vacuum (9) is applied to remove water from the lamina before it is transferred to the formation cylinder



In asbestos sheet plant the plascon Bars are used for similar application as the Suction Box In paper mills. The Vacuum box (9) is where the vacuum is applied and the Plascon strips are Put on the top of it to prevent the wire damage.

The speed is very less so lower molecular weight Plascon products also work well. It is basically a consumable product with life of 6-12 months. Higher mol weight Plascon Products have better wear resistance, it will give more life.



Standard Sizes used in industry

- 50mm x 30mm x 1500-1750 mm Length Plascon Virgin strips
- 50mm x 35 mm x 1500-1750 mm Length Plascon Virgin strips
- 50 mm x 70 mm x 150 mm Length Plascon Virgin blocks
- 80 mm dia ,80 mm Length Plascon —V rollers
- 90 x 90 x 90 mm Plascon C wear Block
- 8mm thick Plascon-V sheets

Some companies use Plascon Cera and Plascon Rider Strips also to have a better life.

Marketing Insights

- 60 plants all over India
- Each plant uses around 3 L worth strips sheets and Blocks every year
- Total sales 1.8 cr



Vaccum box 2 No. being marked in yellow on top of it strips are used



Sheet forming machine in Corrugated cement fibre sheets

To be lined with
8 mm liner to
Prevent wear of
side skirting



Plascon roller 50-80 mm dia

