



Plascon Segmented Spur Gears



PLASCON segmented gear is a unique concept of big diameter gears, it is ideally suitable for Dryers in Paper Mills, leather tanning in tanneries etc.

PLASCON segmented gear has a CI hub over which PLASCON segments are fitted with help of a CI ring and high tensile studs with lock nuts.

ADVANTAGES

PLASCON gears have several advantages over conventional CI gears like:

- Elimination of noise pollution. PLASCON gears bring down the noise levels considerably.
- Segments can also be changed without unloading the gear thus saving precious machine down time.
- Segments can be changed on any damage to the teeth at a much lower cost compared to changing of whole CI gear.



		PLASCON	NYLON
Strength	ASTMD 638	6600	11,000-14,000
Tensile Mode of Elasticity	ASTMD 628	2.1 x 10 PW5	3.5-4.5 X 10PW5
Flex Modulus	ASTMD 790B	170000	450000



PLASCON segmented gears compared to Nylon Gears

- PLASCON gear has better abrasion resistance than Nylon gear. If abrasion in case of PLASCON is 100 then that of Nylon is 160 meaning 60% less wear of teeth thereby giving a longer life.
- In case of replacement of Nylon gears the whole CI hub is required on which the Nylon ring has to be fitted. In case of PLASCON segments can be easily fixed at site.
- In case of PLASCON gear segments can be changed on breaking of teeth where in case of Nylon the full ring has to be changed. So over a span of 15-20 years of a CI hub PLASCON gears turn out to be much cheaper.

