

PLACOSS

Plascon Coil Storage System for Iron and Steel industry

PLASCON STORAGE BLOCK



WHAT MAKES US SPECIAL

- When coils are not stored in multiple levels
- Some Sensitive material may not be stacked due to the risk of damage.
- Sometimes regular coils are stored temporarily awaiting further processing
- Slit coils /Narrow strips are usually too narrow for stacking

Plascon Storage Blocks are V-shaped floor pads that can easily be installed in any warehouse. Sometimes they are fixed to the floor, but this is not always necessary.

Plascon Storageblocks are available in a variety of dimensions (see table). Chock angles up to 15° allow optimal support for (slit) coils. They can have a groove in the centre of the product. This allows the drainage of oil which may drip from the coil.

For storage of narrow strip we recommend the use of a steel frame.


PLASCON Storage Blocks



Standard Range for Plascon Storage Block



Product	Type	Length in mm.	Width in mm.	Height in mm.	Chock angle	Coil diameter raneg (mm)	Max load in Tons
Storage Block	740x800x125	740	800	125	15	500-2400	25
Storage Block	1000x800x125	1000	800	125	15	500-2400	60
Storage Block	1500x800x125	1500	800	125	15	500-2400	60
Storage Block	1000x600x70	1000	600	70	7	500-2500	50



PLASCON ROLLBACK SYSTEM

The Rollblock System from KBK offers coil storage that is both safe and flexible. Rollblocks have to be placed into standard UNP-channels. These coil blocks have no fixed position; they can be moved depending on the diameter of the coil - ideal if you have a variety of small and large coils. Plascon Rollblocks allow storage of coils with diameters ranging from 500 to 2500 mm. The 28° chock angle offers maximum support and allows coil stacking up to three levels.


Plascon Rollblocks are available in two qualities:

- Black standard range, which can be used for coils with a temperature up to 60°C
- White Colored HOT range allowing storage of coils with a temperature up to 110°C.



ADVANTAGES

- Easy three level stacking
- Less damage to your precious coils
- Splinter proof
- Long lifetime
- Enormous load bearing capacity
- Flexible and efficient
- No oil absorption



Standard Block

White HOT



Rollblocks

COILWEDGES



Plascon Coilwedges are shaped beams with an angle of 30°. These Coilwedges were specifically designed for the storage of slit coils. Available lengths: 1000 and 2000mm. Plascon Coilwedges must be placed into a metal frame.



ADVANTAGES

- Moisture resistant, no corrosion
- Oil resistant
- Less damage to your products
- Splinter free
- Extreme long lifetime
- Large bearing surface, enormous load bearing capacity
- Safety



Type	Length in mm.	Width in mm.	Chock angle	Max load in Tons
100 X 25	1000	250	30	50
120 X 25	1200	250	30	50
150 X 25	1500	250	30	50
170 X 25	1700	250	30	50
170 X 30	1500	300	21	50

PLASCON STORAGE BEAMS



Plascon Storage beams provide an excellent alternative for wood: plastic has a much longer lifetime and it is moisture-free, splinter free and oil resistant. They have excellent load bearing capacity comparable or better than wood and saves valuable natural resources and avoids felling of trees

Storage beams have especially been developed for a safe and simple storage of coils, slit coils, rollers, presses and other heavy machine parts. The square or rectangular Storage beams can carry a lot of weight; they can easily support machine parts with a weight up to 100 tons.



THICKNESS (in mm)	WIDTH (in mm)	LENGTH
75	75	2000
75	150	2000
75	200	2000
100	100	2000
100	100	3000
100	200	4000
125	125	3000
150	250	2000

PLASCON COIL MAT

The Plascon CoilMat enables you to store your coils flexible and easily. Place the mat on the hall floor and it is ready to use. The integrated oil collecting gutter grants a clean storage and using the new designed handles you can move the mats suitable to your needs.



- Measure: 1650x450x55 mm
- Weight: 42 kg
- Max load: 30 tons
- Usable up to 80°C
- For coils with 500 — 2000mm diameter

