

Data Understanding: Advanced Reporting

Patrick Mathias May 9, 2022

1


Goals

1. Build R Markdown reports using formatting outputs beyond standard document formats

Objectives

- 1. Format a flexdashboard to improve display of multiple plots
- 2. Convert a static plot into an interactive plot

Typical Data Science Pipeline



3

Refresher Quiz

You need to install 3 new packages you've never used before. What function do you run if you need to install the *flexdashboard*, plotly, and *DT* packages?

Refresher: Installing packages

•Installing a package

install.packages(c("flexdashboard", "plotly", "DT"))

Loading into your environment


library(flexdashboard)
library(plotly)
library(DT)


The flexdashboard and plotly packages were already installed in your Rstudio Cloud instance. To install them locally use install.packages.

5




From R Markdown to Quick and Painless Dashboards





flexdashboard provides easy dashboard templates for reporting



Produces HTML file that can be opened on web browsers

Or deployed on existing web server Provides row or column based layouts


Get started on your desktop by running: install.packages("flexdashboard")

https://rmarkdown.rstudio.com/flexdashboard/

```
Untitled1 ×
   ∑ | 🔝 | 🚜 🔍 | 🖋 Knit 🕶 💮 🕶
                                                                                * Insert - | ↑ 🕕 | → Run - | 🍜 - | 🗏
  2 title: "Untitled"
 3 output:
4 flexdashboard::flex_dashboard: flexdashboard layout page by columns

    flexdashboard output format

       vertical_layout: fill
  6
  7 ---
  8
 9 - ```{r setup, include=FALSE}
                                                                                                         @ >
 10 library(flexdashboard)
 11 `
 12
 13 (Column {data-width=650}) define width
 14 -
 15
 16 +## Chart A
                                                 delimits separate columns
                     title for chart
 17
 18 - ```{r}
                                                                                                       ⊕ x →
 19
 20 ...
 21
 22 Column {data-width=350}
 23 - -----
 24
 1:1 ### Chant B
                                                                                                     R Markdown $
```




```
2 title: "Row Orientation"
 3 output:
 flexdashboard::flex_dashboard:
5 orientation: rows
6 ---
                                                     Chart 1
8 Row
9 -----
10
11 ### Chart 1
12
13 ```{r}
14 ```
15
16 Row
17 -----
18
19 ### Chart 2
20
21 ```{r}
22 ```
                                           Chart 2 Chart 3
23
24 ### Chart 3
25
26 ```{r}
27 ```
28
```


```
2 title: "Chart Stack (Scrolling)"
 3 output:
                                                                Chart 1
4 flexdashboard::flex_dashboard:
5 vertical_layout: scroll
 6 ---
 8 ### Chart 1
12
                                                                Chart 2
13 ### Chart 2
14
17
18 ### Chart 3
19
20 ```{r}
21 ```
                                                                Chart 3
22
23
24
25
```

Your Turn #1

- 1. Open "06 Advanced Reporting.Rmd" to work with a draft COVID-19 flexdashboard and run the setup chunk. Knit the document to see the dashboard output.
- 2. The "Test Volumes Over Time" plot could show additional information regarding positive tests. Add fill to your barplot to show the result field in addition to overall test volume by day. Run that code chunk to see the output.
- 3. Too much information is crunched on the right side. Change the layout from columns to a row orientation. The 2nd and 3rd plots (Turnaround Times and Cycle Thresholds) should appear on the 2nd row.

13





htmlwidgets for R support interactive visuals

Packages using htmlwidgets use R code to call Javascript visualization libraries (http://www.htmlwidgets.org/)

Use one line of code to convert a static plot into an interactive one

Plotly package converts ggplot with a simple command

To use Plotly on your desktop install the plotly package using the following command:

install.packages("plotly")

Examples of visualizations at Plotly website:

https://plotly.com/r/

17

Store plot as object and add one line to make interactive

```
plot_name <- ggplot(data = data_frame) +
  geom_function(mapping = aes(mappings))
ggplotly(plot_name)</pre>
```

Your Turn #2

- Load the plotly package in your setup chunk
- Convert each of the plots into an interactive plot by storing the ggplot in an object and using the ggplotly() function.
- 3. Knit the dashboard and hover over the interactive plots.

19

Other options for interactive plots

Other interactive plot packages:

- •rbokeh
- Highcharter

Time series graphs with dygraphs package

Maps with leaflet package

Interactive tables with one line

DataTables library quickly converts tables into interactive element

DT package in R – to install use:


install.packages("DT")

Use datatable() function on a data frame to allow:

- •Filter number of entries
- Search entries
- Sort by column

21

datatable example



Your Turn #3


We are going to replace one of our panels of content with an interactive table.


- 1. Load the DataTables package in your setup chunk
- 2. Rename the cycle threshold distribution panel to "Positive Result Details". Use filter() to create a dataframe that only includes positive results.
- 3. Display an interactive table that includes the content from the positive result dataframe you created.
- 4. Knit the dashboard. Search "lannister" in the search box to confirm the interactive table is working.


23

Your Turn #4

Customize your dashboard. Use any of the data available in your covid testing dataset to generate new plots or tables that provide insight into the underlying data.







```
Mo README.md × © Untitled1 ×
    Ø | ☐ | Alic Q | Ø Knit •
    title: "Untitled"
    output: powerpoint_presentation
                                                      Output format
 6- ```{r setup, include=FALSE}
  7 knitr::opts_chunk$set(echo = FALSE)
10 - ## R Markdown
12 This is an R Markdown presentation. Markdown is a simple formatting syntax for authoring HTML, PDF,
    and MS Word documents. For more details on using R Markdown see <a href="http://rmarkdown.rstudio.com">http://rmarkdown.rstudio.com</a>
14 When you click the **Knit** button a document will be generated that includes both content as well as
    the output of any embedded R code chunks within the document.
16- ## Slide with Bullets
                                               Each slide has its own header
17
18 - Bullet 1
19
    - Bullet 2
20 - Bullet 3
22 - ## Slide with R Output
24 - ```{r cars, echo = TRUE}
25 summary(cars)
28 - ## Slide with Plot
30 - ```{r pressure}
31 plot(pressure)
33
```

R Markdown

This is an R Markdown presentation. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document.

Example output slide

29

Slide with Bullets

- Bullet 1
- Bullet 2
- Bullet 3


Example output slide

Slide with R Output

```
summary(cars)
                          dist
##
        speed
    Min.
            : 4.0
##
                    Min.
                          :
                               2.00
    1st Qu.:12.0
                    1st Qu.: 26.00
##
    Median :15.0
                    Median : 36.00
##
           :15.4
##
                    Mean : 42.98
    Mean
##
    3rd Qu.:19.0
                    3rd Qu.: 56.00
            :25.0
                            :120.00
##
    Max.
                    Max.
              Example output slide
```

31

Slide with Plot



Example output slide

Books and longer documents also generated from R Markdown

Can generate printer ready books and ebooks Supports LaTeX features such as equations Generates blog formatted websites



https://github.com/rstudio/bookdown
https://bookdown.org/yihui/bookdown/
https://bookdown.org/yihui/blogdown/

33

Goals

1. Build R Markdown reports using formatting outputs beyond standard document formats

Objectives

- 1. Format a flexdashboard to improve display of multiple plots
- 2. Convert a static plot into an interactive plot