


point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Timing Details

- [09:37 2026.05.26] start ps bare machine test itr=1
- [11:28 2026.05.26] k8 by REMOTE_HOST: 127.0.0.1
- [11:28 2026.05.26] k8 by REMOTE_HOST: 127.0.0.1
- [16:47 2026.05.26] minkube ip
- [19:41 2026.05.26] st with LB
- [19:56 2026.05.27] k8 with container by REMOTE_HOST: 127.0.0.1
- [19:56 2026.05.27] k8 with container by REMOTE_HOST: 127.0.0.1


MySQL SELECT/sec: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Select/s]

MySQL SELECT/sec: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Select/s]




MySQL User Sessions: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

MySQL User Sessions: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux CPU %Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Linux CPU %Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux CPU MHz: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

Linux CPU MHz: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]




Linux CPU Usr% + Sys%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [CPU_Busy%]

Linux CPU Usr% + Sys%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [CPU_Busy%]




Linux CPU-all Steal% Soft% IRQ%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Linux CPU-all Steal% Soft% IRQ%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux CPU Top-10 Steal%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Steal%]

Linux CPU Top-10 Steal%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Steal%]




Linux CPU Top-10 IRQ%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [IRQ%]

Linux CPU Top-10 IRQ%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [IRQ%]




Linux CPU Top-10 SoftIRQ%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Soft%]


Linux CPU Top-10 SoftIRQ%: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Soft%]




Linux I/O Read/Write KB/sec: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux I/O Read/Write Operations/sec: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux Top-10 IO Read MB/s Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [IOR_MB/s]



Linux Top-10 IO Write MB/s Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [IOW_MB/s]




Linux IO Top10 Use% FS: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]




Linux Run Queue: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Run_Queue]

Linux Run Queue: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Run_Queue]




Linux Run Queue, Blocked Processes: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Linux Run Queue, Blocked Processes: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux Top-10 CPU% Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [CPU%]

Linux Top-10 CPU% Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [CPU%]




Linux Top-10 UsrTime Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [UsrTM/s]

Linux Top-10 UsrTime Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [UsrTM/s]




Linux Top-10 SysTime Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [SysTM/s]

Linux Top-10 SysTime Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [SysTM/s]




Linux Top-10 NonVolCtx/s Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Nctx/s]

Linux Top-10 NonVolCtx/s Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Nctx/s]




Linux Top-10 VolCtx/s Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Vctx/s]

Linux Top-10 VolCtx/s Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Vctx/s]




Linux Top-10 VmSIZE(MB) Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [VmSIZE(MB)]

Linux Top-10 VmSIZE(MB) Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [VmSIZE(MB)]




Linux Top-10 VmRSS(MB) Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [VmRSS(MB)]

Linux Top-10 VmRSS(MB) Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [VmRSS(MB)]




Linux Memory Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Linux Memory Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux RAM - Memory Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

Linux RAM - Memory Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]



Linux RAM - Top10 Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

Linux RAM - Top10 Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]



Linux Paging Activity: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Linux Paging Activity: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux Swapping Activity: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd

Linux Swapping Activity: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd




Linux RAM - Swap Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

Linux RAM - Swap Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]




Linux Top-10 VmSwap(MB) Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [VmSwap(MB)]

Linux Top-10 VmSwap(MB) Procs: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [VmSwap(MB)]



InnoDB Buffer Pool Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

InnoDB Buffer Pool Usage: point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]



InnoDB Pool Hit(%): point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

InnoDB Pool Hit(%): point-select,6 core: bare metal/ k8 port-forward+docker/ k8 Nodeport+docker / k8 LB +docker/ k8 Nodeport+ containerd - [Value]

