

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

N. Kathiresan

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Format Painter Clipboard Font Alignment Number Styles Cells Editing

H2 index="0" index="1"

	F	G	H	I	J	K	L	N	O	P	Q	R	S	
1	Examine the below class: public class Employee { public Employee(int empld, int age){ } } Consider Spring Configuration code snippet for the above class: <bean id="employee" class="Employee"> <<constructor-arg_____ value="2001"/> <<constructor-arg_____ value="24"/> </bean> Select correct option(s) to fill the blank lines in the above code for completing the configuration of the bean to inject values for the properties through constructor injection.													
2		type="int" type="double"	index="0" index="1"	index="1" index="2"	order="0" order="1"									1
			<bean	<bean										

Sheet1

READY Search the web and Windows

120% 2:38 PM 10/27/2017

Microphone Camera Stop Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

N. Kathiresan

FILE HOME INSERT PAGE LAYOUT FORMULAS REVIEW VIEW

Cut Copy Format Painter

Font Alignment Number Styles

Cells Editing

H3 < > fx <bean id="productDAO" class="com.igate.ProductDAO"/>

<bean id="productService" class="com.igate.ProductService">

F G H I J K L N O P Q R S

Examine the below code:
package com.igate;
public class ProductService
{
private ProductDAO productDAO;
.....
}
Select the option(s) which suits to
configure the above class in spring
configuration file as beans.

3

<bean id="productDAO" class="com.igate.ProductDAO"/>

<bean id="productService" class="com.igate.ProductService">

<bean name="productDAO" />

<ref bean="productDAO" />

</property>

</bean>

<bean id="productDAO" class="com.igate.ProductDAO"/>

<bean id="productService" class="com.igate.ProductService">

<property name="productDAO" />

<ref bean="productDAO" />

</property>

</bean>

<bean id="productDAO" class="com.igate.ProductDAO"/>

<bean id="productService" class="com.igate.ProductService">

<property name="productDAO" />

<ref bean="productDAO" />

</property>

</bean>

1

Examine the below code in Spring
configuration file:
<beans>
<bean id="testBean"
class="com.igate.beans.Test" />
<property name="testId"
value="101"/>

Sheet1

READY

Search the web and Windows

120% 2:39 PM 10/27/2017

Microphone Camera Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Format Painter Clipboard Font Alignment Number Styles Insert Delete Format Cells AutoSum Fill Sort & Find & Filter Select

H4 package com.igate.beans;
public class Staff {

F G H I J K L N O P Q R S

Examine the below code in Spring configuration file:
<beans>
<bean id="testBean">
 <class>com.igate.beans.Test</class>
 <property name="testId" value="101"/>
 <property name="testName" value="Java"/>
 <property name="invigilators">
 <list>
 <ref bean="staff1"/>
 <ref bean="staff2"/>
 </list>
 </property>
</bean>
<bean id="staff1">
 <class>com.igate.beans.Staff</class>
 <property name="staffId" value="4001"/>
 <property name="name" value="Rama"/>
</bean>

package com.igate.beans;
public class Staff {
 private int staffId;
 private String name;
 private List<Staff> tests;
 //getter and setter
 //methods for these
 //properties
}

package com.igate.beans;
public class Test {
 private int testId;
 private String testName;
 private Staff invigilators;
 //getter and setter
 //methods for these
 //properties
}

public class Test {
 private int testId;
 private String testName;
 private Staff invigilators;
 //getter and setter
 //methods for these
 //properties
}


1

READY

Search the web and Windows

120% 2:42 PM 10/27/2017

...



40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Format Painter Clipboard Font Alignment Number Styles Insert Delete Format Cells AutoSum Fill Sort & Find & Filter Select

F4 Examine the below code in Spring configuration file:
<beans>

5	Choose the correct statement about Spring Boot?	Dynamically wires up beans and settings and applies them to your application context	Provides a productive and stream-lined full-stack web framework by combining the power.	An open-source library with which an application can be connected with cloud environment.	A lightweight, comprehensive batch framework designed to enable the development of robust batch applications vital for the daily operations of enterprise systems.										1					
6	What is role of Spring Framework?	Provides a comprehensive programming and configuration model for modern Java-based enterprise applications on any kind of deployment platform.	Builds on Spring MVC and allows implementing the flows of a web application.	Can be used to integrate with groovy for building high-productivity dynamic application.	Used to simplify the development of big data applications.	@Configuration annotation tells Spring										1				

Sheet1

READY

Search the web and Windows

120% 2:42 PM 10/27/2017

Microphone Camera

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

F4 Examine the below code in Spring configuration file:

<pre><beans> <bean id="testBean" class="com.igate.beans.Test"> <property name="testId" value="101"></property> <property name="testName" value="Java"></property> <property name="invigilators"> <list> <ref bean="staff1"/> <ref bean="staff2"/> </list> </property> </bean> <bean id="staff1" class="com.igate.beans.Staff"> <property name="staffId" value="4001"></property> <property name="name" value="Rama"></property> </bean></pre>	package com.igate.beans; public class Staff { private int staffId; private String name; private List<Test> tests; //getter and setter methods for these properties }	package com.igate.beans; public class Test { private int testId; private String testName; private List<Staff> invigilators; //getter and setter methods for these properties }	public class Test { private int testId; private String testName; private Staff invigilators; //getter and setter methods for these properties }
---	---	---	---

1

Sheet1

READY

Search the web and Windows

120% 2:42 PM 10/27/2017

...

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

J4 public class Test {
private int testId;

F	G	H	I	J	K	L	N	O	P	Q	R	S
Examine the below code in Spring configuration file: <beans> <bean id="testBean"> class="com.igate.beans.Test"> <property name="testId" value="101"></property> <property name="testName" value="Java"></property> <property name="invigilators"> <list> <ref bean="staff1"/> <ref bean="staff2"/> </list> </property> </bean> <bean id="staff1" class="com.igate.beans.Staff"> <property name="staffId" value="4001"></property> <property name="name" value="Rama"></property> </bean>	package com.igate.beans; public class Staff { private int staffId; private String name; private List<Test> tests; //getter and setter methods for these properties }	package com.igate.beans; public class Test { private int testId; private String testName; private List<Staff> invigilators; //getter and setter methods for these properties }	public class Test { private int testId; private String testName; private Staff invigilators; //getter and setter methods for these properties }	1								

Sheet1

READY

Search the web and Windows

120% 2:42 PM 10/27/2017

Microphone Camera Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Paste Format Painter Clipboard Font Alignment

General \$ % # Conditional Formats as Table Styles

Insert Delete Format Cells

AutoSum Fill Clear Sort & Filter Select

16 F G H I J K L N O P Q R S

Choose the correct statement about Spring Boot?

Dynamically wires up beans and settings and applies them to your application context

Provides a productive and stream-lined full-stack web framework by combining the power.

An open-source library with which an application can be connected with cloud environment.

A lightweight, comprehensive batch framework designed to enable the development of robust batch applications vital for the daily operations of enterprise systems.

1

What is role of Spring Framework?

Provides a comprehensive programming and configuration model for modern Java-based enterprise applications on any kind of deployment platform.

Builds on Spring MVC and allows implementing the flows of a web application.

Can be used to integrate with groovy for building high-productivity dynamic application.

Used to simplify the development of big data applications.

1

Sheet1

READY

Search the web and Windows

120% 2:43 PM 10/27/2017

...

	F	G	H	I	J	K	L	N	O	P	Q	R	S
5	Choose the correct statement about Spring Boot?	Dynamically wires up beans and settings and applies them to your application context	Provides a productive and stream-lined full-stack web framework by combining the power.	An open-source library with which an application can be connected with cloud environment.	A lightweight, comprehensive batch framework designed to enable the development of robust batch applications vital for the daily operations of enterprise systems.			1					
6	What is role of Spring Framework?	Provides a comprehensive programming and configuration model for modern Java-based enterprise applications on any kind of deployment platform.	Builds on Spring MVC and allows implementing the flows of a web application.	Can be used to integrate with groovy for building high-productivity dynamic application.	Used to simplify the development of big data applications.			1					

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

J7 @Configuration annotation tells Spring that a method annotated with @Bean will return an object that should be registered as a bean in the Spring application context.

	F	G	H	I	J	K	L	N	O	P	Q	R	S
6	What is role of Spring Framework?	Provides a comprehensive programming and configuration model for modern Java-based enterprise applications or any kind of deployment platform.	Builds on Spring MVC and allows implementing the flows of a web application.	Can be used to integrate with groovy for building high-productivity dynamic application.				1					
7	Select the correct statement about spring annotations?	@Service: This annotation marks classes that implement a part of the business logic of the application.	@ComponentScan : An equivalent for Spring XML's <context:component-scan> is provided with the @ComponentScan annotation.	@EnableAutoConfig	@Configuration annotation tells Spring that a method annotated with @Bean will return an object that should be registered as a bean in the Spring application context.			1					

Sheet1

READY

Search the web and Windows

120% 2:44 PM 10/27/2017

...



40 Participants

Request Control Actual Size

Currently presenting Give Control

Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Calibri 11 A A Alignment Number Styles

Cells Insert Delete Format AutoSum Fill Clear Sort & Find & Filter Select

<property name="result" value="#{emp.[salary gt 50000].[\$name + 'designation']}>

F	G	H	I	J	K	L	N	O	P	Q	R	S
Consider the below code snippet exists in Spring Configuration file: <beans ...> <context:component-scan base-package="com.igate.bean" /> <util:properties id="custprops" location="classpath:customer.properties" /> </beans> Contents in "customer.properties" file looks as shown below: custid=1001 name=Gita Identify the bean code snippet in which value should be injected through annotations and using spring SPEL.	@Component("customer") public class Customer { @Value("\${custprops.custid}") private int custId; @Value("\${custprops.name}") private String name; }	@Component("customer") public class Customer { @Value("\${custprops.custid}") private int custId; @Value("\${custprops.name}") private String name; }	@Component("customer") public class Customer { @Value("\${custprops.custid}") private int custId; @Value("\${custprops.name}") private String name; }	@Component("customer") public class Customer { @Value("\${custprops.custid}") private int custId; @Value("\${custprops.name}") private String name; }								
8	Assume a collection of employee Objects exists in a Spring application and employee entity contains fields	<property name="result">	<property name="result">	<property name="result">	<property name="result">							

Sheet1

READY

Search the web and Windows

120% 2:47 PM 10/27/2017

Microphone Camera Stop Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

N. Kathiresan

	F	G	H	I	J	K	L	N	O	P	Q	R	S
9	Assume a collection of employee objects exists in a Spring application and employee entity contains fields such as id, name, designation and salary. Mittal wants to retrieve name and designation details of employees whose salary is greater than 50000 . Identify the code to implement the above said requirements.	<property name="result" value="#{emp.[?](salary > 50000).![name + ','+designation]}"/>	<property name="result" value="\${emp.[?](salary > 50000).![name + ','+designation]}"/>	<property name="result" value="#{emp.[?](salary > 50000).![name + ','+designation]}"/>	<property name="result" value="#{emp.[!](salary > 50000).![name + ','+designation]}"/>			1					
10	Prem wants to invoke static method in a spring configuration file. Identify which code suits for this requirement. Consider a static method named as "getCustomerId" exists in a class "com.igate.Customer".	<property name="result" value="#{T(com.igate.Customer).getCustomerId()}"/>	<property name="result" value="#{T(com.igate.Customer).getCustomerId()}"/>	<property name="result" value="#{T(com.igate.Customer).getCustomerId()}"/>	<property name="result" value="#{com.igate.Customer.getCustomerId()}"/>			1					
	Which of the following statement(s) is/are true regarding Spring AOP? i. Weaving is the process of inserting aspects into application. ii. Proxy is the class being advised. iii. Pointcut is a point in the execution of the application where an aspect can	Statements ii, iii and v are true	Statements ii and iv are true	Statements i and iv are true	Statements i and iii are true			1					

Sheet1

READY

Search the web and Windows

120% 2:49 PM 10/27/2017

Microphone Camera Share



40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

H12 In line 1, register LogAdvice bean with the use of <aop:advice> config element.

F	G	H	I	J	K	L	N	O	P	Q	R	S
Given the code snippet below:												
<pre>public class LogAdvice { public void aroundMethod() { System.out.println("Around Method Call"); } }</pre>												
Consider the partial code in Spring configuration file:												
<pre>1.<beans> 2. _____ 3. <bean id="employeeService" class="com.igate.EmployeeService" /> 4. <aop:config> 5. <aop:aspect _____ > 6. <aop:around pointcut="execution(* com.igate.EmployeeService.addEmployee() method="aroundMethod" /> 7. </aop:aspect> 8. </aop:config></pre>	In line 1, register LogAdvice bean as a bean like any other class configuration.	In line 1, register LogAdvice bean with the use of <aop:advice> config element.	In Line 5, refer the registered advice bean as shown below: <aop: aspect ref="logAdvice">	In Line 5, refer the registered advice bean as shown below: <aop: aspect ref="logAdvice">	1							

Row 12

Sheet1

READY Search the web and Windows 120% 2:49 PM 10/27/2017

Microphone Camera Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

N. Kathiresan

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Format Painter Paste Clipboard Form Alignment Number Conditional Formats as Table Styles Insert Delete Format Cells AutoSum Fill Clear Sort & Find & Filter Select

I11 Statements i and iv are true

	F	G	H	I	J	K	L	N	O	P	Q	R	S
11	Which of the following statement(s) is/are true regarding Spring AOP? i. Weaving is the process of inserting aspects into application. ii. Proxy is the class being advised. iii. Pointcut is a point in the execution of the application where an aspect can be plugged in. iv. Aspect is the cross cutting functionality being implemented v. Spring's AOP supports both, method interceptor as well as constructor interceptor	Statements ii, iii and v are true	Statements ii and iv are true	Statements i and iv are true	Statements i and iii are true					1			
11	Given the code snippet below:	public class LogAdvice { public void aroundMethod() { System.out.println("Around Method Call"); } }											

Sheet1

READY Search the web and Windows

120% 2:56 PM 10/27/2017

...

Microphone Camera Mute

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

In Line 5, refer the registered advice bean as shown below:
<aop:aspect ref="logAdvice">

F	G	H	I	J	K	L	N	O	P
Given the code snippet below: <pre>public class LogAdvice { public void aroundMethod() { System.out.println("Around Method Call"); } }</pre> Consider the partial code in Spring configuration file: <pre>1.<beans> 2. _____ 3.<bean id="employeeService" class="com.igate.EmployeeService" /> 4. <aop:config> 5. <aop:aspect _____> 6. <aop:around pointcut="execution(* com.igate.EmployeeService.addEmployee() method="aroundMethod" /> 7. </aop:aspect> 8. </aop:config></pre>	In line 1, register LogAdvice bean as a bean like any other class configuration.	In line 1, register LogAdvice bean with the use of <aop:advice> config element.	In Line 5, refer the registered advice bean as shown below: <aop: aspect ref="logAdvice">	In Line 5, refer the registered advice bean as shown below: <aop: aspect ref="logAdvice">					1

Research

Search for: In Line 5, refer the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

indium

CHEMICAL ELEMENTS

in (1)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something happens or is situated somewhere


• He went in a hole.

our services..

READY

Search the web and Windows

Speaker Microphone Video Call End Call



40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

H14 Pointcut expression is used to apply advice on a method with void return type on EmployeeService class in com.igate.service package is executed.

	F	G	H	I	J	K	L	N	O	P
13	Which of the following statement(s) is/are true? i. All <aop:> elements must be contained within <aop:config> element. ii. <aop:aspectj-autoproxy> elements enable annotation driven aspects using @AspectJ iii. Single aspect can be declared using <aop:aspect> element. iv. <aop:config> element must be contained within <aop:aspect> element.	Statements i , ii and iii are true.	Statements i and ii are true.	Statements ii and iii are true.	All the statements are true.	ok		1		
14	Consider the following code: <pre>@Pointcut("execution(* com.igate.service.EmployeeService.*(..))")</pre> Which of the statements are correct about the above code?	Pointcut expression is used to apply advice whenever any method of EmployeeService class in com.igate.service package is executed.	Pointcut expression is used to apply advice on a method with void return type on EmployeeService class in com.igate.service package is executed.	Pointcut expression is used to apply advice on method with 2 arguments in EmployeeService class in com.igate.service package is executed.	All the statements are true.			1		

Sheet1

READY

Search the web and Windows

120% 2:54 PM 10/27/2017

Research

Search for: In Line 5, refer to the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

In inumium inumium CHEMICAL ELEMENTS

in (1)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place preposition indicates that something happens or is situated somewhere

He went in a whole

our services...

... 120%

2:54 PM 10/27/2017

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

F15 Which one is true about "@Profile" annotation?

	F	G	H	I	J	K	L	N	O	P
14	<p>Consider the following code: <code>@Pointcut("execution(* com.igate.service.EmployeeService.*(..))")</code></p> <p>Which of the statements are correct about the above code?</p>	<p>Pointcut expression is used to apply advice whenever any method of EmployeeService class in com.igate.service package is executed.</p>	<p>Pointcut expression is used to apply advice on a method with void return type on EmployeeService class in com.igate.service package is executed.</p>	<p>Pointcut expression is used to apply advice on method with 2 arguments in EmployeeService class in com.igate.service package is executed.</p>	All the statements are true.			1		
15	<p>Which one is true about "@Profile" annotation?</p>	<p>To enable a specific profile, use the below code in client: <code>System.setProperty("spring.profiles.active", "profilename");</code></p>	<p>Profiling helps us to switch over between different environment configurations</p>	<p>Use "profile" attribute in <bean> element</p>	Use '@Profile annotation	All the above		4		
	public class Login { 1. }									

Research

Search for: In Line 5, refer to the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

indium

CHEMICAL ELEMENTS

in (1)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the room.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something happens or is situated somewhere.

He spent a whole

our services..

120%

2:56 PM 10/27/2017



Sheet1

READY

Search the web and Windows

Microphone, Camera, Share, Stop, and Other controls

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

H16 '@Size(min=3,message="Username must be 3 characters");'

F	G	H	I	J	K	L	N	O	P
public class Login { 1. ***** private String username; 2. ***** private String password; //getter and setter method exists for all these properties } Which statement(s) insertion in the above code at Line 1 and 2 will validate the field values to accept username of 3 characters only and password value of atleast 6 characters long.		@Size(min=3,max=3,message="Username must be 3 characters");	@Size(min=3,message="Username must be 3 characters");	@Size(min=6,message="Password must be atleast 6 characters long");	@Size(max=6,message="Password must be atleast 6 characters long");			1	
16 Consider there is a class named as "Student.java" which is annotated with @Component and the class exists in "com.igate.beans" package. Which code inclusion will detect this class?		Include <context:component-scan base-package="com.igate.*" /> in Spring configuration file	Include <context:component-scan base-package="com.igate.beans" /> in Spring configuration file	Annotated classes will be detected automatically.	Include <context:component-scan base-package="com.igate.Student" /> in web.xml			1	

Research

Search for: In Line 5, refer the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

indium

CHEMICAL ELEMENTS

in (1)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the car.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something happens or is situated somewhere.

• He spent a whole

our services..

120%

2:57 PM 10/27/2017

READY

Search the web and Windows

Microphone Camera Refresh

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS REVIEW

Format Painter

Clipboard

Font Alignment Number Styles Cells Editing

I19 @RequestMapping annotation can be used at both class and method Level.

	F	G	H	I	J	K	L	N	O	P
17	Consider there is a class named as "Student.java" which is annotated with @Component and the class exists in "com.igate.beans" package. Which code inclusion will detect this class?	Include <context:component-scan base-package="com.igate.*" /> in Spring configuration file	Include <context:component-scan base-package="com.igate.beans" /> in Spring configuration file	Annotated classes will be detected automatically.	Include <context:component-scan base-package="com.igate.Student" /> in web.xml			1		
18	In spring MVC, _____ queries a view resolver with logical name to find actual view page.	HandlerMapping	DispatcherServlet	ModelAndView	Controller			1		
19	Which of the following statement(s) is/are true about @RequestMapping annotation?	@RequestMapping annotation can be used only at Method Level.	@RequestMapping annotation can be used at Class Level only.	@RequestMapping annotation can be used at both class and method Level.	@RequestMapping can also be used to specify the acceptable request method.			1		
	Match the following:	1. @Component 2. @Controller 3. @Service 4. @Repository								

Sheet1

READY

Search the web and Windows

120% 2:58 PM 10/27/2017

Research

Search for: In Line 5, refer to the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

In in [in]

indium

CHEMICAL ELEMENTS

in (t)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

In (prep) The dinner's in the oven.

In (adv) I stopped by, but you weren't in.

in, indicates place

preposition indicates that something happens or is situated somewhere

In context a whole

our services..

1. indicates place

preposition indicates that something happens or is situated somewhere

In context a whole

blue user icon

Speaker Microphone Camera Refresh

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

K20

	F	G	H	I	J	K	L	N	O	P
18	In spring MVC, _____ queries a view resolver with logical name to find actual view page.	HandlerMapping	DispatcherServlet	ModelAndView	Controller			1		
19	Which of the following statement(s) is/are true about @RequestMapping annotation?	@RequestMapping annotation can be used only at Method Level.	@RequestMapping annotation can be used at both class and method Level.	@RequestMapping annotation can also be used to specify the acceptable request method.				1		
20	Match the following: 1. @Component 2. @Controller 3. @Service 4. @Repository a. Business logic implementation class will be marked with this annotation b. Represent a data access logic class c. Classes annotated with this is referred as spring beans d. Controller in Spring MVC will be annotated with this.				1 - b, 2 - d, 3 - a, 4 - c	1 - c, 2 - a, 3 - d, 4 - b	1 - c, 2 - d, 3 - b, 4 - a	1 - c, 2 - d, 3 - a, 4 - b		

Research

Search for: In Line 5, refer the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

In in (t)
in [in]
CORE MEANING: a grammatical word indicating that something or somebody is within or inside something
• (prep) The dinner's in the oven.
• (adv) I stopped by, but you weren't in.
1. indicates place
preposition indicates that something happens or is situated somewhere.
• He spent a whole

SEARCH

READY

Search the web and Windows

Microphone Camera Share Stop

40 Participants

Request Control Actual Size

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW Currently presenting Give Control Stop Presenting N. Kathiresan

F G H I J K L N O P

G21 http://localhost:8080/EmployeeMaintenance/employee/save.obj

	Examine the below code:												
21	@Controller @RequestMapping("/employee") public class EmployeeController { @RequestMapping(value = "/save", method = RequestMethod.POST) public ModelAndView saveEmployee(@ModelAttribute("emp oyee") Employee employee, BindingResult result) {} Which URL request will invoke the saveEmployee method in the above controller? Consider the application name is EmployeeMaintenance.	http://localhost:8080/EmployeeMaintenance/employee/save.obj	http://localhost:8080/EmployeeMaintenance/employee.obj	http://localhost:8080/EmployeeMaintenance/employee?value=save.obj									
	A developer need to return product object from controller to a view page "DisplayProduct.jsp". Which code snippet inclusion in Controller will be best suitable?	public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response)	public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response)	public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response)	public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response) throws								

Research

Search for: In Line 5, refer the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

indium

CHEMICAL ELEMENTS

in (t)

in [in]

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something happens in a situated somewhere.

He spent a whole

our services..

READY

Sheet1

Search the web and Windows

8:01 PM 10/27/2017

Microphone Camera Share End

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Paste Format Painter Clipboard Font Alignment Number Styles Cells Editing

I22 F G H I J K L N O P

public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { Product p=new Product(); p.setName("Pen"); p.setPrice(20); return new ModelAndView("displayProduct.jsp","product",p); }

A developer need to return product object from controller to a view page "DisplayProduct.jsp". Which code snippet inclusion in Controller will be best suitable?
Consider the below Product Spring bean class exists:

```
package com.igate.beans;
class Product {
    private String name;
    private double price;
    // getters and setter methods for these properties exist.
}
```

Consider the below code snippet exists in Spring Configuration file:

```
<bean id="beanMapping"
    class="org.springframework.web.servlet.handler.BeanNameHandlerMapping">
```

public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { Product p=new Product(); p.setName("Pen"); p.setPrice(20); return new ModelAndView("displayProduct.jsp","product",p); }

public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { Product p=new Product(); p.setName("Pen"); p.setPrice(20); return new ModelAndView("displayProduct.jsp","product",p); }

public ModelAndView handleRequest(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { Product p=new Product(); p.setName("Pen"); p.setPrice(20); return new ModelAndView("displayProduct.jsp","product",p); }

1

SEARCH

Research

Search for: In Line 5, refer to the register

All Reference Books

Encarta Dictionary: English (North America)

In in (symbol)

indium

indium

CHEMICAL ELEMENTS

in [in]

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something happened or is situated somewhere.

He spent a whole

our services..

120%

8:00 PM 10/27/2017

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Format Painter

Clipboard Font Alignment Number Styles Cells Editing

H23 HandlerMapping will inspect BeanUrlHandlerMapping configuration first.

F	G	H	I	J	K	L	N	O	P
Consider the below code snippet exists in Spring Configuration file: <bean id="beanMapping" class="org.springframework.web.servlet.handler.BeanUrlHandlerMapping"> <property name="order" value="1" /> </bean> <bean id="urlMapping" class="org.springframework.web.servlet.handler.SimpleUrlHandlerMapping"> <property name="order" value="2" /> <property name="mappings"> <prop> <prop key="/product.obj">productController </prop> <prop key="/login.obj">LoginController</prop> </props> </property> </bean> Which statement is true about the	HandlerMapping will inspect SimpleUrlHandlerMapping configuration first.	HandlerMapping will inspect BeanUrlHandlerMapping configuration first.	As default, BeanUrlHandlerMapping will be inspected by HandlerMapping regardless of priority.	None of the above				1	

Research

Search for: In Line 5, refer to the register

All Reference Books

In inium inium CHEMICAL ELEMENTS in (t) CORE MEANING: a grammatical word indicating that something or somebody is within or inside something (prep.) The dinner's in the house. (adv.) I stopped by, but you weren't in. 1. indicates place preposition indicates that something happens there somewhere. ▶ He spent a whole our services..

Sheet1

READY

Search the web and Windows

120% 8:01 PM 10/27/2017

Microphone Camera Stop Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Format Painter Clipboard Font Alignment Number Styles Cells Editing

G24 @Controller @RequestMapping("/movie")

	F	G	H	I	J	K	L	N	O	P
24	If we have URL "http://localhost:8080/SpringRESTFUL MVC/movie/IronMan" which of the method will call ?	<pre>@Controller @RequestMapping("/movie") public class MovieController { @RequestMapping(value = "/{name}", method = RequestMethod.GET) public String getMovie(@PathVariable String name, ModelMap model) { model.addAttribute("movie", name); return "list"; } }</pre>	<pre>@Controller @RequestMapping("/movie") public class MovieController { @RequestMapping(value = "/{name}", method = RequestMethod.GET) public String getMovie(@PathVariable String name, ModelMap model) { model.addAttribute("movie", name); return "list"; } }</pre>	<pre>@Controller @RequestMapping("/m ovie") public class MovieController { @RequestMapping(value = "/{name}", method = RequestMethod.GET) public String getMovie(@PathVariable String name, ModelMap model) { model.addAttribute("mo vie", "this is default movie"); return "list"; } }</pre>	<pre>@Controller @RequestMapping("/id") public class MovieController { @RequestMapping(value = "/{name}", method = RequestMethod.GET) public String getDefaultMovie(Model Map model) { model.addAttribute("mo vie", "this is default movie"); return "list"; } }</pre>					
										4

Research

Search for: In Line 5, refer to the register

All Reference Books

Encarta Dictionary: English (North America)

In in (symbol)

indium

CHEMICAL ELEMENTS

in [in]

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something or somebody is situated somewhere.

He spent a whole

our services..

120%

3:05 PM 10/27/2017

Sheet1

READY

Search the web and Windows

Microphone Camera Share

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

J26 All of the above

	F	G	H	I	J	K	L	N	O	P
25	Which of the following option represent the correct sequence steps for Spring JPA integration?	1. Create or lookup for DataSource 2. Obtain EntityManager in DAO repositories. 3. Configure Persistence Unit using Spring API. 4. Setup transaction management on Services	1. Create or lookup for DataSource 2. Configure Persistence Unit using Spring API. 3. Obtain EntityManager in DAO repositories. 4. Setup transaction management on Services	1. Create or lookup for DataSource 2. Setup transaction management on Services 3. Obtain EntityManager in DAO repositories. 4. Configure Persistence Unit using Spring API.	1. Setup transaction management on Services. 2. Configure Persistence Unit using Spring API. 3. Obtain EntityManager in DAO repositories. 4. Create or lookup for DataSource.				1	
26	Which of the following method/s available in jQuery object to works with CSS class attribute ? Refer the below code and predict the output . Var app=angular.module('myapp',[]); app.directive('myWorld',function(){	addClass()	hasClass()	removeClass()	All of the above				1	

Sheet1

READY

Search the web and Windows

120%

8:05 PM 10/27/2017

Research

Search for: In Line 5, refer the register

All Reference Books

Encarta Dictionary: English (North America)

In (symbol)

indium

CHEMICAL ELEMENTS

in (t)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something or somebody is situated somewhere.

He spent a whole

our services..

... 1

40 Participants

Request Control Actual Size

J28 Restful web services are easier to work with , as resources can be identified by URIs.

	F	G	H	I	J	K	L	N	O	P
27	Refer the below code and predict the output . Var app=angular.module('myapp',[]); app.directive('myWorld',function() { restrict: 'E', replace : true, template: '<h1>Hello</h1>' }); });		<my-world></my-world>	<p class='my-world'></p>	<p my-world></p>	<!-- my-world -->			1	
28	Why Restful services is easy to work with ? Choose one correct option.	Restful web services are easier to work with , as resources can be accessed via SOAP.	Restful web services are easier to work with , as resources can be accessed via Http.	Restful web services are easier to work with , as resources can be accessed by user-defined messaging formats .	Restful web services are easier to work with , as resources can be identified by URIs.				1	
29	Which of the following API avoid runtime cast exception in JPA ?	Query	TypedQuery<T>	EntityManager	None of the above				1	
30										

READY

Search the web and Windows

120%

3:12 PM 10/27/2017

Research

Search for: In Line 5, refer the register

All Reference Books

In [in] in [in]

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

In [prep] The dinner's in the oven.

In [adv] I stopped by, but you weren't in.

In [ind] indicates place

preposition indicates that something or somebody is situated somewhere.

In [whole] He spent a whole

our services..

40 Participants

Request Control Actual Size

Currently presenting Give Control Stop Presenting

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

Cut Copy Paste Format Painter Clipboard Font Alignment Number Styles Cells Editing

H31

	F	G	H	I	J	K	L	N	O	P
28 Why Restful services is easy to work with ?		Restful web services are easier to work with , as resources can be accessed via SOAP.	Restful web services are easier to work with , as resources can be accessed via Http.	Restful web services are easier to work with , as resources can be accessed by user-defined messaging formats .	Restful web services are easier to work with , as resources can be identified by URIs.			1		
29 Which of the following API avoid runtime cast exception in JPA ?		Query	TypedQuery<T>	EntityManager	None of the above			1		
30	31									
32										
33										
34										
35										
36										
37										
38										
39										
40										
41										
42										
43										
44										

Sheet1

READY Search the web and Windows

Microphone Camera Record

Research

Search for: In Line 5, refer to the register

All Reference Books

In Encarta Dictionary: English (North America)

In (symbol)

indium

indium

CHEMICAL ELEMENTS

in (1)

CORE MEANING: a grammatical word indicating that something or somebody is within or inside something

(prep) The dinner's in the oven.

(adv) I stopped by, but you weren't in.

1. indicates place

preposition indicates that something happens or is situated somewhere

• He spent a whole

our services..

120%

8:13 PM 10/27/2017