

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

Invite More People

Participant Actions

CONVERSATION

3

3rd mam

Banerjee, Shubhdeep

3

Debnath, Nirupam

4

Anusha, Adharapu

2

Vasanthakumar, Sindhu

3

SAHOO, AKASH

3

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEWS

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

9

G

Rakshana likes to create an input field only to display contents and contents length may exceeds more than one line. Which statement is more suitable for this requirement?

H

I

J

K

10

Consider the below code snippet:
Select a country:
<select name="country">
 <option value="Germany">Germany</option>
 <option value="India" selected>India</option>
 <option value="China">China</option>
 <option value="Japan">Japan</option>
</select>

User will able to select more than one country from this list

Default selected country is "India"

Name of this drop down list box is "country"

By default, all the options are visible in the drop down list box.

11

Which of the statement(s) is/are true about the above given code snippet?

.hover

:hover

:onfocus

.onfocus

12

Which of the following selector will apply the style on the element designated by a pointing device?

.hover

:hover

:onfocus

.onfocus

13

Match the following:

1) *

READY

L1 Practice Qs - Module1

Sheet1

100%

42 Participants

Request Control

Actual Size

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEWS

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

9

G

Rakshana likes to create an input field only to display contents and contents length may exceeds more than one line. Which statement is more suitable for this requirement?

H

I

J

K

10

Consider the below code snippet:
Select a country:
<select name="country">
 <option value="Germany">Germany</option>
 <option value="India" selected>India</option>
 <option value="China">China</option>
 <option value="Japan">Japan</option>
</select>

User will able to select more than one country from this list

Default selected country is "India"

Name of this drop down list box is "country"

By default, all the options are visible in the drop down list box.

11

Which of the statement(s) is/are true about the above given code snippet?

.hover

:hover

:onfocus

.onfocus

12

Which of the following selector will apply the style on the element designated by a pointing device?

.hover

:hover

:onfocus

.onfocus

13

Match the following:

1) *

READY

L1 Practice Qs - Module1

Sheet1

100%

42 Participants

Request Control

Actual Size

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEWS

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

9

G

Rakshana likes to create an input field only to display contents and contents length may exceeds more than one line. Which statement is more suitable for this requirement?

H

I

J

K

10

Consider the below code snippet:
Select a country:
<select name="country">
 <option value="Germany">Germany</option>
 <option value="India" selected>India</option>
 <option value="China">China</option>
 <option value="Japan">Japan</option>
</select>

User will able to select more than one country from this list

Default selected country is "India"

Name of this drop down list box is "country"

By default, all the options are visible in the drop down list box.

11

Which of the statement(s) is/are true about the above given code snippet?

.hover

:hover

:onfocus

.onfocus

12

Which of the following selector will apply the style on the element designated by a pointing device?

.hover

:hover

:onfocus

.onfocus

13

Match the following:

1) *

READY

L1 Practice Qs - Module1

Sheet1

100%

1

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

2,3

S, Abishek

4

S, Vignesh

2

Vasanthakumar, Sindhu

4

Priya, Shanmuga

1

Potharaju, Sasidhar

4

Muralidharan, Akshayaa

2,3

S, Abishek

4

S, Vignesh

2

Vasanthakumar, Sindhu

4

Priya, Shanmuga

1

Potharaju, Sasidhar

4

Muralidharan, Akshayaa

Which of the following selector will apply the style on the element designated by a pointing device?

Match the following:

1) *
2) #Data
3) .Data
4) :Data

a) Pseudoclasses selector
b) Universal Selector
c) Id Selector
d) Class Selector

11

Which of the following selector will apply the style on the element designated by a pointing device?

Match the following:

1) *
2) #Data
3) .Data
4) :Data

a) Pseudoclasses selector
b) Universal Selector
c) Id Selector
d) Class Selector

12

Consider HTML code snippet:

<input type="checkbox" value="Web Basics"
name="skill">Web Basics
<input type="checkbox" value="Oracle"
name="skill">Oracle

<input type="checkbox" value="Core Java"
name="skill">Core Java
<input type="checkbox" value="Spring"

11

Which of the following selector will apply the style on the element designated by a pointing device?

Match the following:

1) *
2) #Data
3) .Data
4) :Data

a) Pseudoclasses selector
b) Universal Selector
c) Id Selector
d) Class Selector

12

Consider HTML code snippet:

<input type="checkbox" value="Web Basics"
name="skill">Web Basics
<input type="checkbox" value="Oracle"
name="skill">Oracle

<input type="checkbox" value="Core Java"
name="skill">Core Java
<input type="checkbox" value="Spring"

11

Which of the following selector will apply the style on the element designated by a pointing device?

Match the following:

1) *
2) #Data
3) .Data
4) :Data

a) Pseudoclasses selector
b) Universal Selector
c) Id Selector
d) Class Selector

12

Consider HTML code snippet:

<input type="checkbox" value="Web Basics"
name="skill">Web Basics
<input type="checkbox" value="Oracle"
name="skill">Oracle

<input type="checkbox" value="Core Java"
name="skill">Core Java
<input type="checkbox" value="Spring"

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

Invite More People

Participant Actions

CONVERSATION

1

RAMAKRISHNAN, DAMINI

1

Priyadarshini, Lavanya

1 mam

Boopathiraj, Rukmani

1

Vasanthakumar, Sindhu

1

1

Banerjee, Shubhodeep

1

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEW

G13

Consider HTML code snippet:

<input type="checkbox" value="Web Basics" name="skill">Web Basics

<input type="checkbox" value="Oracle" name="skill">Oracle

<input type="checkbox" value="Core Java" name="skill">Core Java

<input type="checkbox" value="Spring" name="skill">Spring

Consider JavaScript Code snippet:

1: function validate() {

2: var len=document.frm.skill.length;

3: var skillList="";

4: var count=0;

5: for(index=0;index<len;index++) {

6: if(

7: count++;

8: skillList=skillList+",

9: }

10: if(count==0) {

11: alert("Select any one of the skills");

document.frm.skill[index].selected

document.frm.skill[index].checked

document.frm.skill[index].disabled

document.frm.skill[index].unchecked

🗨️

📺

🔇

💻

📞

👥

⋮

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

Invite More People

Participant Actions

CONVERSATION

1

RAMAKRISHNAN, DAMINI

1

Priyadarshini, Lavanya

1 mam

Boopathiraj, Rukmani

1

Vasanthakumar, Sindhu

1

1

Banerjee, Shubhodeep

1

L1 Practice Questions - Module 1-2016 (Compatibility Mode) - Excel

Which statement has to be included in the blank line at Line 6 to check whether any check box is checked or not?

<input type="checkbox" value="Spring" name="skill">Sprickbox

Consider JavaScript Code snippet:

function validate() {
2: var len=document.frm.skill.length;
3: var skillList=[];
4: var count=0;
5: for(index=0;index<len;index++) {
6: if() {
7: count++;
8: skillList=skillList+"
"+document.frm.skill[index].value;
9: }
10: if(count==0) {
11: alert("Select any one of the skills");
12: return false;
13: } else {
14: alert("Selected skills="+skillList+"\nSelected city
"+document.frm.c
15: return true; }
16: }
}

document.frm.skill[index].selected

document.frm.skill[index].checked

document.frm.skill[index].disabled

document.frm.skill[index].unchecked

42

2:26:23

42

2:26:23

42

2:26:23

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

Invite More People

Participant Actions

CONVERSATION

2

Muthukumar, Manju Sahani

2

venkateswara rao, k

2

Vasanthakumar, Sindhu

2

Banerjee, Shubhodeep

2

suman, saurabh

2

Narayanan, Priyadarshini

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

Which of the event handlers are supported in button objects?	OnClick	OnChange	OnMouseUp	OnMouseDown
You have an application which enables a user to enter a URL. The URL may contain spaces, which are not supported in requests which are sent from browsers. You need to solve this problem by replacing the space by a special symbol like %20. How can this be achieved?	Use decode method.	Use append method.	Use escape method.	Use encode method.
What would be printed, if the following function is invoked? printDay() { date=new Date(); document.write(date.getDate()); }	Nothing is printed.	Prints a random date.	The function does not compile. Variable "date" is not declared.	Prints the current date.
Consider the below code snippet: <employee id="rj2222"></employee> Which XML schema code snippet is valid to describe the above snippet?	<xsd:attribute name="id" type="xsd:string"/> By default, all the	<xsd:attribute name="id"	<xsd:attribute name="id"	<xsd:attribute name="id"

READY

100%

🗨️

📺

🔇

💻

📞

👤

⋮

1

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

Presenters (42)

Alwarsamy, Nandhini

Anusha, Adharapu

Aranganathan, Sound...

B, Celes

Babu, Reshma

Banerjee, Shubhodeep

Boopathiraj, Rukmani

Chaturvedi, Ullas

Debnath, Nirupam

Dhanasekaran, Smitha

Dheeraj, Kanchibhotla

donthireddy, babitha r...

Gorla, Bala Bharath

Jacinth S, Angelin

KILLI, GOPI

Kumar, Hemalatha

Mishra, Abhisek

Invite More People

Participant Actions

CONVERSATION

3

Dhanasekaran, Smitha

option 3

S, Vignesh

3

Venkata Sai Teja, Koraganji

option 3

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW

G19

Examine the structure of EMP table:

Which of the following statements are false w.r.t. XML?

i) XML document can contain more than one root element.

ii) XML tags are case sensitive.

iii) XML document can contain empty elements.

18

Examine the structure of EMP table:

EMPNO	NUMBER(5)
FIRST NAME	VAPCHAP2220
LAST NAME	VAPCHAP2220
JOB	VAPCHAP2220
SALARY	NUMBER(8,2)
DEPARTMENT_ID	NUMBER(4)

Parvathy wants to view the sorted employee details based on JOB in ascending order. If multiple employees are working with same JOB role, then sort the details again with salary in descending order. Which of the following statement will match for the requirement?

18

Examine the contents of STAFF table as shown.

STAFF	NUMBER(5)
FIRST NAME	VAPCHAP2220
LAST NAME	VAPCHAP2220
JOB	VAPCHAP2220
SALARY	NUMBER(8,2)
DEPARTMENT_ID	NUMBER(4)

SELECT * FROM emp ORDERBY salary,job;

SELECT * FROM emp ORDERBY job,salary;

SELECT empno,job,salary FROM emp ORDER BY 2,3 DESC;

SELECT * FROM emp ORDERBY job ,salary DESC;

100%

4:03:32

...

...

...

...

...

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

Presenters (42)

Alwarsamy, Nandhini

Anusha, Adharapu

Aranganathan, Sound...

B, Celes

Babu, Reshma

Banerjee, Shubhodeep

Boopathiraj, Rukmani

Chaturvedi, Ullas

Debnath, Nirupam

Dhanasekaran, Smitha

Dheeraj, Kanchibhotla

donthireddy, babitha r...

Gorla, Bala Bharath

Jacinth S, Angelin

KILLI, GOPI

Kumar, Hemalatha

Mishra, Abhisek

Invite More People

Participant Actions

CONVERSATION

3

Dhanasekaran, Smitha

option 3

3

S, Vignesh

3

Venkata Sai Teja, Koranganji

option 3

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEWS

G20

Examine the contents of STAFF table as shown below:

STAFFID	STAFFNAME	MGR
1001	Jalen	1011
1002	James	1001
1003	Peter	1001
1004	Jack	1001
1005	Jackie	1003
1006	Mary	1003

Which of the following statements will be used to identify the staff details who are working as a manager?

20

Identify the correct statements to delete all information of employees belonging to department 20.

21

A transaction ends when one of the following occur

22

Which of the following are the correct terms associated with a VIEW?

SELECT staffid, staffNAME FROM staff outerr WHERE staffid IN (SELECT staffid FROM staff innerr WHERE innerr.MGR = outerr.staffid)

SELECT staffid, staffNAME FROM staff outerr WHERE staffid =ALL (SELECT staffid FROM staff innerr WHERE innerr.MGR = outerr.staffid)

SELECT staffid, staffNAME FROM staff outerr WHERE EXISTS (SELECT staffid FROM staff innerr WHERE innerr.MGR = outerr.staffid)

SELECT staffid, staffNAME FROM staff outerr WHERE staffid =ANY (SELECT staffid FROM staff innerr WHERE innerr.MGR = outerr.staffid)

SQL>DELETE * FROM Emp WHERE deptno = 20;

SQL>TRUNCATE TABLE Emp WHERE deptno >20;

SQL>DELETE EMP WHERE deptno = 20;

SQL>DELETE FROM Emp WHERE deptno = 20;

You issue a commit statement

You execute any DDL

You execute any DML

You execute any DATE functions

They are commonly used as read only.

Can be used WITH

Can update all the tables, on

Can update all the tables, on which it is

READY

100%

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

Priya, Shanmuga

Priyadarshini, Lavanya

Rajendran, Abirami

RAMAKRISHNAN, DA...

Ravi, Nagajothi

Rayavaram, Harinath

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

venkateswara rao, k

Invite More People

Participant Actions

CONVERSATION

Priya, Shanmuga

4

Banerjee, Shubhodeep

4

Babu, Reshma

47

4

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

Identify the correct statements to delete all information of employees belonging to department 20.

Identify the correct statements to delete all information of employees belonging to department 20.	SQL>DELETE * FROM Emp WHERE deptno = 20;	SQL>TRUNCATE TABLE Emp WHERE deptno = 20;	SQL>DELETE EMP WHERE deptno = 20;	SQL>DELETE FROM Emp WHERE deptno = 20;
A transaction ends when one of the following occurs	You issue a commit statement	You execute any DDL	You execute any DML	You execute any DATE functions
Which of the following are the correct terms associated with a VIEW?	They are commonly used as read only objects	Can be used WITH CHECK OPTION	Can update all the tables, on which it is based very easily	Can update all the tables, on which it is based only in some cases
Index is used to:	They are commonly used as read only objects	Increase the row retrieval time.	Reduce disk I/O by locating the data quickly.	Increase the speed of Updates.
Consider the below code snippet: 1 DECLARE 2 -- Declaration of Cursor 3 CURSOR cname IS SELECT dname FROM dept; 4 v_dname dept.dname%TYPE; 5 BEGIN 6 FOR rwr IN cname			"No Data Found"	Discard all the

3

3

4

47

4

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

Priya, Shanmuga

Priyadarshini, Lavanya

Rajendran, Abirami

RAMAKRISHNAN, DA...

Ravi, Nagajothi

Rayavaram, Harinath

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

venkateswara rao, k

Invite More People

Participant Actions

CONVERSATION

31st

Mishra, Abhishek

31st Oct

Index is used to:

Consider the below code snippet:

1 DECLARE
2 -- Declaration of Cursor
3 CURSOR cname IS SELECT dname FROM dept;
4 v_dname dept.dname%TYPE;
5 BEGIN
6 FOR rec IN cname
7 LOOP
8 v_dname:=rec.dname;
9 DBMS_OUTPUT.PUT_LINE(v_dname);
10 END LOOP;
11 CLOSE cname;
12 END;

What will be the output generated if the above procedure gets executed?

Consider the below code snippet:

1 CREATE OR REPLACE PROCEDURE

They are commonly used as read only objects

Error in Line 11

Increase the row retrieval time.

Error in Line 6

Reduce disk I/O by locating the data quickly.

"No Data Found" exception occurs if data not exists in dept table.

Increase the speed of Updates.

Displays all the department exists in dept table.

READY

L1 Practice Qs - Module1

Sheet1

100%

4:18:02

1

Session with MIPL Chennai Batch (42 Participants)
4:31:19

PARTICIPANTS

- Priya, Shanmuga
- Priyadarshini, Lavanya
- Rajendran, Abirami
- RAMAKRISHNAN, DA...
- Ravi, Nagajothi
- Rayavaram, Harinath
- S, Abishek
- S, Vignesh
- SAHOO, AKASH
- SEETHINI, CHIRANJEEVI
- SINHA, SOURAV
- suman, saurabh
- Sundaram, Deepika
- Tembhare, Anjulata
- vadera, swetha
- Vasanthakumar, Sindhu
- Venkata Sai Teja, Kora...
- venkateswara rao, k

[Invite More People](#)

[Participant Actions](#)

CONVERSATION

yes mam

Vasanthakumar, Sindhu

yes mam

Priyadarshini, Lavanya

2 mam

S, Vignesh

2

42 Participants

[Request Control](#)
[Actual Size](#)

G27 Which of the following exception will thrown when a SELECT INTO statement in a PL/SQL block returns zero row?

	H	I	J	K
Which of the following exception will thrown when a SELECT INTO statement in a PL/SQL block returns zero row?	invalid_cursor	no_data_found	value_error	too_many_rows
Identify the true statement(s) about cursors: 1. PL/SQL implicitly declares cursors for all DML statements. 2. You cannot fetch from a closed cursor. 3. Fetch statement should be followed by an EXIT condition to avoid infinite looping.	Only statement 1 is true	Only statement 2 is true	Only statement 3 is true	All the statements are true
Consider the following code and predict the output <code>DECLARE num NUMBER; BEGIN DBMS_OUTPUT.PUT_LINE('Value in num is' x); END;</code>	Value in num is	Value in num is 0	Compilation error as variable num is not assigned a value	Value in num is some garbage value
Assuming there are no employees in deptno 70 .What does the following code give as output <code>DECLARE cnt NUMBER; myexcep EXCEPTION; BEGIN</code>				

1

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

Priya, Shanmuga

Priyadarshini, Lavanya

Rajendran, Abirami

RAMAKRISHNAN, DA...

Ravi, Nagajothi

Rayavaram, Harinath

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadera, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

venkateswara rao, k

Invite More People

Participant Actions

CONVERSATION

4

suman, saurabh

4

Vasanthakumar, Sindhu

4

S, Vignesh

3

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

G31

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEW

If a Procedure is created with the following signature
Proc1(Emp_num NUMBER, Emp_name VARCHAR2
DEFAULT 'Emp name', deptno NUMBER DEFAULT
10)
then, which of the following option cannot be used
to call the above procedure?

Proc1(101,'Name1',20)

Proc1(101)

Proc1(101,'Name1')

Proc1

31

What will be the output of the following code ?
DECLARE
row1 emp%ROWTYPE;
BEGIN
SELECT * INTO row1 FROM emp WHERE
deptno=99;
END;

No data found if
deptno 99 does not
exist

exact fetch returns
more than
requested number
of rows if there are
many employees in
dept no 99

exact fetch
returns more
than requested
number of rows
if there is only
one employee in
dept no 99

compilation error

32

What will be true as per below diagram?

Customer

-CustomerCode

+Discount

#NetProfit

+AddCustomer(): void

NetProfit attribute is
accessible in all classes

Discount attribute
is accessible only
within the
component.

NetProfit
attribute is
accessible only
within the
component.

CustomerCode
attribute is not
accessible in other
class.

READY

L1 Practice Qs - Module1

Sheet1

100%

42

4:36:20

Request Control

Actual Size

42

4:36:20

Request Control

Actual Size

Session with MIPL Chennai Batch (42 Participants)

4:40:20

PARTICIPANTS

42 Participants
Request Control
Actual Size

- Priya, Shanmuga
- Priyadarshini, Lavanya
- Rajendran, Abirami
- RAMAKRISHNAN, DA...
- Ravi, Nagajothi
- Rayavaram, Harinath
- S, Abishek
- S, Vignesh
- SAHOO, AKASH
- SEETHINI, CHIRANJEEVI
- SINHA, SOURAV
- suman, saurabh
- Sundaram, Deepika
- Tembhare, Anjula
- vadera, swetha
- Vasanthakumar, Sindhu
- Venkata Sai Teja, Kora...
- venkateswara rao, k

Invite More People
Participant Actions

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

G	H	I	J	K	L
What will be the output of the following code? <pre> DECLARE row1 emp%ROWTYPE; BEGIN SELECT * INTO row1 FROM emp WHERE deptno=99; END;</pre>	No data found if deptno 99 does not exist	exact fetch returns more than requested number of rows if there are many employees in dept no 99	exact fetch returns more than requested number of rows if there is only one employee in dept no 99	compilation error	
What will be true as per below diagram? <div style="border: 1px solid black; padding: 5px; margin: 5px;"> Customer -CustomerCode +Discount #NetProfit +AddCustomer(); void </div>	NetProfit attribute is accessible in all classes	Discount attribute is accessible only within the component.	NetProfit attribute is accessible only within the component.	CustomerCode attribute is not accessible in other class.	
Which of the following is not a true UML diagram?	Activity Diagram	Object Diagram	Deployment Diagram	Data Flow Diagram	Class Diagram
When two or more classes serve as base class for a derived class the situation is known as?	Multiple inheritance	Polymorphism	Encapsulation	hierarchical inheritance	
Which access Modifier ensures encapsulation of data?	public	protected	private	protected internal	
Consider an online shopping site named					

READY
L1 Practice Qs - Module1
Sheet1
100%

CONVERSATION

4
Mishra, Abhishek

4
S, Vignesh

4
Mishra, Abhishek

4

Session with MIPL Chennai Batch (42 Participants)

42 Participants

Request Control

Actual Size

PARTICIPANTS

Priya, Shanmuga

Priyadarshini, Lavanya

Rajendran, Abirami

RAMAKRISHNAN, DA...

Ravi, Nagajothi

Rayavaram, Harinath

S, Abishek

S, Vignesh

SAHOO, AKASH

SEETHINI, CHIRANJEEVI

SINHA, SOURAV

suman, saurabh

Sundaram, Deepika

Tembhare, Anjulata

vadara, swetha

Vasanthakumar, Sindhu

Venkata Sai Teja, Kora...

venkateswara rao, k

Invite More People

Participant Actions

CONVERSATION

protected

Tembhare, Anjulata

~ default or package friendly

S, Abishek

not visible mam...

Priyadarshini, Lavanya

data flow diagram

L1 Practice Questions - Module 1-2016 [Compatibility Mode] - Excel

FILE

HOME

INSERT

PAGE LAYOUT

FORMULAS

DATA

REVIEW

VIEW

G34

Which of the following is not a true UML diagram?

	H	I	J	K	L	
34	Which of the following is not a true UML diagram?	Activity Diagram	Object Diagram	Deployment Diagram	Data Flow Diagram	Class Diagram
35	When two or more classes serve as base class for a derived class the situation is known as?	Multiple inheritance	Polymorphism	Encapsulation	hierarchial inheritance	
36	Which access Modifier ensures encapsulation of data?	public	protected	private	protected internal	
37	Consider an online shopping site named "shoppee.com". Customers are supposed to fill a form for ordering the items. What relationship exists between form and fields available in the form?	Is - A relationship	Has - A relationship	Realization	Generalization	
38	Match the following notations with relevant diagrams:					
39	1. Swim lanes	a. Sequence Diagram				
40	2. Lifeline	b. Usecase Diagram				
41	3. Stick figure	c. Object Diagram				
42	4. Links	d. Activity Diagram				
43						
44						

L1 Practice Qs - Module1

Sheet1

READY

100%

42

...