

Journal: Android Application Family Protector  
**CSC 780: Application Development for Mobile Devices**  
Author: Amruta Deshmukh

**WEEK 1: September 24<sup>th</sup>, 2015**

1. UIs for Parent mode of the phone
  - a. When the user downloads the application for the first time the application starts in the setup mode.
  - b. The user can select the mode to be either 'Parent Mode' or 'Child Mode'
  - c. On selecting the 'Parent Mode' the next screen gives option of adding child.
  - d. On selecting 'Add A child' the next screen gives option to add details of the child and save
2. Activities created
  - a. Welcome Screen
  - b. Choose Mode
  - c. Parent Mode Home Screen
  - d. Child Details Screen
3. Methods
  - a. Setup OnClickListener for button to navigate through screens

Next Week:

1. Try to set up the server for the login credentials through parse.com cloud service
2. Try to save the state of the application i.e. either parent mode or child mode

**WEEK 2: October 1<sup>st</sup>, 2015**

1. Set up the server at parse.com
2. Wrote a small application to save the username and password to parse.com

Next Week:

1. Integrate the code into application to save the parent login credentials and the child details

### **WEEK 3: October 8<sup>th</sup>, 2015**

1. Setup login for Parent Mode
  - a. The user has the option to Register. In case they have already signed up, they can use the login link.
  - b. The login credentials are stored on the parse server in the "UserCredentials" data table.
  - c. When the user chooses the login link, the credentials entered are compared with the credentials stored on Parse.com
2. Storing the child details
  - a. After logging in and selecting the 'Parent Mode' the parent can add the child details
  - b. The child details (name, gender and birthdate), along with username are stored on parse in "ChildDetails" data table
3. Fetching child details on login
  - a. Once the user logs-in details about all the children specific to the user-id are fetched and displayed on parent home screen.
4. Updated child mode UI
  - a. The parent can login to the app from his/her child phone and select the child mode
  - b. On selecting the child mode, details of all the children specific to the user-id are fetched and displayed. The parent then can choose the child to whom the device belongs

#### **Problems:**

1. The Login screen currently gives an invalid credentials error on the first attempt, even if the credentials are correct. On the clicking the Login button again the user is allowed access
2. Created a new app on Parse to save the data. However, the new app does not save the data. Currently using the old app to save data on parse.

#### **Next Week:**

1. Resolve the login error
2. Try to figure out the problem with parse
3. Save the state of the application so the user does not have to login each time
4. Set up alerts instead of textView for the invalid credentials login

#### **WEEK 4: October 15<sup>th</sup>, 2015**

1. Save the state of the application
  - a. If the user enters his credentials through registration screen the username and password are saved to the shared preferences and the application logged in state is also set to true
  - b. If the user signs-in to the application the user name and password are saved to the shared preferences and the application logged in state is also set to true
  - c. If the user starts the application again, the application directly goes to the status of the parent home screen.
2. Launching the navigation drawer
  - a. The logout option and other options such as (settings etc.) are provided in the navigation drawer

Next Week:

1. Set up the child mode with the map view and saving the location rule.

#### **WEEK 5: October 22<sup>nd</sup>, 2015**

1. Save the mode for the phone
  - a. If the user logs in and chooses either parent mode or child mode, the mode is saved in sharedPreferences. On restarting the app, the app starts in the same mode.
2. Maps Activity
  - a. In the child mode on selecting the “Location Perimeter” option on the “Rules Settings”, google maps activity is started
  - b. The map defaults the current location of the phone

Problems:

1. The Map fragmentActivity does not display the Action bar even when the application theme is Theme.Appcompact. All other activities show the Action bar.

Next Week:

1. Implement the search bar for the map activity.
2. Read the text from the search bar and parse it to show the location marker at that location