
PRACTICAL 2

a) Creating First Linux Instance


1. Open EC2: Search for EC2 in the AWS Management Console, open the EC2 service, and click Launch instance.




2. Open the Instances page: Select Instances from the left-side menu and click Launch instances.




3. Name and Image: Enter the instance name as mylinuxvm and choose Amazon Linux with the t3.micro instance type.




4. Create Key Pair: Under Key pair (login), click Create new key pair. Enter the name linuxkey1, select RSA as the key pair type and .pem as the file format, then click Create key pair.




5. Launch the Instance: Keep the remaining settings as default and click Launch instance. A success message with the new instance ID appears.




6. Verify the Instance: Go to the Instances page and confirm that mylinuxvm shows the Running state with 3/3 status checks passed.



7. Connect to the Instance: Select the instance and click Connect. In the In web browser tab, choose EC2 Instance Connect, keep the public IPv4 address selected, and click Connect.




8. Access the Linux Terminal: The browser-based terminal opens and shows the Amazon Linux 2023 prompt, confirming a successful login.




b) Creating a Windows Instance


1. Launch a Windows Instance: On the Launch an instance page, enter the name mywindowvm, select Windows under Quick Start (Microsoft Windows Server 2025 AMI), and keep the t3.micro instance type.




2. Create Key Pair: Under Key pair (login), click Create new key pair. Enter the name windowkey1, select RSA as the key pair type and .pem as the file format, then click Create key pair.




3. Launch the Instance: Click Launch instance. A success message with the new instance ID appears.




4. Verify the Instance: On the Instances page, confirm that mywindowvm is Running and that mylinuxvm is Stopped.




5. Open the Connect Page: Select mywindowvm and click Connect. The Connect to Windows instance page opens with the In web browser tab.




6. Choose RDP: Select the RDP (Remote Desktop Protocol) tab. Download the RDP shortcut file, note the Public DNS and the Administrator username, and click Get Windows password.




7. Get Windows Password: On the Get Windows password page, upload the private key file (windowkey1.pem) created while launching the instance.




8. Decrypt the Password: After the key file is uploaded and its contents appear in the Private key contents box, click Decrypt password.




9. View the Password: The Get Windows password dialog shows the Administrator username and the decrypted password. Copy the password and click OK.




10. Open the RDP File: Run the downloaded RDP shortcut file. In the Remote Desktop Connection security warning, click Connect.




11. Enter Credentials: In the Windows Security window, enter the Administrator password copied earlier and click OK.



12. Accept the Certificate Warning: When the identity of the remote computer cannot be verified, click Yes to connect anyway.




13. Windows Desktop: The remote session opens and the Windows Server desktop appears, confirming a successful connection.




c) Creating a Linux Instance with GUI (Ubuntu)


1. Instance Type and Key Pair: On the Launch an instance page, choose the Ubuntu AMI (Canonical, Ubuntu 26.04), select the t3.small instance type, and select the key pair linuxguikey.




2. Configure Security Group: Under Network settings, add inbound rules for SSH (TCP, port 22) and RDP (TCP, port 3389) with the source type set to My IP.




3. Configure Storage: Under Configure storage, set the root volume to 30 GiB (gp3) and keep the file system option as None.




4. Add User Data: Expand Advanced details and paste the startup script in the User data box.




5. Launch the Instance: Click Launch instance. A success message with the new instance ID appears.




6. Verify the Instance: On the Instances page, confirm that the instance linuxgui is in the Running state. Note its Public IPv4 address.



7. Open the Connect Page: Select linuxgui and click Connect. Click the copy icon next to the IPv4 address to copy the public IP address.




8. Connect Using Remote Desktop: Open Remote Desktop Connection on your computer, paste the copied IP address in the Computer field, and click Connect. The username for this instance is ubuntu.




d) S3 Bucket Creation and Upload Objects


1. Open S3: Search for S3 in the AWS Management Console and select the S3 service.




2. Create a Bucket: On the Amazon S3 page, click Create bucket, enter a globally unique bucket name (bucket3909309), and create the bucket.



3. Upload Objects: Open the bucket and click Upload. Use Add files to select the files to upload (here ss aws.docx and Skill 1.pdf), then click Upload.



4. Check Upload Status: Confirm the Upload succeeded message and that all files show the status Succeeded, then click Close.



5. Verify Objects: On the Objects tab of the bucket, confirm that the uploaded files appear in the object list.

